

Chemical Analysis Report

SO-DIST-2021-05-05-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **2021 SMP : Canals**

Request ID: **RQ-2021-05-03-62**

Customer: **SO-DIST**

Project ID: **SMP**

Send Reports to:

FL Dept. of Environmental Protection
FLDEP South District Office
2295 Victoria Ave. Suite 364
Fort Myers, FL 33901-3381
Attn: Chris Hormuth

For additional information please contact

Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Thekkekalathil Chandrasekhar, Environmental Consultant

Date Certified: 04-JUN-2021 14:32



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Nutrients and Pesticides.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: C-19 @ US 27

Collection Date/Time: 05/04/2021 09:40

Field ID: G3SD0087

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2245279	EPA 180.1 Rev. 2.0	Turbidity	11		NTU	P397701	
	EPA 300.0 Rev. 2.1	Chloride	46		mg Cl/L	P398560	
		Sulfate	21		mg SO4/L	P398563	
	SM 2120 B-2011	Color (true)	61		PCU	P397707	
	SM 2320 B-2011	Total Alkalinity	100		mg CaCO3/L	P398174	
	SM 2540 C-2011	TDS	246	A	mg/L	P398145	
	SM 2540 D-2011	TSS	17	A	mg/L	P397945	
	SM 4500 F-C-2011	Fluoride	0.16		mg F/L	P397859	
	EPA 350.1 Rev. 2.0	Ammonia-N	0.11		mg N/L	P398216	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.7		mg N/L	P398001	
2245280	EPA 353.2 Rev. 2.0	NO2NO3-N	0.027		mg N/L	P397815	
	EPA 365.1 Rev. 2.0	Total-P	0.10		mg P/L	P397896	
	SM 5310 B-2011	Organic Carbon	16		mg C/L	P397882	
	EPA 365.1 Rev. 2.0	O-Phosphate-P	0.004	U	mg P/L	P397689	
	dissolved						

Ref. Method and Comment:

EPA 351.2 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Sample Location: Caloosa Canal @ 27

Collection Date/Time: 05/04/2021 10:05

Field ID: G3SD0162

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2245285	EPA 180.1 Rev. 2.0	Turbidity	18		NTU	P397702	
	EPA 300.0 Rev. 2.1	Chloride	45		mg Cl/L	P398560	
		Sulfate	20		mg SO4/L	P398563	
		Color (true)	47		PCU	P397709	
	SM 2120 B-2011	Total Alkalinity	99		mg CaCO3/L	P398174	
	SM 2540 C-2011	TDS	220		mg/L	P398145	
	SM 2540 D-2011	TSS	22		mg/L	P397945	
	SM 4500 F-C-2011	Fluoride	0.16		mg F/L	P397859	
2245286	EPA 350.1 Rev. 2.0	Ammonia-N	0.060		mg N/L	P398216	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.6		mg N/L	P398001	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.027		mg N/L	P397815	
	EPA 365.1 Rev. 2.0	Total-P	0.11		mg P/L	P398072	
	SM 5310 B-2011	Organic Carbon	15		mg C/L	P397882	
2245287	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.008	I	mg P/L	P397689	
2245296	EPA 8321B	2,4-D	0.0077	I	ug/L	P397752	
		Acesulfame K	0.10	U	ug/L	P397668	
		2,4,5-T	0.0040	U	ug/L	P397752	
		AMPA	0.12	I	ug/L	P397668	
		Sucralose	0.12		ug/L	P397668	
		Acetaminophen	0.0080	U	ug/L	P397752	
		Acetamiprid	0.0020	U	ug/L	P397752	
		Endothall	0.25	U	ug/L	P397668	
		Glufosinate	0.10	U	ug/L	P397668	
		Glyphosate	0.18	I	ug/L	P397668	
		Afidopyropen	0.0020	U	ug/L	P397752	
		Bentazon	0.0059		ug/L	P397752	
		Benzovindiflupyr	0.0020	U	ug/L	P397752	
		Carbamazepine	8.0E-04	U	ug/L	P397752	
		Clothianidin	0.0020	U	ug/L	P397752	
		Dinotefuran	0.0020	U	ug/L	P397752	
		Diuron	0.0020	U	ug/L	P397752	
		Fenuron	0.016	U	ug/L	P397752	
		Fluridone	0.0032		ug/L	P397752	
		Imazapyr	0.043		ug/L	P397752	
		Hydrocodone	0.0020	U	ug/L	P397752	
		Ibuprofen	0.020	U	ug/L	P397752	
		Imidacloprid	0.0020	UJ	ug/L	P397752	MS
		Linuron	0.0040	U	ug/L	P397752	
		Mandestrobin	0.0020	U	ug/L	P397752	
		MCP	0.0020	U	ug/L	P397752	
		Naproxen	0.0080	U	ug/L	P397752	
		Primidone	0.0040	U	ug/L	P397752	
		Pyraclostrobin	0.0020	U	ug/L	P397752	

Field ID: G3SD0162

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2245296	EPA 8321B	Thiamethoxam	0.0020	U	ug/L	P397752	
		Tolfenpyrad	0.0020	U	ug/L	P397752	
		Triclopyr	0.0040	U	ug/L	P397752	
2245320	EPA 8270E	Aldrin	0.70	U	ng/L	P397742	
		Alpha-BHC	0.11	U	ng/L	P397742	
		Alpha-Chlordane	0.22	U	ng/L	P397742	
		Beta-BHC	0.11	U	ng/L	P397742	
		Beta-Cyfluthrin**	1.3	U	ng/L	P397742	MS
		Bifenthrin**	0.54	U	ng/L	P397742	
		Chlorothalonil	0.54	U	ng/L	P397742	RPD
		Cis-Nonachlor**	0.22	U	ng/L	P397742	
		Cypermethrin	1.6	U	ng/L	P397742	
		Dacthal**	0.16	U	ng/L	P397742	
		DDD-p,p'	0.27	U	ng/L	P397742	
		DDE-p,p'	0.22	U	ng/L	P397742	
		DDT-p,p'	0.27	U	ng/L	P397742	
		Delta-BHC	0.43	U	ng/L	P397742	
		Deltamethrin**	1.3	U	ng/L	P397742	MS
		Dichlobenil**	0.11	U	ng/L	P397742	
		Dicofol	1.3	U	ng/L	P397742	
		Dieldrin	5.5		ng/L	P397742	
		Endosulfan I	0.43	U	ng/L	P397742	
		Endosulfan II	0.43	U	ng/L	P397742	
		Endosulfan Sulfate	0.32	U	ng/L	P397742	
		Endrin	0.43	U	ng/L	P397742	
		Endrin Aldehyde	0.81	U	ng/L	P397742	
		Endrin Ketone	0.75	I	ng/L	P397742	
		Esfenvalerate**	0.81	U	ng/L	P397742	MS
		Ethalfuralin**	0.26	I	ng/L	P397742	
		Fenpropathrin**	0.27	U	ng/L	P397742	
		Gamma-BHC	0.13	U	ng/L	P397742	
		Gamma-Chlordane	0.22	U	ng/L	P397742	
		Heptachlor	0.22	U	ng/L	P397742	
		Heptachlor Epoxide	0.43	I	ng/L	P397742	
		Hexachlorobenzene	1.1	U	ng/L	P397742	
		Kepone**	5.4	UJ	ng/L	P397742	RPD
		Lambda-Cyhalothrin**	0.81	U	ng/L	P397742	MS
		Methoxychlor	0.32	U	ng/L	P397742	
		MGK-264**	0.22	UJ	ng/L	P397742	RPD
		Mirex	0.32	U	ng/L	P397742	
		Permethrin	1.7	U	ng/L	P397742	
		Phenothrin**	0.97	U	ng/L	P397742	
		Piperonyl Butoxide**	0.16	UJ	ng/L	P397742	RPD
		Prallethrin**	2.2	UJ	ng/L	P397742	RPD
		Tau-Fluvalinate**	0.27	U	ng/L	P397742	

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes	
2245320	EPA 8270E	Tetramethrin**	0.81	UJ	ng/L	P397742	RPD	
		Trans-Nonachlor**	0.22	U	ng/L	P397742		
		Triclosan Methyl**	0.16	U	ng/L	P397742		
		Trifluralin	0.22	U	ng/L	P397742		
	EPA 8276	Chlordane	5.4	U	ng/L	P397742		
		Toxaphene	32	U	ng/L	P397742		
2245321	EPA 8270E	Acetochlor	0.25	U	ng/L	P397980	MS	
		Alachlor	0.25	U	ng/L	P397980		
		Ametryn	9.6		ng/L	P397980		
		Atrazine	180		ng/L	P397980		
		Atrazine Desethyl	17		ng/L	P397980		
		Azinphos Methyl	2.0	U	ng/L	P397980		
		Azoxystrobin**	0.81	I	ng/L	P397980		
		Bromacil	4.7		ng/L	P397980		
		Butylate	0.40	U	ng/L	P397980		
		Caffeine**	7.5	U	ng/L	P397980		
		Carbophenothion	0.50	UJ	ng/L	P397980		LCS
		Carfentrazone Ethyl**	0.10	U	ng/L	P397980		
		Chlorpyrifos Ethyl	0.25	U	ng/L	P397980		
		Chlorpyrifos Methyl	0.050	U	ng/L	P397980		
		Cyanazine	3.3	U	ng/L	P397980		
		Demeton	1.5	U	ng/L	P397980		
		Diazinon	0.13	U	ng/L	P397980		MS
		Difenoconazole**	0.60	U	ng/L	P397980		MS
		Dimethenamid**	0.10	U	ng/L	P397980		
		Disulfoton	0.50	U	ng/L	P397980		
		Dithiopyr**	0.18	U	ng/L	P397980		
		EPTC	1.3	U	ng/L	P397980		
		Ethion	0.15	U	ng/L	P397980		
		Ethoprop	0.10	U	ng/L	P397980		
		Fenamiphos	0.50	U	ng/L	P397980		
		Fenbuconazole**	0.13	U	ng/L	P397980		MS
		Fipronil	0.25	U	ng/L	P397980		
		Fipronil Desulfinyl**	0.13	U	ng/L	P397980		
		Fipronil Sulfide	0.15	UJ	ng/L	P397980		LCS
		Fipronil Sulfone	0.15	U	ng/L	P397980		
		Fluazifop-P-butyl**	0.10	U	ng/L	P397980		MS
		Fludioxonil**	0.13	U	ng/L	P397980		
		Flumioxazin**	1.8	U	ng/L	P397980		MS
		Flutolanil**	0.10	U	ng/L	P397980		
		Fluxapyroxad**	0.66		ng/L	P397980		
		Fonofos	0.20	U	ng/L	P397980		
Hexazinone	34		ng/L	P397980				
Imazalil**	0.75	U	ng/L	P397980				
Iprodione**	0.60	U	ng/L	P397980				

Field ID: G3SD0162

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2245321	EPA 8270E	Malathion	0.35	U	ng/L	P397980	
		Metalaxyl	2.2	I	ng/L	P397980	
		Metolachlor	21		ng/L	P397980	
		Metribuzin	3.3	U	ng/L	P397980	
		Mevinphos	1.1	U	ng/L	P397980	
		Molinate	0.30	U	ng/L	P397980	
		Myclobutanil**	0.25	U	ng/L	P397980	
		Naled**	1.5	U	ng/L	P397980	
		Norflurazon	2.4		ng/L	P397980	
		Oxadiazon	0.30	U	ng/L	P397980	
		Oxyfluorfen**	0.15	U	ng/L	P397980	
		Parathion Ethyl	0.25	U	ng/L	P397980	
		Parathion Methyl	0.55	U	ng/L	P397980	
		Pendimethalin	1.0	U	ng/L	P397980	
		Phorate	0.53	U	ng/L	P397980	
		Prodiamine**	0.18	U	ng/L	P397980	
		Prometon	0.90	U	ng/L	P397980	MS, RPD
		Prometryn	0.20	U	ng/L	P397980	
		Pronamide**	0.24	I	ng/L	P397980	
		Propiconazole**	2.4		ng/L	P397980	
		Pyriproxyfen**	0.13	U	ng/L	P397980	
		Simazine	4.8		ng/L	P397980	
		Sulfentrazone**	0.50	U	ng/L	P397980	
		Tebuconazole**	0.50	U	ng/L	P397980	RPD
		Terbufos	0.10	U	ng/L	P397980	
		Terbuthylazine	0.43	U	ng/L	P397980	

Ref. Method and Comment:

EPA 351.2 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

EPA 8321B: Refer to the Lab Analysis Report for an explanation of QC Codes.

EPA 8270E: Refer to the Lab Analysis Report for an explanation of QC Codes.

EPA 8270E: MS accuracy for some analytes not assessed due to high content of these parameters in the sample spiked. Refer to the Lab Analysis Report for an explanation of QC Codes.

Sample Location: FB

Collection Date/Time: 05/04/2021 10:15

Field ID: FB_05042021

Matrix: W-FIELD-BK

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2245288	EPA 180.1 Rev. 2.0	Turbidity	0.10	U	NTU	P397702	
	EPA 300.0 Rev. 2.1	Chloride	0.20	U	mg Cl/L	P398560	
		Sulfate	0.20	U	mg SO4/L	P398563	
	SM 2120 B-2011	Color (true)	2.5	U	PCU	P397707	
	SM 2320 B-2011	Total Alkalinity	0.65	U	mg CaCO3/L	P398174	
	SM 2540 C-2011	TDS	15	U	mg/L	P398144	
	SM 2540 D-2011	TSS	2	U	mg/L	P397944	
	SM 4500 F-C-2011	Fluoride	0.035	U	mg F/L	P397859	
2245289	EPA 350.1 Rev. 2.0	Ammonia-N	0.002	U	mg N/L	P398216	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.080	U	mg N/L	P398001	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P397815	
	EPA 365.1 Rev. 2.0	Total-P	0.002	U	mg P/L	P398072	
	SM 5310 B-2011	Organic Carbon	0.50	U	mg C/L	P397882	
2245290	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P397689	
2245297	EPA 8321B	Aldicarb	0.020	U	ug/L	P397974	
		Aldicarb Sulfone	0.0020	U	ug/L	P397974	
		Aldicarb Sulfoxide	0.0020	U	ug/L	P397974	
		Carbaryl	0.0020	U	ug/L	P397974	
		Carbofuran	0.0020	U	ug/L	P397974	
		3-Hydroxycarbofuran	0.0020	U	ug/L	P397974	
		Methiocarb	0.0020	U	ug/L	P397974	
		Methomyl	0.0020	U	ug/L	P397974	
		Oxamyl	0.0020	U	ug/L	P397974	
		Propoxur	0.0020	U	ug/L	P397974	
		2,4-D	0.0020	U	ug/L	P397752	
		Acesulfame K	0.10	U	ug/L	P397668	
		2,4,5-T	0.0040	U	ug/L	P397752	
2245298		AMPA	0.10	U	ug/L	P397668	
		Sucralose	0.010	U	ug/L	P397668	
		Acetaminophen	0.0080	U	ug/L	P397752	
		Acetamiprid	0.0020	U	ug/L	P397752	
		Endothall	0.25	U	ug/L	P397668	
		Glufosinate	0.10	U	ug/L	P397668	
		Glyphosate	0.10	U	ug/L	P397668	
		Afidopyropen	0.0020	U	ug/L	P397752	
		Bentazon	8.0E-04	U	ug/L	P397752	
		Benzovindiflupyr	0.0020	U	ug/L	P397752	
		Carbamazepine	8.0E-04	U	ug/L	P397752	
		Clothianidin	0.0020	U	ug/L	P397752	
		Dinotefuran	0.0020	U	ug/L	P397752	
		Diuron	0.0020	U	ug/L	P397752	
		Fenuron	0.016	U	ug/L	P397752	
		Fluridone	8.0E-04	U	ug/L	P397752	

Field ID: FB_05042021

Matrix: W-FIELD-BK

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2245298	EPA 8321B	Imazapyr	0.0040	U	ug/L	P397752	
		Hydrocodone	0.0020	U	ug/L	P397752	
		Ibuprofen	0.020	U	ug/L	P397752	
		Imidacloprid	0.0020	U	ug/L	P397752	MS
		Linuron	0.0040	U	ug/L	P397752	
		Mandestrobin	0.0020	U	ug/L	P397752	
		MCP	0.0020	U	ug/L	P397752	
		Naproxen	0.0080	U	ug/L	P397752	
		Primidone	0.0040	U	ug/L	P397752	
		Pyraclostrobin	0.0020	U	ug/L	P397752	
		Thiamethoxam	0.0020	U	ug/L	P397752	
		Tolfenpyrad	0.0020	U	ug/L	P397752	
		Triclopyr	0.0040	U	ug/L	P397752	
2245322	EPA 8270E	Aldrin	0.71	U	ng/L	P397742	
		Alpha-BHC	0.11	U	ng/L	P397742	
		Alpha-Chlordane	0.22	UQ	ng/L	P398407	
		Beta-BHC	0.11	U	ng/L	P397742	
		Beta-Cyfluthrin**	1.4	U	ng/L	P397742	MS
		Bifenthrin**	0.55	U	ng/L	P397742	
		Chlorothalonil	0.55	U	ng/L	P397742	RPD
		Cis-Nonachlor**	0.22	U	ng/L	P397742	
		Cypermethrin	1.6	U	ng/L	P397742	
		Dacthal**	0.16	U	ng/L	P397742	
		DDD-p,p'	0.27	U	ng/L	P397742	
		DDE-p,p'	0.22	U	ng/L	P397742	
		DDT-p,p'	0.27	U	ng/L	P397742	
		Delta-BHC	0.44	U	ng/L	P397742	
		Deltamethrin**	1.4	U	ng/L	P397742	MS
		Dichlobenil**	0.11	U	ng/L	P397742	
		Dicofol	1.4	U	ng/L	P397742	
		Dieldrin	0.43	UQ	ng/L	P398407	
		Endosulfan I	0.44	U	ng/L	P397742	
		Endosulfan II	0.44	U	ng/L	P397742	
		Endosulfan Sulfate	0.33	U	ng/L	P397742	
		Endrin	0.44	U	ng/L	P397742	
		Endrin Aldehyde	0.82	U	ng/L	P397742	
		Endrin Ketone	0.43	UQ	ng/L	P398407	
		Esfenvalerate**	0.82	U	ng/L	P397742	MS
		Ethalfuralin**	0.16	UQ	ng/L	P398407	
		Fenpropathrin**	0.27	U	ng/L	P397742	
		Gamma-BHC	0.14	U	ng/L	P397742	
		Gamma-Chlordane	0.22	UQ	ng/L	P398407	
		Heptachlor	0.22	U	ng/L	P397742	
		Heptachlor Epoxide	0.27	UQ	ng/L	P398407	
		Hexachlorobenzene	1.1	U	ng/L	P397742	

Field ID: FB_05042021

Matrix: W-FIELD-BK

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2245322	EPA 8270E	Kepone**	5.5	UJ	ng/L	P397742	RPD
		Lambda-Cyhalothrin**	0.82	U	ng/L	P397742	MS
		Methoxychlor	0.33	U	ng/L	P397742	
		MGK-264**	0.22	UJ	ng/L	P397742	RPD
		Mirex	0.33	U	ng/L	P397742	
		Permethrin	1.7	U	ng/L	P397742	
		Phenothrin**	0.98	U	ng/L	P397742	
		Piperonyl Butoxide**	0.16	UJ	ng/L	P397742	RPD
		Prallethrin**	2.2	UJ	ng/L	P397742	RPD
		Tau-Fluvalinate**	0.27	U	ng/L	P397742	
		Tetramethrin**	0.82	UJ	ng/L	P397742	RPD
		Trans-Nonachlor**	0.22	U	ng/L	P397742	
		Triclosan Methyl**	0.16	U	ng/L	P397742	
		Trifluralin	0.22	U	ng/L	P397742	
		Chlordane	5.4	UQ	ng/L	P398407	
		Toxaphene	33	U	ng/L	P397742	
		Acetochlor	0.25	U	ng/L	P397980	
		Alachlor	0.25	U	ng/L	P397980	
		Ametryn	0.61	U	ng/L	P397980	
2245323	EPA 8270E	Atrazine	0.25	U	ng/L	P397980	
		Atrazine Desethyl	1.5	U	ng/L	P397980	
		Azinphos Methyl	2.0	U	ng/L	P397980	
		Azoxystrobin**	0.51	U	ng/L	P397980	MS
		Bromacil	0.51	U	ng/L	P397980	
		Butylate	0.41	U	ng/L	P397980	
		Caffeine**	7.6	U	ng/L	P397980	
		Carbophenothion	0.51	UJ	ng/L	P397980	LCS
		Carfentrazone Ethyl**	0.10	U	ng/L	P397980	
		Chlorpyrifos Ethyl	0.25	U	ng/L	P397980	
		Chlorpyrifos Methyl	0.051	U	ng/L	P397980	
		Cyanazine	3.3	U	ng/L	P397980	
		Demeton	1.5	U	ng/L	P397980	
		Diazinon	0.13	U	ng/L	P397980	MS
		Difenoconazole**	0.61	U	ng/L	P397980	MS
		Dimethenamid**	0.10	U	ng/L	P397980	
		Disulfoton	0.51	U	ng/L	P397980	
		Dithiopyr**	0.18	U	ng/L	P397980	
		EPTC	1.3	U	ng/L	P397980	
		Ethion	0.15	U	ng/L	P397980	
		Ethoprop	0.10	U	ng/L	P397980	
		Fenamiphos	0.51	U	ng/L	P397980	
		Fenbuconazole**	0.13	U	ng/L	P397980	MS
		Fipronil	0.25	U	ng/L	P397980	
		Fipronil Desulfinyl**	0.13	U	ng/L	P397980	
		Fipronil Sulfide	0.15	UJ	ng/L	P397980	LCS

Field ID: FB_05042021

Matrix: W-FIELD-BK

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2245323	EPA 8270E	Fipronil Sulfone	0.15	U	ng/L	P397980	
		Fluazifop-P-butyl**	0.10	U	ng/L	P397980	MS
		Fludioxonil**	0.13	U	ng/L	P397980	
		Flumioxazin**	1.8	U	ng/L	P397980	MS
		Flutolanil**	0.10	U	ng/L	P397980	
		Fluxapyroxad**	0.10	U	ng/L	P397980	
		Fonofos	0.20	U	ng/L	P397980	
		Hexazinone	0.51	U	ng/L	P397980	
		Imazalil**	0.76	U	ng/L	P397980	
		Iprodione**	0.61	U	ng/L	P397980	
		Malathion	0.36	U	ng/L	P397980	
		Metalaxyl	0.76	U	ng/L	P397980	
		Metolachlor	0.36	U	ng/L	P397980	
		Metribuzin	3.3	U	ng/L	P397980	
		Mevinphos	1.1	U	ng/L	P397980	
		Molinate	0.31	U	ng/L	P397980	
		Myclobutanil**	0.25	U	ng/L	P397980	
		Naled**	1.5	U	ng/L	P397980	
		Norflurazon	0.51	U	ng/L	P397980	
		Oxadiazon	0.31	U	ng/L	P397980	
		Oxyfluorfen**	0.15	U	ng/L	P397980	
		Parathion Ethyl	0.25	U	ng/L	P397980	
		Parathion Methyl	0.56	U	ng/L	P397980	
		Pendimethalin	1.0	U	ng/L	P397980	
		Phorate	0.54	U	ng/L	P397980	
		Prodiamine**	0.18	U	ng/L	P397980	
		Prometon	0.92	U	ng/L	P397980	MS, RPD
		Prometryn	0.20	U	ng/L	P397980	
		Pronamide**	0.15	U	ng/L	P397980	
		Propiconazole**	0.51	U	ng/L	P397980	
		Pyriproxyfen**	0.13	U	ng/L	P397980	
		Simazine	0.51	U	ng/L	P397980	
		Sulfentrazone**	0.51	U	ng/L	P397980	
		Tebuconazole**	0.51	U	ng/L	P397980	RPD
		Terbufos	0.10	U	ng/L	P397980	
		Terbuthylazine	0.43	U	ng/L	P397980	

Ref. Method and Comment:

EPA 351.2 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

EPA 8270E: Sample expired for some analytes due to need for re-extraction. Refer to the Lab Analysis Report for an explanation of QC Codes.

EPA 8276: Sample expired for chlordane due to need for re-extraction.

EPA 8270E: MS accuracy for some analytes not assessed due to high content of these parameters in the sample spiked. Refer to the Lab Analysis Report for an explanation of QC Codes.

Sample Location: Nine Mile Canal @ SR 80

Collection Date/Time: 05/04/2021 12:30

Field ID: G3SD0088

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2245282	EPA 180.1 Rev. 2.0	Turbidity	8.1	A	NTU	P397702	
	EPA 300.0 Rev. 2.1	Chloride	48		mg Cl/L	P398560	
		Sulfate	22		mg SO4/L	P398563	
	SM 2120 B-2011	Color (true)	59		PCU	P397707	
	SM 2320 B-2011	Total Alkalinity	107		mg CaCO3/L	P398174	
	SM 2540 C-2011	TDS	236		mg/L	P398145	
	SM 2540 D-2011	TSS	13		mg/L	P397945	
	SM 4500 F-C-2011	Fluoride	0.17		mg F/L	P397859	
2245283	EPA 350.1 Rev. 2.0	Ammonia-N	0.023		mg N/L	P398216	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.4		mg N/L	P398001	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.011		mg N/L	P397815	
	EPA 365.1 Rev. 2.0	Total-P	0.087		mg P/L	P397896	
	SM 5310 B-2011	Organic Carbon	17		mg C/L	P397882	
2245284	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.009	I	mg P/L	P397689	
2245319	EPA 8270E	Acetochlor	0.26	U	ng/L	P397980	
		Alachlor	0.26	U	ng/L	P397980	
		Ametryn	12		ng/L	P397980	
		Atrazine	190		ng/L	P397980	
		Atrazine Desethyl	24		ng/L	P397980	
		Azinphos Methyl	2.1	U	ng/L	P397980	
		Azoxystrobin**	1.1	I J	ng/L	P397980	MS
		Bromacil	4.6		ng/L	P397980	
		Butylate	0.41	U	ng/L	P397980	
		Caffeine**	7.7	U	ng/L	P397980	
		Carbophenothion	0.51	UJ	ng/L	P397980	LCS
		Carfentrazone Ethyl**	0.10	U	ng/L	P397980	
		Chlorpyrifos Ethyl	0.26	U	ng/L	P397980	
		Chlorpyrifos Methyl	0.051	U	ng/L	P397980	
		Cyanazine	3.3	U	ng/L	P397980	
		Demeton	1.5	U	ng/L	P397980	
		Diazinon	0.13	UJ	ng/L	P397980	MS
		Difenoconazole**	0.62	UJ	ng/L	P397980	MS
		Dimethenamid**	0.10	U	ng/L	P397980	
		Disulfoton	0.51	U	ng/L	P397980	
		Dithiopyr**	0.18	U	ng/L	P397980	
		EPTC	1.3	U	ng/L	P397980	
		Ethion	0.15	U	ng/L	P397980	
		Ethoprop	0.10	U	ng/L	P397980	
		Fenamiphos	0.51	U	ng/L	P397980	
		Fenbuconazole**	0.13	UJ	ng/L	P397980	MS
		Fipronil	0.26	U	ng/L	P397980	
		Fipronil Desulfinyl**	0.13	U	ng/L	P397980	
		Fipronil Sulfide	0.15	UJ	ng/L	P397980	LCS

Field ID: G3SD0088

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2245319	EPA 8270E	Fipronil Sulfone	0.15	U	ng/L	P397980	
		Fluazifop-P-butyl**	0.10	UJ	ng/L	P397980	MS
		Fludioxonil**	0.13	U	ng/L	P397980	
		Flumioxazin**	1.8	UJ	ng/L	P397980	MS
		Flutolanil**	0.10	U	ng/L	P397980	
		Fluxapyroxad**	0.99		ng/L	P397980	
		Fonofos	0.21	U	ng/L	P397980	
		Hexazinone	33		ng/L	P397980	
		Imazalil**	0.77	U	ng/L	P397980	
		Iprodione**	0.62	U	ng/L	P397980	
		Malathion	0.36	U	ng/L	P397980	
		Metalaxyl	2.7	I	ng/L	P397980	
		Metolachlor	30		ng/L	P397980	
		Metribuzin	3.3	U	ng/L	P397980	
		Mevinphos	1.1	U	ng/L	P397980	
		Molinate	0.31	U	ng/L	P397980	
		Myclobutanil**	0.26	U	ng/L	P397980	
		Naled**	1.5	U	ng/L	P397980	
		Norflurazon	7.6		ng/L	P397980	
		Oxadiazon	0.31	U	ng/L	P397980	
		Oxyfluorfen**	0.15	U	ng/L	P397980	
		Parathion Ethyl	0.26	U	ng/L	P397980	
		Parathion Methyl	0.56	U	ng/L	P397980	
		Pendimethalin	1.0	U	ng/L	P397980	
		Phorate	0.54	U	ng/L	P397980	
		Prodiamine**	0.18	U	ng/L	P397980	
		Prometon	0.92	UJ	ng/L	P397980	MS, RPD
		Prometryn	0.21	U	ng/L	P397980	
		Pronamide**	0.19	I	ng/L	P397980	
		Propiconazole**	2.9		ng/L	P397980	
		Pyriproxyfen**	0.13	U	ng/L	P397980	
		Simazine	6.1		ng/L	P397980	
		Sulfentrazone**	0.51	U	ng/L	P397980	
		Tebuconazole**	0.51	UJ	ng/L	P397980	RPD
		Terbufos	0.10	U	ng/L	P397980	
		Terbuthylazine	0.44	U	ng/L	P397980	

Ref. Method and Comment:

EPA 351.2 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

EPA 8270E: MS accuracy for some analytes not assessed due to high content of these parameters in the sample spiked. Refer to the Lab Analysis Report for an explanation of QC Codes.

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P397701

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P397702

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P398560

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P398563

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P398216

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P398001

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P397815

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P397896

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P398072

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P397689

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: EPA 8270E
Batch ID: P397742

Component	Result	Code	Units
Aldrin	0.65	U	ng/L
Alpha-BHC	0.10	U	ng/L
Alpha-Chlordane	0.20	U	ng/L
Beta-BHC	0.10	U	ng/L
Beta-Cyfluthrin	1.2	U	ng/L
Bifenthrin	0.50	U	ng/L
Chlorothalonil	0.50	U	ng/L
Cis-Nonachlor	0.20	U	ng/L
Cypermethrin	1.5	U	ng/L
Dacthal	0.15	U	ng/L
DDD-p,p'	0.25	U	ng/L
DDE-p,p'	0.20	U	ng/L
DDT-p,p'	0.25	U	ng/L
Delta-BHC	0.40	U	ng/L
Deltamethrin	1.2	U	ng/L
Dichlobenil	0.10	U	ng/L
Dicofol	1.2	U	ng/L
Dieldrin	0.40	U	ng/L
Endosulfan I	0.40	U	ng/L
Endosulfan II	0.40	U	ng/L
Endosulfan Sulfate	0.30	U	ng/L
Endrin	0.40	U	ng/L
Endrin Aldehyde	0.75	U	ng/L
Endrin Ketone	0.40	U	ng/L
Esfenvalerate	0.75	U	ng/L
Ethalfuralin	0.15	U	ng/L
Fenpropathrin	0.25	U	ng/L
Gamma-BHC	0.12	U	ng/L
Gamma-Chlordane	0.20	U	ng/L
Heptachlor	0.20	U	ng/L
Heptachlor Epoxide	0.25	U	ng/L
Hexachlorobenzene	1.0	U	ng/L
Kepone	5.0	U	ng/L
Lambda-Cyhalothrin	0.75	U	ng/L
Methoxychlor	0.30	U	ng/L
MGK-264	0.20	U	ng/L
Mirex	0.30	U	ng/L
Permethrin	1.6	U	ng/L
Phenothrin	0.90	U	ng/L
Piperonyl Butoxide	0.15	U	ng/L
Prallethrin	2.0	U	ng/L
Tau-Fluvalinate	0.25	U	ng/L
Tetramethrin	0.75	U	ng/L
Trans-Nonachlor	0.20	U	ng/L
Triclosan Methyl	0.15	U	ng/L
Trifluralin	0.20	U	ng/L

Quality Assurance Report

Method Blank Results

Reference Method: EPA 8270E

Batch ID: P397980

Component	Result	Code	Units
Acetochlor	0.25	U	ng/L
Acetochlor	0.25	U	ng/L
Alachlor	0.25	U	ng/L
Alachlor	0.25	U	ng/L
Ametryn	0.60	U	ng/L
Ametryn	0.60	U	ng/L
Atrazine	0.25	U	ng/L
Atrazine	0.25	U	ng/L
Atrazine Desethyl	1.5	U	ng/L
Atrazine Desethyl	1.5	U	ng/L
Azinphos Methyl	2.0	U	ng/L
Azinphos Methyl	2.0	U	ng/L
Azoxystrobin	0.50	U	ng/L
Azoxystrobin	0.50	U	ng/L
Bromacil	0.50	U	ng/L
Bromacil	0.50	U	ng/L
Butylate	0.40	U	ng/L
Butylate	0.40	U	ng/L
Caffeine	7.5	U	ng/L
Caffeine	7.5	U	ng/L
Carbophenothion	0.50	U	ng/L
Carbophenothion	0.50	U	ng/L
Carfentrazone Ethyl	0.10	U	ng/L
Carfentrazone Ethyl	0.10	U	ng/L
Chlorpyrifos Ethyl	0.25	U	ng/L
Chlorpyrifos Ethyl	0.25	U	ng/L
Chlorpyrifos Methyl	0.050	U	ng/L
Chlorpyrifos Methyl	0.050	U	ng/L
Cyanazine	3.2	U	ng/L
Cyanazine	3.2	U	ng/L
Demeton	1.5	U	ng/L
Demeton	1.5	U	ng/L
Diazinon	0.12	U	ng/L
Diazinon	0.12	U	ng/L
Difenoconazole	0.60	U	ng/L
Difenoconazole	0.60	U	ng/L
Dimethenamid	0.10	U	ng/L
Dimethenamid	0.10	U	ng/L
Disulfoton	0.50	U	ng/L
Disulfoton	0.50	U	ng/L
Dithiopyr	0.18	U	ng/L
Dithiopyr	0.18	U	ng/L
EPTC	1.2	U	ng/L
EPTC	1.2	U	ng/L
Ethion	0.15	U	ng/L
Ethion	0.15	U	ng/L
Ethoprop	0.10	U	ng/L
Ethoprop	0.10	U	ng/L
Fenamiphos	0.50	U	ng/L
Fenamiphos	0.50	U	ng/L
Fenbuconazole	0.12	U	ng/L
Fenbuconazole	0.12	U	ng/L

Quality Assurance Report

Method Blank Results

Reference Method: EPA 8270E

Batch ID: P397980

Component	Result	Code	Units
Fipronil	0.25	U	ng/L
Fipronil	0.25	U	ng/L
Fipronil Desulfinyl	0.12	U	ng/L
Fipronil Desulfinyl	0.12	U	ng/L
Fipronil Sulfide	0.15	U	ng/L
Fipronil Sulfide	0.15	U	ng/L
Fipronil Sulfone	0.15	U	ng/L
Fipronil Sulfone	0.15	U	ng/L
Fluazifop-P-butyl	0.10	U	ng/L
Fluazifop-P-butyl	0.10	U	ng/L
Fludioxonil	0.12	U	ng/L
Fludioxonil	0.12	U	ng/L
Flumioxazin	1.8	U	ng/L
Flumioxazin	1.8	U	ng/L
Flutolanil	0.10	U	ng/L
Flutolanil	0.10	U	ng/L
Fluxapyroxad	0.10	U	ng/L
Fluxapyroxad	0.10	U	ng/L
Fonofos	0.20	U	ng/L
Fonofos	0.20	U	ng/L
Hexazinone	0.50	U	ng/L
Hexazinone	0.50	U	ng/L
Imazalil	0.75	U	ng/L
Imazalil	0.75	U	ng/L
Iprodione	0.60	U	ng/L
Iprodione	0.60	U	ng/L
Malathion	0.35	U	ng/L
Malathion	0.35	U	ng/L
Metalaxyl	0.75	U	ng/L
Metalaxyl	0.75	U	ng/L
Metolachlor	0.35	U	ng/L
Metolachlor	0.35	U	ng/L
Metribuzin	3.2	U	ng/L
Metribuzin	3.2	U	ng/L
Mevinphos	1.0	U	ng/L
Mevinphos	1.0	U	ng/L
Molinate	0.30	U	ng/L
Molinate	0.30	U	ng/L
Myclobutanil	0.25	U	ng/L
Myclobutanil	0.25	U	ng/L
Naled	1.5	U	ng/L
Naled	1.5	U	ng/L
Norflurazon	0.50	U	ng/L
Norflurazon	0.50	U	ng/L
Oxadiazon	0.30	U	ng/L
Oxadiazon	0.30	U	ng/L
Oxyfluorfen	0.15	U	ng/L
Oxyfluorfen	0.15	U	ng/L
Parathion Ethyl	0.25	U	ng/L
Parathion Ethyl	0.25	U	ng/L
Parathion Methyl	0.55	U	ng/L
Parathion Methyl	0.55	U	ng/L

Quality Assurance Report

Method Blank Results

Reference Method: EPA 8270E

Batch ID: P397980

Component	Result	Code	Units
Pendimethalin	1.0	U	ng/L
Pendimethalin	1.0	U	ng/L
Phorate	0.52	U	ng/L
Phorate	0.52	U	ng/L
Prodiamine	0.18	U	ng/L
Prodiamine	0.18	U	ng/L
Prometon	0.90	U	ng/L
Prometon	0.90	U	ng/L
Prometryn	0.20	U	ng/L
Prometryn	0.20	U	ng/L
Pronamide	0.15	U	ng/L
Pronamide	0.15	U	ng/L
Propiconazole	0.50	U	ng/L
Propiconazole	0.50	U	ng/L
Pyriproxyfen	0.12	U	ng/L
Pyriproxyfen	0.12	U	ng/L
Simazine	0.50	U	ng/L
Simazine	0.50	U	ng/L
Sulfentrazone	0.50	U	ng/L
Sulfentrazone	0.50	U	ng/L
Tebuconazole	0.50	U	ng/L
Tebuconazole	0.50	U	ng/L
Terbufos	0.10	U	ng/L
Terbufos	0.10	U	ng/L
Terbuthylazine	0.42	U	ng/L
Terbuthylazine	0.42	U	ng/L

Reference Method: EPA 8270E

Batch ID: P398407

Component	Result	Code	Units
Alpha-Chlordane	0.20	U	ng/L
Dieldrin	0.40	U	ng/L
Endrin Ketone	0.40	U	ng/L
Ethalfuralin	0.15	U	ng/L
Gamma-Chlordane	0.20	U	ng/L
Heptachlor Epoxide	0.25	U	ng/L

Reference Method: EPA 8276

Batch ID: P397742

Component	Result	Code	Units
Chlordane	5.0	U	ng/L
Toxaphene	30	U	ng/L

Reference Method: EPA 8276

Batch ID: P398407

Component	Result	Code	Units
Chlordane	5.0	U	ng/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 8321B

Batch ID: P397668

Component	Result	Code	Units
Acesulfame K	0.10	U	ug/L
AMPA	0.10	U	ug/L
Endothall	0.25	U	ug/L
Glufosinate	0.10	U	ug/L
Glyphosate	0.10	U	ug/L
Sucralose	0.010	U	ug/L

Reference Method: EPA 8321B

Batch ID: P397752

Component	Result	Code	Units
2,4-D	0.0020	U	ug/L
2,4,5-T	0.0040	U	ug/L
Acetaminophen	0.0080	U	ug/L
Acetamiprid	0.0020	U	ug/L
Afidopyropen	0.0020	U	ug/L
Bentazon	8.0E-04	U	ug/L
Benzovindiflupyr	0.0020	U	ug/L
Carbamazepine	8.0E-04	U	ug/L
Clothianidin	0.0020	U	ug/L
Dinotefuran	0.0020	U	ug/L
Diuron	0.0020	U	ug/L
Fenuron	0.016	U	ug/L
Fluridone	8.0E-04	U	ug/L
Hydrocodone	0.0020	U	ug/L
Ibuprofen	0.020	U	ug/L
Imazapyr	0.0040	U	ug/L
Imidacloprid	0.0020	U	ug/L
Linuron	0.0040	U	ug/L
Mandestrobin	0.0020	U	ug/L
MCPP	0.0020	U	ug/L
Naproxen	0.0080	U	ug/L
Primidone	0.0040	U	ug/L
Pyraclostrobin	0.0020	U	ug/L
Thiamethoxam	0.0020	U	ug/L
Tolfenpyrad	0.0020	U	ug/L
Triclopyr	0.0040	U	ug/L

Reference Method: EPA 8321B

Batch ID: P397974

Component	Result	Code	Units
3-Hydroxycarbofuran	0.0020	U	ug/L
Aldicarb	0.020	U	ug/L
Aldicarb Sulfone	0.0020	U	ug/L
Aldicarb Sulfoxide	0.0020	U	ug/L
Carbaryl	0.0020	U	ug/L
Carbofuran	0.0020	U	ug/L
Methiocarb	0.0020	U	ug/L
Methomyl	0.0020	U	ug/L
Oxamyl	0.0020	U	ug/L
Propoxur	0.0020	U	ug/L

Quality Assurance Report

Method Blank Results

Reference Method: SM 2120 B-2011
Batch ID: P397707

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2120 B-2011
Batch ID: P397709

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-2011
Batch ID: P398174

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO ₃ /L

Reference Method: SM 2540 C-2011
Batch ID: P398144

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 C-2011
Batch ID: P398145

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-2011
Batch ID: P397944

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 2540 D-2011
Batch ID: P397945

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-2011
Batch ID: P397859

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-2011
Batch ID: P397882

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
 Batch ID: P398560

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	101		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
 Batch ID: P398563

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	100		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
 Batch ID: P398216

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	97.8		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
 Batch ID: P398001

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	95.4		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
 Batch ID: P397815

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	100		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
 Batch ID: P397896

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	110		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
 Batch ID: P398072

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	106		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
 Batch ID: P397689

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	100		P	90 - 110

Reference Method: EPA 8270E
 Batch ID: P397742

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Aldrin	57.4	65.8	P/P	20 - 150
Alpha-BHC	91.0	97.3	P/P	50 - 150
Alpha-Chlordane	87.5	94.3	P/P	50 - 150
Beta-BHC	107	114	P/P	50 - 150

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: EPA 8270E
 Batch ID: P397742

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Beta-Cyfluthrin	99.9	112	P/P	50 - 150
Bifenthrin	71.3	71.5	P/P	40 - 150
Chlorothalonil	82.4	76.0	P/P	20 - 150
Cis-Nonachlor	81.4	80.1	P/P	50 - 150
Cypermethrin	93.9	103	P/P	50 - 150
Dacthal	93.2	103	P/P	50 - 150
DDD-p,p'	80.8	81.5	P/P	50 - 150
DDE-p,p'	82.8	92.8	P/P	50 - 150
DDT-p,p'	75.9	79.6	P/P	50 - 150
Delta-BHC	122	128	P/P	50 - 150
Deltamethrin	105	117	P/P	50 - 150
Dichlobenil	75.6	83.2	P/P	40 - 150
Dicofol	77.3	82.5	P/P	50 - 150
Dieldrin	91.3	100	P/P	50 - 150
Endosulfan I	92.0	97.0	P/P	50 - 150
Endosulfan II	96.6	95.7	P/P	50 - 150
Endosulfan Sulfate	83.4	101	P/P	50 - 150
Endrin	80.0	81.5	P/P	50 - 150
Endrin Aldehyde	85.8	90.0	P/P	50 - 150
Endrin Ketone	90.5	91.8	P/P	50 - 150
Esfenvalerate	91.3	105	P/P	50 - 150
Ethalfuralin	87.5	92.8	P/P	50 - 150
Fenpropathrin	76.4	80.1	P/P	50 - 150
Gamma-BHC	96.2	104	P/P	50 - 150
Gamma-Chlordane	89.8	96.5	P/P	50 - 150
Heptachlor	81.5	90.7	P/P	50 - 150
Heptachlor Epoxide	89.9	96.6	P/P	50 - 150
Hexachlorobenzene	94.1	102	P/P	50 - 150
Kepone	83.2	142	P/P	50 - 150
Lambda-Cyhalothrin	93.0	103	P/P	50 - 150
Methoxychlor	77.4	85.3	P/P	50 - 150
MGK-264	61.0	89.5	P/P	50 - 150
Mirex	144	150	P/P	50 - 150
Permethrin	89.9	94.3	P/P	50 - 150
Phenothrin	67.6	71.2	P/P	30 - 150
Piperonyl Butoxide	63.8	104	P/P	50 - 150
Prallethrin	56.1	93.5	P/P	40 - 150
Tau-Fluvalinate	90.4	105	P/P	40 - 150
Tetramethrin	56.8	91.2	P/P	40 - 150
Trans-Nonachlor	88.5	93.3	P/P	50 - 150
Triclosan Methyl	90.7	100	P/P	50 - 150
Trifluralin	81.0	87.8	P/P	50 - 150

Reference Method: EPA 8270E
 Batch ID: P397980

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Acetochlor	103	113	P/P	70 - 121
Alachlor	104	103	P/P	70 - 119
Ametryn	104	124	P/P	61 - 135
Atrazine	104	103	P/P	76 - 123
Atrazine Desethyl	110	101	P/P	35 - 140

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: EPA 8270E
 Batch ID: P397980

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Azinphos Methyl	70.8	71.3	P/P	57 - 163
Azoxystrobin	133	102	P/P	43 - 231
Bromacil	93.0	88.6	P/P	42 - 123
Butylate	57.3	59.8	P/P	34 - 92.0
Caffeine	99.6	99.3	P/P	70 - 130
Carbophenothion	184	170	F/F	61 - 121
Carfentrazone Ethyl	137	139	P/P	62 - 139
Chlorpyrifos Ethyl	93.9	96.0	P/P	67 - 121
Chlorpyrifos Methyl	105	113	P/P	67 - 120
Cyanazine	122	130	P/P	20 - 226
Demeton	78.2	94.9	P/P	35 - 125
Diazinon	90.0	94.6	P/P	70 - 122
Difenoconazole	141	130	P/P	56 - 186
Dimethenamid	104	110	P/P	67 - 119
Disulfoton	93.9	99.7	P/P	47 - 120
Dithiopyr	105	93.9	P/P	67 - 118
EPTC	63.3	67.6	P/P	33 - 90.0
Ethion	68.5	57.5	P/P	40 - 133
Ethoprop	103	112	P/P	61 - 121
Fenamiphos	99.6	98.0	P/P	31 - 139
Fenbuconazole	129	140	P/P	66 - 141
Fipronil	119	127	P/P	62 - 129
Fipronil Desulfinyl	101	99.6	P/P	59 - 126
Fipronil Sulfide	134	109	F/P	63 - 117
Fipronil Sulfone	116	96.1	P/P	57 - 117
Fluazifop-P-butyl	107	97.8	P/P	63 - 124
Fludioxonil	101	104	P/P	63 - 123
Flumioxazin	133	138	P/P	34 - 245
Flutolanil	101	94.5	P/P	56 - 131
Fluxapyroxad	115	115	P/P	57 - 117
Fonofos	105	112	P/P	61 - 116
Hexazinone	92.2	92.5	P/P	55 - 138
Imazalil	113	141	P/P	33 - 143
Iprodione	64.6	74.4	P/P	59 - 118
Malathion	113	112	P/P	62 - 138
Metaxyl	99.5	107	P/P	24 - 147
Metolachlor	91.7	89.4	P/P	68 - 118
Metribuzin	108	107	P/P	20 - 239
Mevinphos	99.8	110	P/P	46 - 124
Molinate	59.8	73.5	P/P	46 - 100
Myclobutanil	94.3	97.5	P/P	32 - 149
Naled	34.9	38.5	P/P	32 - 95.0
Norflurazon	101	100	P/P	57 - 127
Oxadiazon	97.8	99.1	P/P	63 - 118
Oxyfluorfen	129	132	P/P	69 - 137
Parathion Ethyl	103	108	P/P	70 - 113
Parathion Methyl	102	114	P/P	71 - 130
Pendimethalin	82.9	84.7	P/P	55 - 118
Phorate	112	120	P/P	46 - 125
Prodiamine	140	108	P/P	20 - 141
Prometon	104	107	P/P	54 - 122
Prometryn	108	106	P/P	66 - 124

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 8270E
Batch ID: P397980

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Pronamide	102	100	P/P	79 - 122
Propiconazole	106	110	P/P	61 - 126
Pyriproxyfen	95.4	92.8	P/P	52 - 131
Simazine	97.2	102	P/P	75 - 128
Sulfentrazone	44.5	56.5	P/P	20 - 132
Tebuconazole	39.8	34.2	P/P	20 - 116
Terbufos	108	114	P/P	61 - 117
Terbutylazine	111	109	P/P	74 - 116

Reference Method: EPA 8270E
Batch ID: P398407

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Alpha-Chlordane	73.7	72.8	P/P	50 - 150
Dieldrin	77.4	78.3	P/P	50 - 150
Endrin Ketone	101	113	P/P	50 - 150
Ethalfuralin	71.5	71.0	P/P	50 - 150
Gamma-Chlordane	72.9	71.0	P/P	50 - 150
Heptachlor Epoxide	80.7	81.7	P/P	50 - 150

Reference Method: EPA 8276
Batch ID: P397742

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlordane	90.7	90.8	P/P	56 - 117
Toxaphene	74.3	75.5	P/P	45 - 116

Reference Method: EPA 8276
Batch ID: P398407

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlordane	78.6	91.5	P/P	56 - 117

Reference Method: EPA 8321B
Batch ID: P397668

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Acesulfame K	62.3		P	40 - 150
AMPA	106		P	40 - 150
Endothall	116		P	40 - 150
Glufosinate	95.6		P	40 - 150
Glyphosate	137		P	40 - 140
Sucralose	92.8		P	40 - 150

Reference Method: EPA 8321B
Batch ID: P397752

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2,4-D	135		P	40 - 150
2,4,5-T	116		P	40 - 150
Acetaminophen	84.1		P	30 - 150
Acetamiprid	97.8		P	40 - 150

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: EPA 8321B
Batch ID: P397752

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Afidopyropen	89.2		P	40 - 150
Bentazon	91.2		P	30 - 150
Benzovindiflupyr	92.2		P	40 - 150
Carbamazepine	106		P	40 - 150
Clothianidin	88.6		P	40 - 150
Dinotefuran	95.2		P	40 - 150
Diuron	75.2		P	40 - 150
Fenuron	113		P	40 - 150
Fluridone	88.9		P	40 - 150
Hydrocodone	86.6		P	40 - 150
Ibuprofen	88.5		P	40 - 150
Imazapyr	98.5		P	40 - 150
Imidacloprid	93.4		P	40 - 150
Linuron	81.2		P	40 - 150
Mandestrobin	93.6		P	40 - 150
MCPP	128		P	40 - 150
Naproxen	70.3		P	40 - 150
Primidone	88.9		P	40 - 150
Pyraclostrobin	79.4		P	40 - 150
Thiamethoxam	89.4		P	40 - 150
Tolfenpyrad	60.4		P	40 - 150
Triclopyr	121		P	40 - 150

Reference Method: EPA 8321B
Batch ID: P397974

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
3-Hydroxycarbofuran	97.9		P	40 - 150
Aldicarb	99.6		P	30 - 150
Aldicarb Sulfone	103		P	40 - 150
Aldicarb Sulfoxide	137		P	40 - 150
Carbaryl	83.7		P	40 - 150
Carbofuran	94.5		P	40 - 150
Methiocarb	68.4		P	40 - 150
Methomyl	111		P	40 - 150
Oxamyl	95.6		P	40 - 150
Propoxur	91.1		P	40 - 150

Reference Method: SM 2120 B-2011
Batch ID: P397707

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	100		P	85 - 115

Reference Method: SM 2120 B-2011
Batch ID: P397709

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	101		P	85 - 115

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: SM 2320 B-2011
Batch ID: P398174

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	98.7		P	93 - 104

Reference Method: SM 4500 F-C-2011
Batch ID: P397859

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	98.6		P	90 - 106

Reference Method: SM 5310 B-2011
Batch ID: P397882

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	101		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P398560

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2244979	Chloride	100		P	90 - 110
2245380	Chloride	97.9		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P398563

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2244979	Sulfate	100		P	90 - 110
2245380	Sulfate	98.3		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P398216

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2244980	Ammonia-N	98.6	97.6	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P397815

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2245280	NO2NO3-N	98.6	98.0	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P397896

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2244970	Total-P	107	108	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P398072

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2244328	Total-P	104	103	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P397689

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2245009	O-Phosphate-P	98.0	98.6	P/P	90 - 110

Reference Method: EPA 8270E
Batch ID: P397742

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2245369	Aldrin	24.2	26.4	P/P	20 - 170
2245369	Alpha-BHC	85.9	93.1	P/P	50 - 170
2245369	Alpha-Chlordane	85.6	81.0	P/P	50 - 170
2245369	Beta-BHC	117	114	P/P	50 - 170
2245369	Beta-Cyfluthrin	172	140	F/P	50 - 170
2245369	Bifenthrin	80.6	77.1	P/P	40 - 170
2245369	Chlorothalonil	151	82.3	P/P	20 - 170
2245369	Cis-Nonachlor	88.1	82.6	P/P	50 - 170

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 8270E

Batch ID: P397742

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2245369	Cypermethrin	142	123	P/P	50 - 170
2245369	Dacthal	94.3	91.7	P/P	50 - 170
2245369	DDD-p,p'	88.6	83.6	P/P	50 - 170
2245369	DDE-p,p'	78.3	77.1	P/P	50 - 170
2245369	DDT-p,p'	75.0	75.1	P/P	50 - 170
2245369	Delta-BHC	136	132	P/P	50 - 170
2245369	Deltamethrin	178	148	F/P	50 - 170
2245369	Dichlobenil	68.8	66.0	P/P	40 - 170
2245369	Dicofol	89.0	85.9	P/P	50 - 170
2245369	Dieldrin	106	93.9	P/P	50 - 170
2245369	Endosulfan I	92.1	89.1	P/P	50 - 170
2245369	Endosulfan II	112	106	P/P	50 - 170
2245369	Endosulfan Sulfate	90.7	81.2	P/P	50 - 170
2245369	Endrin	87.4	85.3	P/P	50 - 170
2245369	Endrin Aldehyde	86.7	87.3	P/P	50 - 170
2245369	Endrin Ketone	100	93.4	P/P	50 - 170
2245369	Esfenvalerate	191	156	F/P	50 - 170
2245369	Ethalfuralin	67.3	67.8	P/P	50 - 170
2245369	Fenpropathrin	78.7	74.2	P/P	50 - 170
2245369	Gamma-BHC	94.6	98.7	P/P	50 - 170
2245369	Gamma-Chlordane	101	95.8	P/P	50 - 170
2245369	Heptachlor	64.3	64.9	P/P	50 - 170
2245369	Heptachlor Epoxide	75.3	74.8	P/P	50 - 170
2245369	Hexachlorobenzene	63.6	62.3	P/P	50 - 170
2245369	Kepone	129	116	P/P	50 - 170
2245369	Lambda-Cyhalothrin	208	162	F/P	50 - 170
2245369	Methoxychlor	83.3	79.1	P/P	50 - 170
2245369	MGK-264	72.8	78.0	P/P	50 - 170
2245369	Mirex	143	136	P/P	50 - 170
2245369	Permethrin	122	113	P/P	50 - 170
2245369	Phenothrin	52.1	51.7	P/P	30 - 170
2245369	Piperonyl Butoxide	102	97.2	P/P	50 - 170
2245369	Prallethrin	67.5	67.0	P/P	40 - 170
2245369	Tau-Fluvalinate	132	114	P/P	40 - 170
2245369	Tetramethrin	70.4	74.8	P/P	40 - 170
2245369	Trans-Nonachlor	83.3	79.2	P/P	50 - 170
2245369	Triclosan Methyl	90.4	88.1	P/P	50 - 170
2245369	Trifluralin	71.5	72.7	P/P	50 - 170

Reference Method: EPA 8270E

Batch ID: P397980

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2245319	Acetochlor	97.7	110	P/P	66 - 122
2245319	Alachlor	101	109	P/P	65 - 122
2245319	Azinphos Methyl	56.8	59.3	P/P	44 - 174
2245319	Azoxystrobin	283	198	F/P	10 - 268
2245319	Bromacil	93.9	102	P/P	31 - 145
2245319	Butylate	43.3	44.8	P/P	15 - 97.0
2245319	Caffeine	126	113	P/P	70 - 130
2245319	Carbophenothion	106	116	P/P	42 - 129
2245319	Carfentrazone Ethyl	120	109	P/P	62 - 145

Quality Assurance Report

Matrix Spike Accuracy

Reference Method: EPA 8270E

Batch ID: P397980

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2245319	Chlorpyrifos Ethyl	76.5	91.9	P/P	60 - 124
2245319	Chlorpyrifos Methyl	92.1	110	P/P	66 - 119
2245319	Cyanazine	137	127	P/P	17 - 225
2245319	Demeton	79.0	100	P/P	36 - 142
2245319	Diazinon	122	134	P/F	70 - 128
2245319	Difenoconazole	269	258	F/F	33 - 222
2245319	Dimethenamid	100	104	P/P	54 - 125
2245319	Disulfoton	81.1	90.2	P/P	49 - 133
2245319	Dithiopyr	67.9	83.9	P/P	55 - 123
2245319	EPTC	59.2	58.9	P/P	19 - 91.0
2245319	Ethion	70.5	53.1	P/P	13 - 143
2245319	Ethoprop	114	125	P/P	49 - 144
2245319	Fenamiphos	64.6	71.5	P/P	32 - 136
2245319	Fenbuconazole	138	153	P/F	73 - 148
2245319	Fipronil	128	120	P/P	57 - 129
2245319	Fipronil Desulfinyl	117	113	P/P	49 - 127
2245319	Fipronil Sulfide	95.1	102	P/P	44 - 127
2245319	Fipronil Sulfone	104	116	P/P	35 - 126
2245319	Fluazifop-P-butyl	146	162	F/F	67 - 129
2245319	Fludioxonil	91.0	97.8	P/P	61 - 126
2245319	Flumioxazin	367	379	F/F	38 - 279
2245319	Flutolanil	86.3	88.1	P/P	55 - 136
2245319	Fluxapyroxad	92.5	117	P/P	33 - 140
2245319	Fonofos	83.5	105	P/P	58 - 125
2245319	Imazalil	174	140	P/P	10 - 221
2245319	Iprodione	104	126	P/P	32 - 140
2245319	Malathion	101	111	P/P	52 - 138
2245319	Metalaxyl	99.1	91.3	P/P	46 - 134
2245319	Metribuzin	141	154	P/P	16 - 272
2245319	Mevinphos	99.0	131	P/P	45 - 140
2245319	Molinate	65.2	74.1	P/P	41 - 103
2245319	Myclobutanil	93.4	87.6	P/P	60 - 134
2245319	Naled	32.9	36.1	P/P	20 - 113
2245319	Norflurazon	86.4	91.1	P/P	51 - 123
2245319	Oxadiazon	85.6	88.6	P/P	44 - 125
2245319	Oxyfluorfen	129	125	P/P	66 - 176
2245319	Parathion Ethyl	101	89.4	P/P	57 - 132
2245319	Parathion Methyl	107	104	P/P	59 - 156
2245319	Pendimethalin	95.3	73.6	P/P	59 - 129
2245319	Phorate	107	131	P/P	47 - 136
2245319	Prodiamine	63.5	78.4	P/P	10 - 159
2245319	Prometon	32.3	69.4	F/P	59 - 127
2245319	Prometryn	96.7	105	P/P	59 - 129
2245319	Pronamide	95.2	101	P/P	65 - 145
2245319	Propiconazole	83.4	86.9	P/P	28 - 165
2245319	Pyriproxyfen	78.3	76.8	P/P	21 - 180
2245319	Sulfentrazone	98.2	133	P/P	32 - 136
2245319	Tebuconazole	51.5	37.7	P/P	-8.3 - 117
2245319	Terbufos	96.7	106	P/P	61 - 131
2245319	Terbutylazine	103	94.1	P/P	62 - 126

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 8270E
Batch ID: P398407

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2248333	Alpha-Chlordane	89.5	88.0	P/P	50 - 170
2248333	Dieldrin	95.3	89.9	P/P	50 - 170
2248333	Endrin Ketone	159	133	P/P	50 - 170
2248333	Ethalfuralin	81.6	80.7	P/P	50 - 170
2248333	Gamma-Chlordane	86.6	85.2	P/P	50 - 170
2248333	Heptachlor Epoxide	101	94.8	P/P	50 - 170

Reference Method: EPA 8276
Batch ID: P397742

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2245730	Chlordane	87.6	79.8	P/P	47 - 128
2245730	Toxaphene	75.0	72.3	P/P	11 - 163

Reference Method: EPA 8276
Batch ID: P398407

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2248396	Chlordane	96.7	95.6	P/P	47 - 128

Reference Method: EPA 8321B
Batch ID: P397668

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2245296	Acesulfame K	95.0	107	P/P	40 - 150
2245296	AMPA	120	122	P/P	40 - 150
2245296	Endothall	99.0	124	P/P	40 - 150
2245296	Glufosinate	71.8	69.3	P/P	40 - 150
2245296	Glyphosate	95.2	94.8	P/P	40 - 140
2245296	Sucralose	73.8	79.2	P/P	40 - 150

Reference Method: EPA 8321B
Batch ID: P397752

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2245296	2,4-D	113	122	P/P	40 - 150
2245296	2,4,5-T	111	115	P/P	40 - 150
2245296	Acetaminophen	73.0	78.5	P/P	30 - 150
2245296	Acetamiprid	108	89.4	P/P	40 - 150
2245296	Afidopyropen	95.2	86.9	P/P	40 - 150
2245296	Bentazon	44.1	45.1	P/P	30 - 150
2245296	Benzovindiflupyr	95.9	95.4	P/P	40 - 150
2245296	Carbamazepine	87.3	87.2	P/P	40 - 150
2245296	Clothianidin	81.1	86.9	P/P	40 - 150
2245296	Dinotefuran	106	110	P/P	40 - 150
2245296	Diuron	64.0	67.9	P/P	40 - 150
2245296	Fenuron	98.6	103	P/P	40 - 150
2245296	Fluridone	91.6	96.6	P/P	40 - 150
2245296	Hydrocodone	80.2	79.2	P/P	40 - 150
2245296	Ibuprofen	73.9	89.7	P/P	40 - 150
2245296	Imazapyr	104	114	P/P	40 - 150
2245296	Imidacloprid	148	154	P/F	40 - 150

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 8321B

Batch ID: P397752

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2245296	Linuron	78.7	71.2	P/P	40 - 150
2245296	Mandestrobin	93.4	92.8	P/P	40 - 150
2245296	MCCP	120	123	P/P	40 - 150
2245296	Naproxen	66.4	70.6	P/P	40 - 150
2245296	Primidone	93.7	99.6	P/P	40 - 150
2245296	Pyraclostrobin	87.1	88.3	P/P	40 - 150
2245296	Thiamethoxam	105	108	P/P	40 - 150
2245296	Tolfenpyrad	56.2	55.2	P/P	40 - 150
2245296	Triclopyr	116	117	P/P	40 - 150

Reference Method: EPA 8321B

Batch ID: P397974

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2246411	3-Hydroxycarbofuran	82.8	77.0	P/P	40 - 150
2246411	Aldicarb	82.6	81.4	P/P	30 - 150
2246411	Aldicarb Sulfone	88.3	86.2	P/P	40 - 150
2246411	Aldicarb Sulfoxide	66.6	58.6	P/P	40 - 150
2246411	Carbaryl	44.3	45.7	P/P	40 - 150
2246411	Carbofuran	56.8	59.7	P/P	40 - 150
2246411	Methiocarb	46.5	50.1	P/P	40 - 150
2246411	Methomyl	79.5	84.7	P/P	40 - 150
2246411	Oxamyl	68.5	75.7	P/P	40 - 150
2246411	Propoxur	59.6	63.2	P/P	40 - 150

Reference Method: SM 4500 F-C-2011

Batch ID: P397859

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2244969	Fluoride	99.3	99.3	P/P	94 - 107

Reference Method: SM 5310 B-2011

Batch ID: P397882

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2245283	Organic Carbon	98.8	98.0	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P397701

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2245380	Turbidity	5.13	Sample	P	0 - 20

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P397702

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2245282	Turbidity	2.82	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P398560

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2244979	Chloride	0.852	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P398563

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2244979	Sulfate	0.938	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P398216

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2244980	Ammonia-N	0.788	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P398001

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2245280	Kjeldahl Nitrogen	0.880	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P397815

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2245280	NO2NO3-N	0.447	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P397896

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2244970	Total-P	0.318	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 365.1 Rev. 2.0

Batch ID: P398072

Replicated

Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2244328	Total-P	1.04	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Batch ID: P397689

Replicated

Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2245009	O-Phosphate-P	0.400	Spike	P	0 - 20

Reference Method: EPA 8270E

Batch ID: P397742

Replicated

Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2245369	Aldrin	4.63	Spike	P	0 - 30
2245369	Alpha-BHC	8.02	Spike	P	0 - 30
2245369	Alpha-Chlordane	5.09	Spike	P	0 - 30
2245369	Beta-BHC	2.77	Spike	P	0 - 30
2245369	Beta-Cyfluthrin	20.4	Spike	P	0 - 30
2245369	Bifenthrin	4.50	Spike	P	0 - 30
2245369	Chlorothalonil	59.0	Spike	F	0 - 50
2245369	Cis-Nonachlor	6.43	Spike	P	0 - 30
2245369	Cypermethrin	13.9	Spike	P	0 - 30
2245369	Dacthal	2.86	Spike	P	0 - 30
2245369	DDD-p,p'	5.79	Spike	P	0 - 30
2245369	DDE-p,p'	1.52	Spike	P	0 - 30
2245369	DDT-p,p'	0.150	Spike	P	0 - 30
2245369	Delta-BHC	3.29	Spike	P	0 - 30
2245369	Deltamethrin	18.6	Spike	P	0 - 30
2245369	Dichlobenil	4.17	Spike	P	0 - 30
2245369	Dicofol	3.58	Spike	P	0 - 30
2245369	Dieldrin	8.74	Spike	P	0 - 30
2245369	Endosulfan I	3.38	Spike	P	0 - 30
2245369	Endosulfan II	6.35	Spike	P	0 - 30
2245369	Endosulfan Sulfate	11.1	Spike	P	0 - 30
2245369	Endrin	2.38	Spike	P	0 - 30
2245369	Endrin Aldehyde	0.636	Spike	P	0 - 30
2245369	Endrin Ketone	6.89	Spike	P	0 - 30
2245369	Esfenvalerate	19.8	Spike	P	0 - 30
2245369	Ethalfuralin	0.639	Spike	P	0 - 30
2245369	Fenpropathrin	5.89	Spike	P	0 - 30
2245369	Gamma-BHC	4.25	Spike	P	0 - 30
2245369	Gamma-Chlordane	5.13	Spike	P	0 - 30
2245369	Heptachlor	1.06	Spike	P	0 - 30
2245369	Heptachlor Epoxide	0.392	Spike	P	0 - 30
2245369	Hexachlorobenzene	2.11	Spike	P	0 - 30
2245369	Kepone	10.9	Spike	P	0 - 30
2245369	Lambda-Cyhalothrin	25.0	Spike	P	0 - 30
2245369	Methoxychlor	5.16	Spike	P	0 - 30
2245369	MGK-264	7.00	Spike	P	0 - 30
2245369	Mirex	4.58	Spike	P	0 - 30

Quality Assurance Report

Precision

Reference Method: EPA 8270E
Batch ID: P397742

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2245369	Permethrin	8.18	Spike	P	0 - 30
2245369	Phenothrin	0.795	Spike	P	0 - 30
2245369	Piperonyl Butoxide	4.61	Spike	P	0 - 30
2245369	Prallethrin	0.704	Spike	P	0 - 30
2245369	Tau-Fluvalinate	14.6	Spike	P	0 - 30
2245369	Tetramethrin	6.02	Spike	P	0 - 30
2245369	Trans-Nonachlor	5.09	Spike	P	0 - 30
2245369	Triclosan Methyl	2.56	Spike	P	0 - 30
2245369	Trifluralin	1.55	Spike	P	0 - 30
LFB	Aldrin	13.7	LCS	P	0 - 30
LFB	Alpha-BHC	6.67	LCS	P	0 - 30
LFB	Alpha-Chlordane	7.45	LCS	P	0 - 30
LFB	Beta-BHC	5.75	LCS	P	0 - 30
LFB	Beta-Cyfluthrin	11.3	LCS	P	0 - 30
LFB	Bifenthrin	0.282	LCS	P	0 - 30
LFB	Chlorothalonil	8.16	LCS	P	0 - 50
LFB	Cis-Nonachlor	1.60	LCS	P	0 - 30
LFB	Cypermethrin	9.65	LCS	P	0 - 30
LFB	Dacthal	10.4	LCS	P	0 - 30
LFB	DDD-p,p'	0.898	LCS	P	0 - 30
LFB	DDE-p,p'	11.5	LCS	P	0 - 30
LFB	DDT-p,p'	4.79	LCS	P	0 - 30
LFB	Delta-BHC	4.92	LCS	P	0 - 30
LFB	Deltamethrin	10.5	LCS	P	0 - 30
LFB	Dichlobenil	9.55	LCS	P	0 - 30
LFB	Dicofol	6.57	LCS	P	0 - 30
LFB	Dieldrin	9.05	LCS	P	0 - 30
LFB	Endosulfan I	5.29	LCS	P	0 - 30
LFB	Endosulfan II	0.923	LCS	P	0 - 30
LFB	Endosulfan Sulfate	19.1	LCS	P	0 - 30
LFB	Endrin	1.84	LCS	P	0 - 30
LFB	Endrin Aldehyde	4.78	LCS	P	0 - 30
LFB	Endrin Ketone	1.40	LCS	P	0 - 30
LFB	Esfenvalerate	13.5	LCS	P	0 - 30
LFB	Ethalfuralin	5.88	LCS	P	0 - 30
LFB	Fenpropathrin	4.72	LCS	P	0 - 30
LFB	Gamma-BHC	7.48	LCS	P	0 - 30
LFB	Gamma-Chlordane	7.19	LCS	P	0 - 30
LFB	Heptachlor	10.7	LCS	P	0 - 30
LFB	Heptachlor Epoxide	7.13	LCS	P	0 - 30
LFB	Hexachlorobenzene	8.46	LCS	P	0 - 30
LFB	Kepone	52.4	LCS	F	0 - 30
LFB	Lambda-Cyhalothrin	9.94	LCS	P	0 - 30
LFB	Methoxychlor	9.69	LCS	P	0 - 30
LFB	MGK-264	37.9	LCS	F	0 - 30
LFB	Mirex	3.73	LCS	P	0 - 30
LFB	Permethrin	4.71	LCS	P	0 - 30
LFB	Phenothrin	5.13	LCS	P	0 - 30
LFB	Piperonyl Butoxide	47.8	LCS	F	0 - 30
LFB	Prallethrin	50.0	LCS	F	0 - 30
LFB	Tau-Fluvalinate	15.4	LCS	P	0 - 30

Quality Assurance Report Precision

Reference Method: EPA 8270E
Batch ID: P397742

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
LFB	Tetramethrin	46.4	LCS	F	0 - 30
LFB	Trans-Nonachlor	5.27	LCS	P	0 - 30
LFB	Triclosan Methyl	9.94	LCS	P	0 - 30
LFB	Trifluralin	8.04	LCS	P	0 - 30

Reference Method: EPA 8270E
Batch ID: P397980

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2245319	Acetochlor	12.3	Spike	P	0 - 30
2245319	Alachlor	8.00	Spike	P	0 - 30
2245319	Ametryn	6.79	Spike	P	0 - 30
2245319	Atrazine	14.1	Spike	P	0 - 30
2245319	Atrazine Desethyl	28.1	Spike	P	0 - 30
2245319	Azinphos Methyl	4.23	Spike	P	0 - 30
2245319	Azoxystrobin	29.4	Spike	P	0 - 30
2245319	Bromacil	5.06	Spike	P	0 - 30
2245319	Butylate	2.53	Spike	P	0 - 30
2245319	Caffeine	10.6	Spike	P	0 - 30
2245319	Carbophenothion	9.31	Spike	P	0 - 30
2245319	Carfentrazone Ethyl	9.36	Spike	P	0 - 30
2245319	Chlorpyrifos Ethyl	18.2	Spike	P	0 - 30
2245319	Chlorpyrifos Methyl	17.8	Spike	P	0 - 30
2245319	Cyanazine	7.87	Spike	P	0 - 30
2245319	Demeton	23.7	Spike	P	0 - 30
2245319	Diazinon	8.83	Spike	P	0 - 30
2245319	Difenoconazole	4.30	Spike	P	0 - 30
2245319	Dimethenamid	4.00	Spike	P	0 - 30
2245319	Disulfoton	10.6	Spike	P	0 - 30
2245319	Dithiopyr	21.0	Spike	P	0 - 30
2245319	EPTC	0.588	Spike	P	0 - 30
2245319	Ethion	28.2	Spike	P	0 - 30
2245319	Ethoprop	9.24	Spike	P	0 - 30
2245319	Fenamiphos	10.2	Spike	P	0 - 30
2245319	Fenbuconazole	10.3	Spike	P	0 - 30
2245319	Fipronil	6.76	Spike	P	0 - 30
2245319	Fipronil Desulfinyl	2.72	Spike	P	0 - 30
2245319	Fipronil Sulfide	7.23	Spike	P	0 - 30
2245319	Fipronil Sulfone	11.5	Spike	P	0 - 30
2245319	Fluazifop-P-butyl	10.4	Spike	P	0 - 30
2245319	Fludioxonil	7.21	Spike	P	0 - 30
2245319	Flumioxazin	3.16	Spike	P	0 - 30
2245319	Flutolanil	2.03	Spike	P	0 - 30
2245319	Fluxapyroxad	18.7	Spike	P	0 - 30
2245319	Fonofos	22.8	Spike	P	0 - 30
2245319	Hexazinone	0.0595	Spike	P	0 - 30
2245319	Imazalil	21.3	Spike	P	0 - 30
2245319	Iprodione	19.1	Spike	P	0 - 30
2245319	Malathion	8.88	Spike	P	0 - 30
2245319	Metalaxyl	6.95	Spike	P	0 - 30

Quality Assurance Report

Precision

Reference Method: EPA 8270E

Batch ID: P397980

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2245319	Metolachlor	5.14	Spike	P	0 - 30
2245319	Metribuzin	8.24	Spike	P	0 - 30
2245319	Mevinphos	28.1	Spike	P	0 - 30
2245319	Molinate	12.8	Spike	P	0 - 30
2245319	Myclobutanil	6.46	Spike	P	0 - 30
2245319	Naled	9.04	Spike	P	0 - 30
2245319	Norflurazon	3.10	Spike	P	0 - 30
2245319	Oxadiazon	3.37	Spike	P	0 - 30
2245319	Oxyfluorfen	3.00	Spike	P	0 - 30
2245319	Parathion Ethyl	11.9	Spike	P	0 - 30
2245319	Parathion Methyl	2.99	Spike	P	0 - 30
2245319	Pendimethalin	25.7	Spike	P	0 - 30
2245319	Phorate	19.7	Spike	P	0 - 30
2245319	Prodiamine	20.9	Spike	P	0 - 30
2245319	Prometon	72.9	Spike	F	0 - 30
2245319	Prometryn	7.88	Spike	P	0 - 30
2245319	Pronamide	5.48	Spike	P	0 - 30
2245319	Propiconazole	2.20	Spike	P	0 - 30
2245319	Pyriproxyfen	1.98	Spike	P	0 - 30
2245319	Simazine	6.25	Spike	P	0 - 30
2245319	Sulfentrazone	29.8	Spike	P	0 - 30
2245319	Tebuconazole	31.0	Spike	F	0 - 30
2245319	Terbufos	8.93	Spike	P	0 - 30
2245319	Terbuthylazine	9.31	Spike	P	0 - 30
LFB	Acetochlor	9.63	LCS	P	0 - 30
LFB	Alachlor	0.915	LCS	P	0 - 30
LFB	Ametryn	17.6	LCS	P	0 - 30
LFB	Atrazine	0.791	LCS	P	0 - 30
LFB	Atrazine Desethyl	8.31	LCS	P	0 - 30
LFB	Azinphos Methyl	0.722	LCS	P	0 - 30
LFB	Azoxystrobin	26.5	LCS	P	0 - 30
LFB	Bromacil	4.83	LCS	P	0 - 30
LFB	Butylate	4.31	LCS	P	0 - 30
LFB	Caffeine	0.267	LCS	P	0 - 30
LFB	Carbophenothion	8.35	LCS	P	0 - 30
LFB	Carfentrazone Ethyl	1.24	LCS	P	0 - 30
LFB	Chlorpyrifos Ethyl	2.25	LCS	P	0 - 30
LFB	Chlorpyrifos Methyl	6.70	LCS	P	0 - 30
LFB	Cyanazine	5.82	LCS	P	0 - 30
LFB	Demeton	19.3	LCS	P	0 - 30
LFB	Diazinon	4.91	LCS	P	0 - 30
LFB	Difenoconazole	8.17	LCS	P	0 - 30
LFB	Dimethenamid	5.38	LCS	P	0 - 30
LFB	Disulfoton	5.98	LCS	P	0 - 30
LFB	Dithiopyr	11.3	LCS	P	0 - 30
LFB	EPTC	6.63	LCS	P	0 - 30
LFB	Ethion	17.5	LCS	P	0 - 30
LFB	Ethoprop	9.15	LCS	P	0 - 30
LFB	Fenamiphos	1.57	LCS	P	0 - 30
LFB	Fenbuconazole	7.79	LCS	P	0 - 30
LFB	Fipronil	6.60	LCS	P	0 - 30

Quality Assurance Report Precision

Reference Method: EPA 8270E
Batch ID: P397980

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
LFB	Fipronil Desulfinyl	1.73	LCS	P	0 - 30
LFB	Fipronil Sulfide	20.6	LCS	P	0 - 30
LFB	Fipronil Sulfone	18.9	LCS	P	0 - 30
LFB	Fluazifop-P-butyl	9.00	LCS	P	0 - 30
LFB	Fludioxonil	3.20	LCS	P	0 - 30
LFB	Flumioxazin	3.74	LCS	P	0 - 30
LFB	Flutolanil	6.65	LCS	P	0 - 30
LFB	Fluxapyroxad	0.0163	LCS	P	0 - 30
LFB	Fonofos	6.51	LCS	P	0 - 30
LFB	Hexazinone	0.240	LCS	P	0 - 30
LFB	Imazalil	22.8	LCS	P	0 - 30
LFB	Iprodione	14.1	LCS	P	0 - 30
LFB	Malathion	0.701	LCS	P	0 - 30
LFB	Metalaxyl	7.22	LCS	P	0 - 30
LFB	Metolachlor	2.55	LCS	P	0 - 30
LFB	Metribuzin	0.867	LCS	P	0 - 30
LFB	Mevinphos	9.66	LCS	P	0 - 30
LFB	Molinate	20.6	LCS	P	0 - 30
LFB	Myclobutanil	3.32	LCS	P	0 - 30
LFB	Naled	9.73	LCS	P	0 - 30
LFB	Norflurazon	0.894	LCS	P	0 - 30
LFB	Oxadiazon	1.22	LCS	P	0 - 30
LFB	Oxyfluorfen	2.19	LCS	P	0 - 30
LFB	Parathion Ethyl	4.57	LCS	P	0 - 30
LFB	Parathion Methyl	11.1	LCS	P	0 - 30
LFB	Pendimethalin	2.11	LCS	P	0 - 30
LFB	Phorate	7.43	LCS	P	0 - 30
LFB	Prodiamine	25.5	LCS	P	0 - 30
LFB	Prometon	2.41	LCS	P	0 - 30
LFB	Prometryn	1.22	LCS	P	0 - 30
LFB	Pronamide	1.33	LCS	P	0 - 30
LFB	Propiconazole	3.64	LCS	P	0 - 30
LFB	Pyriproxyfen	2.75	LCS	P	0 - 30
LFB	Simazine	4.98	LCS	P	0 - 30
LFB	Sulfentrazone	23.8	LCS	P	0 - 30
LFB	Tebuconazole	14.9	LCS	P	0 - 30
LFB	Terbufos	5.92	LCS	P	0 - 30
LFB	Terbutylazine	1.89	LCS	P	0 - 30

Reference Method: EPA 8270E
Batch ID: P398407

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2248333	Alpha-Chlordane	1.70	Spike	P	0 - 30
2248333	Dieldrin	5.82	Spike	P	0 - 30
2248333	Endrin Ketone	17.6	Spike	P	0 - 30
2248333	Ethalfuralin	1.09	Spike	P	0 - 30
2248333	Gamma-Chlordane	1.71	Spike	P	0 - 30
2248333	Heptachlor Epoxide	5.91	Spike	P	0 - 30
LFB	Alpha-Chlordane	1.24	LCS	P	0 - 30

Quality Assurance Report Precision

Reference Method: EPA 8270E
Batch ID: P398407

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
LFB	Dieldrin	1.19	LCS	P	0 - 30
LFB	Endrin Ketone	10.6	LCS	P	0 - 30
LFB	Ethalfuralin	0.700	LCS	P	0 - 30
LFB	Gamma-Chlordane	2.57	LCS	P	0 - 30
LFB	Heptachlor Epoxide	1.28	LCS	P	0 - 30

Reference Method: EPA 8276
Batch ID: P397742

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2245730	Chlordane	9.30	Spike	P	0 - 30
2245730	Toxaphene	3.58	Spike	P	0 - 30
LFB	Chlordane	0.190	LCS	P	0 - 30
LFB	Toxaphene	1.65	LCS	P	0 - 30

Reference Method: EPA 8276
Batch ID: P398407

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2248396	Chlordane	1.13	Spike	P	0 - 30
LFB	Chlordane	15.2	LCS	P	0 - 30

Reference Method: EPA 8321B
Batch ID: P397668

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2245296	Acesulfame K	11.7	Spike	P	0 - 30
2245296	AMPA	2.17	Spike	P	0 - 30
2245296	Endothall	22.3	Spike	P	0 - 30
2245296	Glufosinate	3.49	Spike	P	0 - 30
2245296	Glyphosate	0.341	Spike	P	0 - 30
2245296	Sucralose	6.64	Spike	P	0 - 30

Reference Method: EPA 8321B
Batch ID: P397752

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2245296	2,4-D	7.10	Spike	P	0 - 30
2245296	2,4,5-T	4.04	Spike	P	0 - 30
2245296	Acetaminophen	7.26	Spike	P	0 - 30
2245296	Acetamiprid	18.7	Spike	P	0 - 30
2245296	Afidopyropen	9.10	Spike	P	0 - 30
2245296	Bentazon	0.854	Spike	P	0 - 30
2245296	Benzovindiflupyr	0.503	Spike	P	0 - 30
2245296	Carbamazepine	0.208	Spike	P	0 - 30
2245296	Clothianidin	6.92	Spike	P	0 - 30
2245296	Dinotefuran	3.72	Spike	P	0 - 30

Quality Assurance Report Precision

Reference Method: EPA 8321B
Batch ID: P397752

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2245296	Diuron	5.87	Spike	P	0 - 30
2245296	Fenuron	4.36	Spike	P	0 - 30
2245296	Fluridone	4.59	Spike	P	0 - 30
2245296	Hydrocodone	1.19	Spike	P	0 - 30
2245296	Ibuprofen	19.3	Spike	P	0 - 30
2245296	Imazapyr	6.18	Spike	P	0 - 30
2245296	Imidacloprid	3.80	Spike	P	0 - 30
2245296	Linuron	10.0	Spike	P	0 - 30
2245296	Mandestrobin	0.634	Spike	P	0 - 30
2245296	MCPPP	2.36	Spike	P	0 - 30
2245296	Naproxen	6.11	Spike	P	0 - 30
2245296	Primidone	6.11	Spike	P	0 - 30
2245296	Pyraclostrobin	1.31	Spike	P	0 - 30
2245296	Thiamethoxam	2.17	Spike	P	0 - 30
2245296	Tolfenpyrad	1.84	Spike	P	0 - 30
2245296	Triclopyr	0.373	Spike	P	0 - 30

Reference Method: EPA 8321B
Batch ID: P397974

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2246411	3-Hydroxycarbofuran	7.28	Spike	P	0 - 30
2246411	Aldicarb	1.49	Spike	P	0 - 30
2246411	Aldicarb Sulfone	2.50	Spike	P	0 - 30
2246411	Aldicarb Sulfoxide	12.7	Spike	P	0 - 30
2246411	Carbaryl	3.05	Spike	P	0 - 30
2246411	Carbofuran	4.95	Spike	P	0 - 30
2246411	Methiocarb	7.59	Spike	P	0 - 30
2246411	Methomyl	6.29	Spike	P	0 - 30
2246411	Oxamyl	10.1	Spike	P	0 - 30
2246411	Propoxur	5.92	Spike	P	0 - 30

Reference Method: SM 2120 B-2011
Batch ID: P397707

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2244969	Color (true)	5.34	Sample	P	0 - 20

Reference Method: SM 2120 B-2011
Batch ID: P397709

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2245360	Color (true)	0.393	Sample	P	0 - 20

Quality Assurance Report Precision

Reference Method: SM 2320 B-2011
 Batch ID: P398174

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2245385	Total Alkalinity	1.33	Sample	P	0 - 8.1

Reference Method: SM 2540 C-2011
 Batch ID: P398144

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2244979	TDS	3.96	Sample	P	0 - 10

Reference Method: SM 2540 C-2011
 Batch ID: P398145

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2245279	TDS	0.813	Sample	P	0 - 10

Reference Method: SM 2540 D-2011
 Batch ID: P397944

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2244979	TSS	3.31	Sample	P	0 - 10

Reference Method: SM 2540 D-2011
 Batch ID: P397945

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2245279	TSS	2.35	Sample	P	0 - 10

Reference Method: SM 4500 F-C-2011
 Batch ID: P397859

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2244969	Fluoride	0.0	Spike	P	0 - 2.8

Reference Method: SM 5310 B-2011
 Batch ID: P397882

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2245283	Organic Carbon	0.469	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Surrogates

Lab Sample ID: 2245296
Field Sample ID: G3SD0162

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	2,4-D-d3	106	P	30 - 160
EPA 8321B	Acetaminophen-d4	82.2	P	30 - 160
EPA 8321B	Carbamazepine-d10	84.8	P	30 - 160
EPA 8321B	Diuron-d6	57.0	P	30 - 160
EPA 8321B	Endothall-d6	99.5	P	40 - 160
EPA 8321B	Endothall-d6	99.5	P	40 - 160
EPA 8321B	Glyphosate 13C 15N	110	P	40 - 160
EPA 8321B	Glyphosate 13C 15N	110	P	40 - 160
EPA 8321B	Ibuprofen-d3	71.3	P	30 - 160
EPA 8321B	Primidone-d5	87.3	P	30 - 160
EPA 8321B	Sucralose-d6	85.6	P	30 - 160
EPA 8321B	Sucralose-d6	85.6	P	30 - 160

Lab Sample ID: 2245297
Field Sample ID: FB_05042021

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Carbaryl-d7	69.1	P	30 - 160

Lab Sample ID: 2245298
Field Sample ID: FB_05042021

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	2,4-D-d3	109	P	30 - 160
EPA 8321B	Acetaminophen-d4	80.8	P	30 - 160
EPA 8321B	Carbamazepine-d10	93.7	P	30 - 160
EPA 8321B	Diuron-d6	76.6	P	30 - 160
EPA 8321B	Endothall-d6	89.9	P	40 - 160
EPA 8321B	Endothall-d6	89.9	P	40 - 160
EPA 8321B	Glyphosate 13C 15N	156	P	40 - 160
EPA 8321B	Glyphosate 13C 15N	156	P	40 - 160
EPA 8321B	Ibuprofen-d3	88.6	P	30 - 160
EPA 8321B	Primidone-d5	93.2	P	30 - 160
EPA 8321B	Sucralose-d6	96.7	P	30 - 160
EPA 8321B	Sucralose-d6	96.7	P	30 - 160

Lab Sample ID: 2245319
Field Sample ID: G3SD0088

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8270E	Caffeine-d9	62.1	P	20 - 200
EPA 8270E	Simazine-d10	94.2	P	73 - 135
EPA 8270E	Terbufos-d10	111	P	58 - 130

Lab Sample ID: 2245320
Field Sample ID: G3SD0162

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8270E	Decachlorobiphenyl	53.3	P	35 - 120
EPA 8270E	Tetrachloro-m-xylene	53.8	P	30 - 110
EPA 8276	Decachlorobiphenyl	58.5	P	29 - 92.0
EPA 8276	PCNB	64.8	P	43 - 134

Quality Assurance Report Surrogates

Lab Sample ID: 2245321
Field Sample ID: G3SD0162

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8270E	Caffeine-d9	66.4	P	20 - 200
EPA 8270E	Simazine-d10	105	P	73 - 135
EPA 8270E	Terbufos-d10	106	P	58 - 130

Lab Sample ID: 2245322
Field Sample ID: FB_05042021

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8270E	Decachlorobiphenyl	79.8	P	35 - 120
EPA 8270E	Decachlorobiphenyl	44.6	P	35 - 120
EPA 8270E	Tetrachloro-m-xylene	71.9	P	30 - 110
EPA 8270E	Tetrachloro-m-xylene	51.1	P	30 - 110
EPA 8276	Decachlorobiphenyl	47.3	P	29 - 92.0
EPA 8276	Decachlorobiphenyl	70.3	P	29 - 92.0
EPA 8276	PCNB	59.4	P	43 - 134
EPA 8276	PCNB	81.8	P	43 - 134

Lab Sample ID: 2245323
Field Sample ID: FB_05042021

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8270E	Caffeine-d9	57.6	P	20 - 200
EPA 8270E	Simazine-d10	104	P	73 - 135
EPA 8270E	Terbufos-d10	102	P	58 - 130

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A105193

Included Lab Sample IDs: 2245281, 2245284, 2245287, 2245290

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	100	101	P/P	90 - 110
O-Phosphate-P	101	101	P/P	90 - 110

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A105195

Included Lab Sample IDs: 2245279, 2245282, 2245285, 2245288

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	98.5	99.0	P/P	95 - 105
Turbidity	99.0	99.0	P/P	95 - 105

Reference Method: SM 2120 B-2011

Run ID: A105197

Included Lab Sample IDs: 2245279, 2245282, 2245285, 2245288

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	101	102	P/P	90 - 115
Color (true)	102	103	P/P	90 - 115

Reference Method: EPA 8321B

Run ID: A105209

Included Lab Sample IDs: 2245296, 2245298

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Acesulfame K	65.5	72.3	P/P	40 - 160
AMPA	119	114	P/P	40 - 160
Endothall	96.8	120	P/P	40 - 160
Glufosinate	74.5	78.7	P/P	40 - 160
Glyphosate	158	133	P/P	40 - 160

Reference Method: EPA 8321B

Run ID: A105241

Included Lab Sample IDs: 2245296, 2245298

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Sucralose	93.5	93.5	P/P	60 - 160

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A105247

Included Lab Sample IDs: 2245280, 2245283, 2245286, 2245289

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	100	99.5	P/P	90 - 110

Reference Method: SM 4500 F-C-2011

Run ID: A105260

Included Lab Sample IDs: 2245279, 2245282, 2245285, 2245288

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	99.5	101	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: SM 5310 B-2011

Run ID: A105278

Included Lab Sample IDs: 2245280, 2245283, 2245286, 2245289

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	100	99.6	P/P	90 - 110
Organic Carbon	99.4	99.8	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A105313

Included Lab Sample IDs: 2245280, 2245283

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	102	105	P/P	90 - 110

Reference Method: EPA 8276

Run ID: A105390

Included Lab Sample IDs: 2245320, 2245322

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chlordane	102		P	80 - 120
Toxaphene	91.2		P	80 - 120

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A105393

Included Lab Sample IDs: 2245280, 2245283, 2245286, 2245289

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	96.2	96.7	P/P	90 - 110
Kjeldahl Nitrogen	96.7	97.1	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A105399

Included Lab Sample IDs: 2245286

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	101	102	P/P	85 - 115

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A105403

Included Lab Sample IDs: 2245289

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	99.8	98.8	P/P	90 - 110

Reference Method: EPA 8321B

Run ID: A105404

Included Lab Sample IDs: 2245297

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
3-Hydroxycarbofuran	106	107	P/P	60 - 150
Aldicarb	93.6	96.8	P/P	60 - 150
Aldicarb Sulfone	100	103	P/P	50 - 150
Aldicarb Sulfoxide	92.5	96.5	P/P	50 - 150
Carbaryl	104	109	P/P	60 - 150
Carbofuran	103	106	P/P	50 - 150

Quality Assurance Report Calibration Verification

Reference Method: EPA 8321B
Run ID: A105404
Included Lab Sample IDs: 2245297

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Methiocarb	99.8	101	P/P	50 - 150
Methomyl	86.4	92.6	P/P	50 - 150
Oxamyl	95.9	99.0	P/P	50 - 150
Propoxur	99.9	111	P/P	50 - 150

Reference Method: EPA 8321B
Run ID: A105406
Included Lab Sample IDs: 2245296, 2245298

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
2,4-D	107	126	P/P	50 - 150
2,4,5-T	106	100	P/P	50 - 150
Acetaminophen	104	104	P/P	60 - 160
Acetamiprid	108	108	P/P	50 - 150
Afidopyropen	99.9	113	P/P	50 - 150
Bentazon	112	117	P/P	50 - 160
Benzovindiflupyr	117	120	P/P	50 - 150
Carbamazepine	116	112	P/P	60 - 150
Clothianidin	113	105	P/P	60 - 150
Dinotefuran	106	110	P/P	50 - 150
Diuron	105	108	P/P	60 - 160
Fenuron	96.3	99.2	P/P	60 - 150
Fluridone	107	104	P/P	60 - 160
Hydrocodone	101	100	P/P	60 - 150
Ibuprofen	106	95.4	P/P	50 - 160
Imazapyr	114	105	P/P	50 - 150
Imidacloprid	98.2	94.4	P/P	60 - 150
Linuron	101	119	P/P	60 - 150
Mandestrobin	108	105	P/P	50 - 150
MCPP	105	99.1	P/P	50 - 150
Naproxen	79.2	107	P/P	50 - 160
Primidone	107	103	P/P	60 - 150
Pyraclostrobin	108	108	P/P	60 - 150
Thiamethoxam	107	105	P/P	50 - 150
Tolfenpyrad	110	104	P/P	60 - 150
Triclopyr	104	99.1	P/P	50 - 150

Reference Method: SM 2320 B-2011
Run ID: A105419
Included Lab Sample IDs: 2245279, 2245282, 2245285, 2245288

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	99.0	97.4	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Run ID: A105430
Included Lab Sample IDs: 2245280, 2245283, 2245286, 2245289

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	99.3	97.0	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 8270E

Run ID: A105498

Included Lab Sample IDs: 2245320, 2245322

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Aldrin	97.6		P	80 - 120
Alpha-BHC	101		P	80 - 120
Alpha-Chlordane	96.1		P	80 - 120
Beta-BHC	97.3		P	80 - 120
Beta-Cyfluthrin	102		P	80 - 120
Bifenthrin	101		P	80 - 120
Chlorothalonil	103		P	80 - 120
Cis-Nonachlor	100		P	80 - 120
Cypermethrin	102		P	80 - 120
Dacthal	96.6		P	80 - 120
DDD-p,p'	96.9		P	80 - 120
DDE-p,p'	97.7		P	80 - 120
DDT-p,p'	98.1		P	80 - 120
Delta-BHC	99.4		P	80 - 120
Deltamethrin	104		P	80 - 120
Dichlobenil	96.8		P	80 - 120
Dicofol	96.3		P	80 - 120
Dieldrin	101		P	80 - 120
Endosulfan I	98.8		P	80 - 120
Endosulfan II	101		P	80 - 120
Endosulfan Sulfate	96.4		P	80 - 120
Endrin	101		P	80 - 120
Endrin Aldehyde	95.8		P	80 - 120
Endrin Ketone	97.8		P	80 - 120
Esfenvalerate	97.3		P	80 - 120
Ethalfuralin	97.9		P	80 - 120
Fenpropathrin	102		P	80 - 120
Gamma-BHC	96.7		P	80 - 120
Gamma-Chlordane	98.7		P	80 - 120
Heptachlor	98.9		P	80 - 120
Heptachlor Epoxide	98.1		P	80 - 120
Hexachlorobenzene	99.0		P	80 - 120
Kepone	91.5		P	80 - 120
Lambda-Cyhalothrin	103		P	80 - 120
Methoxychlor	97.9		P	80 - 120
MGK-264	93.9		P	80 - 120
Mirex	99.4		P	80 - 120
Permethrin	99.9		P	80 - 120
Phenothrin	97.7		P	80 - 120
Piperonyl Butoxide	96.1		P	80 - 120
Prallethrin	95.0		P	80 - 120
Tau-Fluvalinate	100		P	80 - 120
Tetramethrin	107		P	80 - 120
Trans-Nonachlor	97.8		P	80 - 120
Triclosan Methyl	100		P	80 - 120
Trifluralin	97.1		P	80 - 120

Quality Assurance Report Calibration Verification

Reference Method: EPA 8270E

Run ID: A105501

Included Lab Sample IDs: 2245319, 2245321, 2245323

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Acetochlor	95.0		P	80 - 120
Alachlor	104		P	80 - 120
Ametryn	101		P	80 - 120
Atrazine	95.7		P	80 - 120
Atrazine Desethyl	109		P	80 - 120
Azinphos Methyl	106		P	80 - 120
Azoxystrobin	105		P	80 - 120
Bromacil	94.8		P	80 - 120
Butylate	99.2		P	80 - 120
Caffeine	95.5		P	70 - 120
Carbophenothion	105		P	80 - 120
Carfentrazone Ethyl	101		P	80 - 120
Chlorpyrifos Ethyl	100		P	80 - 120
Chlorpyrifos Methyl	98.7		P	80 - 120
Cyanazine	100		P	80 - 120
Demeton	95.1		P	80 - 120
Diazinon	97.6		P	80 - 120
Difenoconazole	109		P	80 - 120
Dimethenamid	99.7		P	80 - 120
Disulfoton	96.1		P	80 - 120
Dithiopyr	99.3		P	80 - 120
EPTC	100		P	80 - 120
Ethion	103		P	80 - 120
Ethoprop	101		P	80 - 120
Fenamiphos	95.9		P	80 - 120
Fenbuconazole	103		P	80 - 120
Fipronil	104		P	80 - 120
Fipronil Desulfinyl	108		P	80 - 120
Fipronil Sulfide	108		P	80 - 120
Fipronil Sulfone	97.9		P	80 - 120
Fluazifop-P-butyl	102		P	80 - 120
Fludioxonil	98.2		P	80 - 120
Flumioxazin	101		P	80 - 120
Flutolanil	101		P	80 - 120
Fluxapyroxad	101		P	80 - 120
Fonofos	91.6		P	80 - 120
Hexazinone	97.6		P	80 - 120
Imazalil	118		P	80 - 120
Iprodione	103		P	80 - 120
Malathion	100		P	80 - 120
Metaxyl	101		P	80 - 120
Metolachlor	98.3		P	80 - 120
Metribuzin	96.1		P	80 - 120
Mevinphos	101		P	80 - 120
Molinate	97.5		P	80 - 120
Myclobutanil	101		P	80 - 120
Naled	108		P	80 - 120
Norflurazon	98.3		P	80 - 120
Oxadiazon	102		P	80 - 120
Oxyfluorfen	104		P	80 - 120
Parathion Ethyl	101		P	80 - 120

Quality Assurance Report Calibration Verification

Reference Method: EPA 8270E

Run ID: A105501

Included Lab Sample IDs: 2245319, 2245321, 2245323

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Parathion Methyl	92.8		P	80 - 120
Pendimethalin	106		P	80 - 120
Phorate	97.6		P	80 - 120
Prodiamine	101		P	80 - 120
Prometon	94.1		P	80 - 120
Prometryn	97.4		P	80 - 120
Pronamide	96.6		P	80 - 120
Propiconazole	105		P	80 - 120
Pyriproxyfen	89.4		P	80 - 120
Simazine	98.9		P	80 - 120
Sulfentrazone	102		P	80 - 120
Tebuconazole	102		P	80 - 120
Terbufos	98.9		P	80 - 120
Terbutylazine	96.7		P	80 - 120

Reference Method: EPA 8270E

Run ID: A105526

Included Lab Sample IDs: 2245319, 2245321

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Atrazine	100		P	80 - 120

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A105550

Included Lab Sample IDs: 2245279, 2245282, 2245285, 2245288

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	99.9	101	P/P	90 - 110
Sulfate	99.0	100	P/P	90 - 110

Reference Method: EPA 8270E

Run ID: A105584

Included Lab Sample IDs: 2245319, 2245321

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Azoxystrobin	95.2		P	80 - 120

Reference Method: EPA 8276

Run ID: A105638

Included Lab Sample IDs: 2245322

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chlordane	95.5		P	80 - 120

Reference Method: EPA 8270E

Run ID: A105719

Included Lab Sample IDs: 2245322

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Alpha-Chlordane	99.4		P	80 - 120
Dieldrin	99.5		P	80 - 120

Quality Assurance Report

Calibration Verification

Reference Method: EPA 8270E

Run ID: A105719

Included Lab Sample IDs: 2245322

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Endrin Ketone	108		P	80 - 120
Ethalfuralin	101		P	80 - 120
Gamma-Chlordane	100		P	80 - 120
Heptachlor Epoxide	101		P	80 - 120

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery		LCS	Precision	MS
							SMP	
EPA 180.1 Rev. 2.0	Turbidity						5.13	
	Turbidity						2.82	
EPA 300.0 Rev. 2.1	Chloride	101		100	97.9		0.852	
	Sulfate	100		100	98.3		0.938	
EPA 350.1 Rev. 2.0	Ammonia-N	97.8		98.6	97.6			0.788
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	95.4						0.880
EPA 353.2 Rev. 2.0	NO ₂ NO ₃ -N	100		98.6	98.0			0.447
EPA 365.1 Rev. 2.0	Total-P	110		107	108			0.318
	Total-P	106		104	103			1.04
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	100		98.0	98.6			0.400
EPA 8270E	Acetochlor	103	113	97.7	110	9.63		12.3
	Alachlor	104	103	101	109	0.915		8.00
	Aldrin	57.4	65.8	24.2	26.4	13.7		4.63
	Alpha-BHC	91.0	97.3	85.9	93.1	6.67		8.02
	Alpha-Chlordane	87.5	94.3	85.6	81.0	7.45		5.09
	Alpha-Chlordane	73.7	72.8	89.5	88.0	1.24		1.70
	Ametryn	104	124			17.6		6.79
	Atrazine	104	103			0.791		14.1
	Atrazine Desethyl	110	101			8.31		28.1
	Azinphos Methyl	70.8	71.3	56.8	59.3	0.722		4.23
	Azoxystrobin	133	102	283	198	26.5		29.4
	Beta-BHC	107	114	117	114	5.75		2.77
	Beta-Cyfluthrin	99.9	112	172	140	11.3		20.4
	Bifenthrin	71.3	71.5	80.6	77.1	0.282		4.50
	Bromacil	93.0	88.6	93.9	102	4.83		5.06
	Butylate	57.3	59.8	43.3	44.8	4.31		2.53
	Caffeine	99.6	99.3	126	113	0.267		10.6
	Carbophenothion	184	170	106	116	8.35		9.31
	Carfentrazone Ethyl	137	139	120	109	1.24		9.36
	Chlorothalonil	82.4	76.0	151	82.3	8.16		59.0
	Chlorpyrifos Ethyl	93.9	96.0	76.5	91.9	2.25		18.2
	Chlorpyrifos Methyl	105	113	92.1	110	6.70		17.8
	Cis-Nonachlor	81.4	80.1	88.1	82.6	1.60		6.43
	Cyanazine	122	130	137	127	5.82		7.87
	Cypermethrin	93.9	103	142	123	9.65		13.9
	Dacthal	93.2	103	94.3	91.7	10.4		2.86
	DDD-p,p'	80.8	81.5	88.6	83.6	0.898		5.79
	DDE-p,p'	82.8	92.8	78.3	77.1	11.5		1.52
	DDT-p,p'	75.9	79.6	75.0	75.1	4.79		0.150
	Delta-BHC	122	128	136	132	4.92		3.29
	Deltamethrin	105	117	178	148	10.5		18.6
	Demeton	78.2	94.9	79.0	100	19.3		23.7
	Diazinon	90.0	94.6	122	134	4.91		8.83
	Dichlobenil	75.6	83.2	68.8	66.0	9.55		4.17
	Dicofol	77.3	82.5	89.0	85.9	6.57		3.58
	Dieldrin	91.3	100	106	93.9	9.05		8.74
	Dieldrin	77.4	78.3	95.3	89.9	1.19		5.82
	Difenoconazole	141	130	269	258	8.17		4.30
	Dimethenamid	104	110	100	104	5.38		4.00
	Disulfoton	93.9	99.7	81.1	90.2	5.98		10.6
	Dithiopyr	105	93.9	67.9	83.9	11.3		21.0
	Endosulfan I	92.0	97.0	92.1	89.1	5.29		3.38
	Endosulfan II	96.6	95.7	112	106	0.923		6.35
	Endosulfan Sulfate	83.4	101	90.7	81.2	19.1		11.1

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery		Precision	
						LCS	MS
						SMP	
EPA 8270E	Endrin	80.0	81.5	87.4	85.3	1.84	2.38
	Endrin Aldehyde	85.8	90.0	86.7	87.3	4.78	0.636
	Endrin Ketone	90.5	91.8	100	93.4	1.40	6.89
	Endrin Ketone	101	113	159	133	10.6	17.6
	EPTC	63.3	67.6	59.2	58.9	6.63	0.588
	Esfenvalerate	91.3	105	191	156	13.5	19.8
	Ethalfuralin	87.5	92.8	67.3	67.8	5.88	0.639
	Ethalfuralin	71.5	71.0	81.6	80.7	0.700	1.09
	Ethion	68.5	57.5	70.5	53.1	17.5	28.2
	Ethoprop	103	112	114	125	9.15	9.24
	Fenamiphos	99.6	98.0	64.6	71.5	1.57	10.2
	Fenbuconazole	129	140	138	153	7.79	10.3
	Fenpropathrin	76.4	80.1	78.7	74.2	4.72	5.89
	Fipronil	119	127	128	120	6.60	6.76
	Fipronil Desulfinyl	101	99.6	117	113	1.73	2.72
	Fipronil Sulfide	134	109	95.1	102	20.6	7.23
	Fipronil Sulfone	116	96.1	104	116	18.9	11.5
	Fluazifop-P-butyl	107	97.8	146	162	9.00	10.4
	Fludioxonil	101	104	91.0	97.8	3.20	7.21
	Flumioxazin	133	138	367	379	3.74	3.16
	Flutolanil	101	94.5	86.3	88.1	6.65	2.03
	Fluxapyroxad	115	115	92.5	117	0.0163	18.7
	Fonofos	105	112	83.5	105	6.51	22.8
	Gamma-BHC	96.2	104	94.6	98.7	7.48	4.25
	Gamma-Chlordane	89.8	96.5	101	95.8	7.19	5.13
	Gamma-Chlordane	72.9	71.0	86.6	85.2	2.57	1.71
	Heptachlor	81.5	90.7	64.9	64.3	10.7	1.06
	Heptachlor Epoxide	89.9	96.6	75.3	74.8	7.13	0.392
	Heptachlor Epoxide	80.7	81.7	101	94.8	1.28	5.91
	Hexachlorobenzene	94.1	102	63.6	62.3	8.46	2.11
	Hexazinone	92.2	92.5			0.240	0.0595
	Imazalil	113	141	174	140	22.8	21.3
	Iprodione	64.6	74.4	104	126	14.1	19.1
	Kepone	83.2	142	129	116	52.4	10.9
	Lambda-Cyhalothrin	93.0	103	162	208	9.94	25.0
	Malathion	113	112	101	111	0.701	8.88
	Metalaxyl	99.5	107	99.1	91.3	7.22	6.95
	Methoxychlor	77.4	85.3	83.3	79.1	9.69	5.16
	Metolachlor	91.7	89.4			2.55	5.14
	Metribuzin	108	107	141	154	0.867	8.24
	Mevinphos	99.8	110	99.0	131	9.66	28.1
	MGK-264	61.0	89.5	72.8	78.0	37.9	7.00
	Mirex	144	150	143	136	3.73	4.58
	Molinate	59.8	73.5	65.2	74.1	20.6	12.8
	Myclobutanil	94.3	97.5	93.4	87.6	3.32	6.46
	Naled	34.9	38.5	32.9	36.1	9.73	9.04
	Norflurazon	101	100	86.4	91.1	0.894	3.10
	Oxadiazon	97.8	99.1	85.6	88.6	1.22	3.37
	Oxyfluorfen	129	132	129	125	2.19	3.00
	Parathion Ethyl	103	108	101	89.4	4.57	11.9
	Parathion Methyl	102	114	107	104	11.1	2.99
	Pendimethalin	82.9	84.7	95.3	73.6	2.11	25.7
	Permethrin	89.9	94.3	113	122	4.71	8.18
	Phenothrin	67.6	71.2	52.1	51.7	5.13	0.795

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery		Precision	
						LCS	MS
						SMP	
EPA 8270E	Phorate	112	120	107	131	7.43	19.7
	Piperonyl Butoxide	63.8	104	102	97.2	47.8	4.61
	Prallethrin	56.1	93.5	67.5	67.0	50.0	0.704
	Prodiamine	140	108	63.5	78.4	25.5	20.9
	Prometon	104	107	32.3	69.4	2.41	72.9
	Prometryn	108	106	96.7	105	1.22	7.88
	Pronamide	102	100	95.2	101	1.33	5.48
	Propiconazole	106	110	83.4	86.9	3.64	2.20
	Pyriproxyfen	95.4	92.8	78.3	76.8	2.75	1.98
	Simazine	97.2	102			4.98	6.25
	Sulfentrazone	44.5	56.5	98.2	133	23.8	29.8
	Tau-Fluvalinate	90.4	105	132	114	15.4	14.6
	Tebuconazole	39.8	34.2	51.5	37.7	14.9	31.0
	Terbufos	108	114	96.7	106	5.92	8.93
	Terbuthylazine	111	109	103	94.1	1.89	9.31
	Tetramethrin	56.8	91.2	70.4	74.8	46.4	6.02
	Trans-Nonachlor	88.5	93.3	83.3	79.2	5.27	5.09
	Triclosan Methyl	90.7	100	90.4	88.1	9.94	2.56
	Trifluralin	81.0	87.8	71.5	72.7	8.04	1.55
EPA 8276	Chlordane	90.7	90.8	87.6	79.8	0.190	9.30
	Chlordane	78.6	91.5	96.7	95.6	15.2	1.13
	Toxaphene	74.3	75.5	75.0	72.3	1.65	3.58
EPA 8321B	2,4-D	135		113	122		7.10
	2,4,5-T	116		111	115		4.04
	3-Hydroxycarbofuran	97.9		82.8	77.0		7.28
	Acesulfame K	62.3		95.0	107		11.7
	Acetaminophen	84.1		73.0	78.5		7.26
	Acetamiprid	97.8		108	89.4		18.7
	Afidopyropen	89.2		95.2	86.9		9.10
	Aldicarb	99.6		82.6	81.4		1.49
	Aldicarb Sulfone	103		88.3	86.2		2.50
	Aldicarb Sulfoxide	137		66.6	58.6		12.7
	AMPA	106		120	122		2.17
	Bentazon	91.2		44.1	45.1		0.854
	Benzovindiflupyr	92.2		95.9	95.4		0.503
	Carbamazepine	106		87.3	87.2		0.208
	Carbaryl	83.7		44.3	45.7		3.05
	Carbofuran	94.5		56.8	59.7		4.95
	Clothianidin	88.6		81.1	86.9		6.92
	Dinotefuran	95.2		106	110		3.72
	Diuron	75.2		64.0	67.9		5.87
	Endothall	116		99.0	124		22.3
	Fenuron	113		98.6	103		4.36
	Fluridone	88.9		91.6	96.6		4.59
	Glufosinate	95.6		71.8	69.3		3.49
	Glyphosate	137		95.2	94.8		0.341
	Hydrocodone	86.6		80.2	79.2		1.19
	Ibuprofen	88.5		73.9	89.7		19.3
	Imazapyr	98.5		104	114		6.18
	Imidacloprid	93.4		148	154		3.80
	Linuron	81.2		78.7	71.2		10.0
	Mandestrobin	93.6		93.4	92.8		0.634
	MCPP	128		120	123		2.36
	Methiocarb	68.4		46.5	50.1		7.59

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		Precision	
					LCS	MS
EPA 8321B	Methomyl	111	79.5	84.7		6.29
	Naproxen	70.3	66.4	70.6		6.11
	Oxamyl	95.6	68.5	75.7		10.1
	Primidone	88.9	93.7	99.6		6.11
	Propoxur	91.1	59.6	63.2		5.92
	Pyraclostrobin	79.4	87.1	88.3		1.31
	Sucralose	92.8	73.8	79.2		6.64
	Thiamethoxam	89.4	105	108		2.17
	Tolfenpyrad	60.4	56.2	55.2		1.84
	Triclopyr	121	116	117		0.373
SM 2120 B-2011	Color (true)	100			5.34	
	Color (true)	101			0.393	
SM 2320 B-2011	Total Alkalinity	98.7			1.33	
SM 2540 C-2011	TDS				3.96	
	TDS				0.813	
SM 2540 D-2011	TSS				3.31	
	TSS				2.35	
SM 4500 F-C-2011	Fluoride	98.6	99.3	99.3		0.0
SM 5310 B-2011	Organic Carbon	101	98.8	98.0		0.469

Reference Method Descriptions

Method	Description	Associated Samples
EPA 180.1 Rev. 2.0	Turbidity in aqueous matrices	2245279, 2245282, 2245285, 2245288
EPA 300.0 Rev. 2.1	Chloride in aqueous matrices	2245279, 2245282, 2245285, 2245288
EPA 300.0 Rev. 2.1	Sulfate in aqueous matrices	2245279, 2245282, 2245285, 2245288
EPA 350.1 Rev. 2.0	Ammonia in aqueous matrices as mg N/L	2245280, 2245283, 2245286, 2245289
EPA 351.2 Rev. 2.0	Total Kjeldahl Nitrogen in aqueous matrices	2245280, 2245283, 2245286, 2245289
EPA 353.2 Rev. 2.0	Nitrite/Nitrate in aqueous matrices as mg N/L	2245280, 2245283, 2245286, 2245289
EPA 365.1 Rev. 2.0	Total Phosphorus in aqueous matrices as mg P/L	2245280, 2245283, 2245286, 2245289
EPA 365.1 Rev. 2.0 dissolved	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2245281, 2245284, 2245287, 2245290
EPA 8270E	Organochlorine pesticides, pyrethroids and tracers in water matrices by GC/MS/MS	2245320, 2245322
EPA 8270E	Organonitrogen and phosphorus pesticides in water matrices by GC/MS/MS	2245319, 2245321, 2245323
EPA 8276	Organochlorine pesticides in water matrices by GC/MS with Negative Chemical Ionization	2245320, 2245322
EPA 8321B	Carbamates in water matrices by HPLC/MS/MS	2245297
EPA 8321B	Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS	2245296, 2245298
EPA 8321B	Water soluble organic compounds by HPLC/MS/MS	2245296, 2245298
SM 2120 B-2011	True Color measured at 450 nm (not valid for NPDES monitoring)	2245279, 2245282, 2245285, 2245288
SM 2320 B-2011	Alkalinity in aqueous matrices as mg CaCO3/L	2245279, 2245282, 2245285, 2245288
SM 2540 C-2011	Total Dissolved Solids in aqueous matrices	2245279, 2245282, 2245285, 2245288
SM 2540 D-2011	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2245279, 2245282, 2245285, 2245288
SM 4500 F-C-2011	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2245279, 2245282, 2245285, 2245288
SM 5310 B-2011	Nonpurgeable Organic Carbon in aqueous matrices	2245280, 2245283, 2245286, 2245289

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	05/05/2021			05/05/2021 16:05	Yen Ta	2245279, 2245282, 2245285, 2245288
EPA 300.0 Rev. 2.1	05/05/2021			05/20/2021 21:49	Lipi Saha	2245279
	05/05/2021			05/20/2021 22:01	Lipi Saha	2245282
	05/05/2021			05/20/2021 22:13	Lipi Saha	2245285
	05/05/2021			05/20/2021 22:25	Lipi Saha	2245288
EPA 350.1 Rev. 2.0	05/05/2021			05/14/2021 12:11	Ping Hua	2245280
	05/05/2021			05/14/2021 12:12	Ping Hua	2245283
	05/05/2021			05/14/2021 12:14	Ping Hua	2245286
	05/05/2021			05/14/2021 12:15	Ping Hua	2245289
EPA 351.2 Rev. 2.0	05/05/2021	05/11/2021 13:52	Benjamin T. Nordmann	05/12/2021 14:42	Virginia P. Brown	2245280
	05/05/2021	05/11/2021 13:52	Benjamin T. Nordmann	05/12/2021 14:47	Virginia P. Brown	2245283
	05/05/2021	05/11/2021 13:52	Benjamin T. Nordmann	05/12/2021 14:49	Virginia P. Brown	2245286
	05/05/2021	05/11/2021 13:52	Benjamin T. Nordmann	05/12/2021 14:54	Virginia P. Brown	2245289
EPA 353.2 Rev. 2.0	05/05/2021			05/07/2021 09:35	Beverly Y. Sanders	2245280
	05/05/2021			05/07/2021 09:41	Beverly Y. Sanders	2245283
	05/05/2021			05/07/2021 09:42	Beverly Y. Sanders	2245286
	05/05/2021			05/07/2021 09:43	Beverly Y. Sanders	2245289
EPA 365.1 Rev. 2.0	05/05/2021	05/10/2021 14:35	Yen Ta	05/11/2021 10:04	Shengyu Ding	2245280
	05/05/2021	05/10/2021 14:35	Yen Ta	05/11/2021 10:05	Shengyu Ding	2245283
	05/05/2021	05/12/2021 13:55	Yen Ta	05/13/2021 11:16	Shengyu Ding	2245286
	05/05/2021	05/12/2021 13:55	Yen Ta	05/13/2021 12:44	Shengyu Ding	2245289
EPA 365.1 Rev. 2.0 dissolved	05/05/2021			05/05/2021 14:51	Patrick M. Roche	2245281
	05/05/2021			05/05/2021 14:54	Patrick M. Roche	2245290
	05/05/2021			05/05/2021 14:59	Patrick M. Roche	2245284
	05/05/2021			05/05/2021 15:00	Patrick M. Roche	2245287
EPA 8270E	05/05/2021	05/07/2021 10:00	Rasheda Ghaffari	05/14/2021 21:23	Michael Poppell	2245320
	05/05/2021	05/07/2021 10:00	Rasheda Ghaffari	05/14/2021 21:52	Michael Poppell	2245322
	05/05/2021	05/09/2021 10:00	Chiran X. Ghimire	05/11/2021 19:10	Michael Poppell	2245319
	05/05/2021	05/09/2021 10:00	Chiran X. Ghimire	05/11/2021 19:34	Michael Poppell	2245321
	05/05/2021	05/09/2021 10:00	Chiran X. Ghimire	05/11/2021 19:59	Michael Poppell	2245323
	05/05/2021	05/09/2021 10:00	Chiran X. Ghimire	05/18/2021 22:47	Michael Poppell	2245319
	05/05/2021	05/09/2021 10:00	Chiran X. Ghimire	05/18/2021 23:11	Michael Poppell	2245321
	05/05/2021	05/09/2021 10:00	Chiran X. Ghimire	05/20/2021 21:11	Michael Poppell	2245319
	05/05/2021	05/09/2021 10:00	Chiran X. Ghimire	05/20/2021 21:36	Michael Poppell	2245321
	05/05/2021	05/20/2021 08:00	Fe-Val Siddell	05/27/2021 03:05	Arthur Maknenko	2245322
EPA 8276	05/05/2021	05/07/2021 10:00	Rasheda Ghaffari	05/12/2021 18:52	Arthur Maknenko	2245320
	05/05/2021	05/07/2021 10:00	Rasheda Ghaffari	05/12/2021 19:48	Arthur Maknenko	2245322
	05/05/2021	05/20/2021 08:00	Fe-Val Siddell	05/25/2021 04:45	Arthur Maknenko	2245322
EPA 8321B	05/05/2021	05/05/2021 13:30	Rebecca Ware	05/05/2021 15:22	Rebecca Ware	2245296
	05/05/2021	05/05/2021 13:30	Rebecca Ware	05/05/2021 15:36	Rebecca Ware	2245298

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 8321B	05/05/2021	05/05/2021 13:30	Rebecca Ware	05/06/2021 18:04	Rebecca Ware	2245298
	05/05/2021	05/05/2021 13:30	Rebecca Ware	05/06/2021 18:51	Rebecca Ware	2245296
	05/05/2021	05/10/2021 09:00	Hoor Shaik	05/11/2021 12:46	Juyoung Kim	2245296
	05/05/2021	05/10/2021 09:00	Hoor Shaik	05/11/2021 13:20	Juyoung Kim	2245298
	05/05/2021	05/11/2021 09:00	Hoor Shaik	05/13/2021 08:30	Juyoung Kim	2245297
SM 2120 B-2011	05/05/2021			05/05/2021 17:27	Sarah A Nixon	2245279, 2245282
	05/05/2021			05/05/2021 17:29	Sarah A Nixon	2245288
	05/05/2021			05/05/2021 17:48	Sarah A Nixon	2245285
SM 2320 B-2011	05/05/2021			05/13/2021 02:29	Dale L. Simmons	2245279
	05/05/2021			05/13/2021 02:41	Dale L. Simmons	2245282
	05/05/2021			05/13/2021 02:54	Dale L. Simmons	2245285
	05/05/2021			05/13/2021 03:00	Dale L. Simmons	2245288
SM 2540 C-2011	05/05/2021			05/07/2021 14:21	Yijie Li	2245279, 2245282, 2245285, 2245288
SM 2540 D-2011	05/05/2021			05/07/2021 14:21	Yijie Li	2245279, 2245282, 2245285, 2245288
SM 4500 F-C-2011	05/05/2021			05/07/2021 19:40	Samantha Davila	2245279
	05/05/2021			05/07/2021 19:56	Samantha Davila	2245282
	05/05/2021			05/07/2021 20:11	Samantha Davila	2245285
	05/05/2021			05/07/2021 20:19	Samantha Davila	2245288
SM 5310 B-2011	05/05/2021			05/08/2021 01:30	Madeline Gruver	2245283
	05/05/2021			05/08/2021 06:11	Madeline Gruver	2245280
	05/05/2021			05/08/2021 06:24	Madeline Gruver	2245286
	05/05/2021			05/08/2021 06:38	Madeline Gruver	2245289