

Benchmark EnviroAnalytical, Inc.
1001 Corporate Ave. Suite 102
North Port, FL 34289
(941) 625-3137 / (941) 240-3071 fax

BEAS Sample Receipt Temp. 4.4 °C
Checked at Benchmark EA South E85086
With Temperature Gun ID #7

Client Name: FDEP
Address: 2600 Blair Stone Rd.
Tallahassee, FL, 32399
Phone: (850) 245-8085
Email: dep-overflowmicro@dep.state.fl.us
Bill to: Frances Moore
P.O. #: Lab B16970

Project Name: RQ-2021-05-31-50
Project Run/Location: Station ID

Laboratory Submission #: 521060109
Enterococci
E.coli (SM9223B Quantitray)

Sample Type	Surface Water Sample Matrix? (fresh / Marine)	E. coli = 250 mL ; Enteroc = 120 mL ; Fecal Coliform = 120 mL	Laboratory Sample #
G3SD0071	F / M / Grab	E. coli / Enteroc / F. coli Date & Time: 06/3/2021 8:55	1
G3SD0208	F / M / Grab	E. coli / Enteroc / F. coli Date & Time: 06/3/2021 9:36	2
G3SD0195	F / M / Grab	E. coli / Enteroc / F. coli Date & Time: 06/3/2021 10:05	3
G3SD0070	F / M / Grab	E. coli / Enteroc / F. coli Date & Time: 06/3/2021 10:30	4
G3SD0068	F / M / Grab	E. coli / Enteroc / F. coli Date & Time: 06/3/2021 11:05	5
	F / M / Grab	E. coli / Enteroc / F. coli Date & Time:	
	F / M / Grab	E. coli / Enteroc / F. coli Date & Time:	
	F / M / Grab	E. coli / Enteroc / F. coli Date & Time:	
	F / M / Grab	E. coli / Enteroc / F. coli Date & Time:	
	F / M / Grab	E. coli / Enteroc / F. coli Date & Time:	
	F / M / Grab	E. coli / Enteroc / F. coli Date & Time:	
	F / M / Grab	E. coli / Enteroc / F. coli Date & Time:	

Sample Type is used to indicate whether the sample was a grab (G) or whether it was a composite (C).
Sample Matrix is used to indicate whether the sample is being distinguished by drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soft sediment (SSMNT), or dredge (SLDG).
Composite Type is used to indicate whether the composite is plastic (P) or glass (G).
Composite must be refrigerated or stored in wet ice after collection. The maximum temperature during storage should be 4°C (42°F). Under "Preservative" list any preservatives that were added to the sample container.
Each bottle has a label identifying sample ID, preservative interval, container in the bottle, sample type, client ID, and parameter for analysis.
The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sample's name or initials, and any field number or ID.
All bottles and containing preservative must be stored in appropriate sample prior to collection.
The client is responsible for documentation of the sampling event. Please note special sampling events on the sample card, form.

Laboratory Sample Acceptability:
pH < 7.0 BEAS Temperature:

1	Collector: William Mullen	Date: 06/3/2021	Time: 12:05	Received By: [Signature]	Date: 06/3/21	Time: 12:05
2	Relinquished by: Monica Jaeger	Date:	Time:	Received By:	Date:	Time:
3	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
4	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
5	Relinquished by:	Date:	Time:	Received By:	Date:	Time: