

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
CHAIN OF CUSTODY FORM

Date: 9/2/2021
Customer: SO-DIST
RQ: RQ-2021-08-30-54
Collected By: Thomas Baker, Gary Snorek
Sampling Agency: FDEP
Project ID: SMP

PLEASE RETURN THE ORIGINAL OF THIS FORM WITH SAMPLE SUBMITTAL
FORMS AND THE COOLER PACKING WORKSHEET TO THE LAB

Number of Coolers Shipped: 1

Delivery Method: FedEx

FIELD ID (Labels) submitted under this RQ for this collection date.

Site Location	Field ID/WIN ID
JacksonCreek@Weir	 G4SD0204

RELINQUISHED BY(SIGNATURE):



DATE/TIME: 9/2/2021 1700
EST

THIS SECTION TO BE COMPLETED BY LABORATORY

Rec'd/Inspected By:

**Rec'd/Inspected
Date:**



RQ-2021-08-30-54	Collected By: Thomas Baker, Gary Snorek
Customer: FDEP	Field Report Prepared by: Thomas Baker, Gary Snorek
Project ID: SMP	Sampling Agency: FDEP
WIN ID/Field ID:  WIN ID/Field ID: G4SD0204	Comments: Microbiology sample(s) submitted to contract laboratory

Location:
Location: JacksonCreek@Weir

Matrix: Fresh (Check One) ☒ Grab ☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. ©	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPTH						
9/2/2021 1355	2.4	30.8	28.3	5.71	0.25	0.4	0.5	111.5	0.05						
Parameter Suite		Parameter Methods				Preservation		pH Check		# Bottles sent to Lab	Bottle Group				
Preserved Nutrients (P-500ML)	X	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP				X	Ice	X	H2SO4*	X	<2	1	A		
	Lot #		SA1105060		Exp:		04/30/22								
Metals (P-500ML)		W-ICPMS			W-ICP		W-HARD		Ice		HNO3*		<2		
	Lot #				Exp:										
Filtered Nutrients (P125ML)	X	W-PO4-F		X	Field Filtered 0.45 µm Filter		x	Ice				1	A		
	Filter Lot #		17232873												
	Syringe Lot #		1091364												
Chlorophyll (BP-1L)	X	CHLSUITE-W				x	Ice					1	A		
Physical/Aggregate (Fresh) (P-1L)	X	Alkalinity / W-F / W-TSS / TURBIDITY / W-CL-IC / W-COLOR / W-SO4-IC / W- TDS				x	Ice					1	A		
Physical/Aggregate (Marine) (P-1L)		Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY					Ice								
Macroinvertebrates (PJ-2L)		MI-FW-QLDC	Formalin Lot #					Formalin							
Periphyton (PT-50ML)		ALGAE-ID					Ice								
Microbiology (Contract Lab Bottle)	X	E Coli			F Coli		Enterococci	x				Ice	1	A	
	X	Contract Lab													
Molecular (QPCR-P-500ML)		PCR-HF183			PCR-BacR		PCR-DG3					Ice			
		PCR-GULL2			PCR-GFD										
Tracers (BG-500ML)		W-E8321-DI			W-E8321-MS							Ice			
Pesticides (BG-500ML) (BG-1L)		W-E8321-DI		W-E8321-MS		W-PSNP-TQ						Ice			
		W-PCL-TQ-R		W-CARB-AA (5 ml of MCAA** Buffer Solution)		W-CT-CL-R									
Phytoplankton		DTY-QN-C			PKD-QN-BV							Ice			

Benchmark EnviroAnalytical, Inc.
1001 Corporate Ave. Suite 102
North Port, FL 34289
(941) 625-3137 / (941) 240-3071 fax

BEAS Sample Receipt Temp. 53 °C
Checked at Benchmark EA South E85086
With Temperature Gun ID #7

Client Name: FDEP
Address: 2600 Blair Stone Rd.
Tallahassee, FL, 32399
Phone: (239) 344-5719
Email: dep-overflowmicro@dep.state.fl.us

Bill to: Frances Moore
P.O. #: Lab B95341

Project Name: RQ-2021- 2021-08-30-54

Project Run/Location: High Lows

Station ID

Laboratory Submission #: 521090083

Laboratory Sample #

Project Run/Location		Station ID	Surface Water Sample Matrix ² (Fresh / Marine)		Sample Type	Enterococci E.coli (SM9223B Quantitray)		Laboratory Sample #	
						E.Coli = 250 mL ; Entero = 120 mL ; Fecal Coliform = 120 mL			
G45D0204						F / M / Grab	E.coli / Entero / F.coli	9/2/21 1353	1
						F / M / Grab	E.coli / Entero / F.coli	Date & Time:	
						F / M / Grab	E.coli / Entero / F.coli	Date & Time:	
						F / M / Grab	E.coli / Entero / F.coli	Date & Time:	
						F / M / Grab	E.coli / Entero / F.coli	Date & Time:	
						F / M / Grab	E.coli / Entero / F.coli	Date & Time:	
						F / M / Grab	E.coli / Entero / F.coli	Date & Time:	
						F / M / Grab	E.coli / Entero / F.coli	Date & Time:	
						F / M / Grab	E.coli / Entero / F.coli	Date & Time:	
						F / M / Grab	E.coli / Entero / F.coli	Date & Time:	
						F / M / Grab	E.coli / Entero / F.coli	Date & Time:	
						F / M / Grab	E.coli / Entero / F.coli	Date & Time:	
						F / M / Grab	E.coli / Entero / F.coli	Date & Time:	

Sample Type is used to indicate whether the sample was a grab (G) or whether it was a composite (C).

Sample Matrix is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), sea/estuarine (SEA/ET), or sludge (SLDG).

Container Type is used to indicate whether the container is plastic (P) or glass (G). Sample must be refrigerated or stored in wet ice after collection. The maximum temperature during storage should be 6°C (42.8°F). Under "Preservative," list any preservatives that were added to the sample container.

Each bottle has a label identifying sample ID, premeasured preservative contained in the bottle, sample type, client ID, and parameters for analysis.

The following information should be added to each bottle label after collection with permanent black ink: Date and time of collection, sampler's name or initials, and any field number or ID.

All bottles not containing preservative may be mixed with appropriate sample prior to collection.

The client is responsible for documentation of the sampling event. Please note special sampling events on this sample container form.

Laboratory Sample Acceptability:

pH < 2 : 0 BEAS Temperature: 5.3°C

1	Collector:	Date: 9/2/21	Time: 1548	Received By: M. Luvisi	Date: 9/2/21	Time: 1548
2	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
3	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
4	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
5	Relinquished by:	Date:	Time:	Received By:	Date:	Time: