

Bill to: Frances Moore
P.O. #: Lab B16970

095341

521100319

Laboratory
Sample #[illegible]

“Sample Type” is used to indicate whether the sample was a grab (G) or whether it was a composite (C).

Sample Means is used to indicate whether the sample is being dispensed to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SDMT), or sludge (SLDG). *Container Type* is used to indicate whether the container is plastic (P) or glass (G). *Temperature* is the temperature recorded at the time of sampling, in °C (°F/1.8). *Label* *Bottles used* is the use or incorporation that was added to the sample container.

Sample must be refrigerated or stored in wet ice after collection. 10K maximum

an label identifying sample ID, premasured preservative contained in the bottle, sample type, client ID, and parameters for analysis.

2. The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, finger(s) sampled, and any other notes or observations that the donor will understand should be added to the sample either in collection.

1. All bottles with continuing preservative may be used until preservative expires prior to expiration date.

7. The client is responsible for participation in the development of the program.

Collector: Nick Reisinger

Book

Relinquished by: 111

William Miller

Reinforced by:

[Faint, illegible handwritten notes]

Relinquished by:

10

D. 10-1-1

Reinquished by:

1. The first part of the document is a title page. It contains the title of the document, the author's name, and the date of the document. The title is "The first part of the document is a title page. It contains the title of the document, the author's name, and the date of the document." The author's name is "The author's name is the name of the person who wrote the document." The date of the document is "The date of the document is the date when the document was written." The title page is the first page of the document and it is used to provide information about the document to the reader.

Laboratory Sample Acceptability:

pH < 2: 0 BEAS Temperature: 216C