

Biological Analysis Report

NW-DIST-2021-03-05-02

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
University of West Florida
11000 University Parkway
Pensacola, FL 32514
DOH Accreditation E71969


Event Description: **Pensacola Run**
Request ID: **RQ-2021-03-01-60**
Customer: **NW-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
160 Government Center
Suite 208
Pensacola, FL 32502-5794
Attn: Cheryl Bunch

For additional information please contact
Cheryl Swanson - Administrator
Jacqueline Savage - Bench Biology & Aquatic
Toxicity
Puja Jasrotia, Ph.D. - Molecular Biology & Taxonomy
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Cheryl A. Swanson, Program Administrator

Date Certified: 02-APR-2021 15:30



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD, Molecular and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Jones Creek upstream of N Navy Blvd

Collection Date/Time: 03/04/2021 09:30

Field ID: G4NW0429

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2229645	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	97		MPN/100 mL		
2229646	SOP-PCR-1.0	HF183-qPCR**	2.2E+03	U	TSC/100 mL	P394546	
	SOP-PCR-1.2	GULL2-qPCR**	2.4E+03	UJ	TSC/100 mL	P395548	MS
	SOP-PCR-1.3	GFD-qPCR**	480	U	TSC/100 mL	P395548	
	SOP-PCR-1.4	BacR-qPCR**	2.0E+03	U	TSC/100 mL	P394546	
	SOP-PCR-1.5	DG3-qPCR**	1.7E+03	U	TSC/100 mL	P394546	

Ref. Method and Comment:
 SOP-PCR-1.2: Refer to the Lab Analysis Report for an explanation of QC Codes.

Sample Location: Bayou Marcus Creek Upstream of Mobile Hwy Bridge

Collection Date/Time: 03/04/2021 09:55

Field ID: G5NW0161

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2229638	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.1		ug/L	P394910	
		Phaeophytin-a	2.1	I	ug/L	P394910	
		Chlorophyll-a, Uncorrected	4.5		ug/L	P394910	
2229641	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	75		MPN/100 mL		

Ref. Method and Comment:
 SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Carpenter Creek upstream of 9th Avenue

Collection Date/Time: 03/04/2021 10:30

Field ID: G4NW0415

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2229639	SM 10200 H (mod.)	Chlorophyll-a, Corrected	1.5	I	ug/L	P394910	
		Phaeophytin-a	0.90	U	ug/L	P394910	
		Chlorophyll-a, Uncorrected	1.5	I	ug/L	P394910	

Ref. Method and Comment:
 SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Ten Mile Creek upstream of Pine Forest Road

Collection Date/Time: 03/04/2021 11:15

Field ID: G5NW0051

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2229642	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	148		MPN/100 mL		

Sample Location: Ten Mile Creek above Powerlines

Collection Date/Time: 03/04/2021 11:30

Field ID: G5NW0045

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2229643	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	185		MPN/100 mL		

Sample Location: Muscogee Creek 300m downstream of Beulah Road

Collection Date/Time: 03/04/2021 12:30

Field ID: G4NW0529

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2229644	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	158		MPN/100 mL		

Sample Location: Rest Area Run below Beaver Pond creek Collection Date/Time: 03/04/2021 13:15

Field ID: G5NW0068

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2229637	SM 10200 H (mod.)	Chlorophyll-a, Corrected	2.1	I	ug/L	P394910	
		Phaeophytin-a	1.8	U	ug/L	P394910	
		Chlorophyll-a, Uncorrected	2.2	I	ug/L	P394910	
2229640	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	323		MPN/100 mL		

Ref. Method and Comment:
SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Quality Assurance Report

Method Blank Results

Reference Method: SM 10200 H (mod.)
Batch ID: P394910

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.82	U	ug/L
Chlorophyll-a, Uncorrected	0.60	U	ug/L
Phaeophytin-a	0.90	U	ug/L

Reference Method: SOP-PCR-1.0
Batch ID: P394546

Component	Result	Code	Units
HF183-qPCR	3.3E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.2
Batch ID: P395548

Component	Result	Code	Units
GULL2-qPCR	3.6E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.3
Batch ID: P395548

Component	Result	Code	Units
GFD-qPCR	720	U	TSC/100 mL

Reference Method: SOP-PCR-1.4
Batch ID: P394546

Component	Result	Code	Units
BacR-qPCR	3.0E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.5
Batch ID: P394546

Component	Result	Code	Units
DG3-qPCR	2.6E+03	U	TSC/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)
Batch ID: P394910

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	93.6		P	84 - 116

Reference Method: SOP-PCR-1.0
Batch ID: P394546

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	95.7	99.3	P/P	50 - 175

Reference Method: SOP-PCR-1.2
Batch ID: P395548

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GULL2-qPCR	85.9	88.4	P/P	50 - 300

Reference Method: SOP-PCR-1.3
Batch ID: P395548

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GFD-qPCR	108	101	P/P	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P394546

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
BacR-qPCR	86.9	93.1	P/P	50 - 175

Reference Method: SOP-PCR-1.5
Batch ID: P394546

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
DG3-qPCR	92.2	104	P/P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0
Batch ID: P394546

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2229538	HF183-qPCR	105	94.6	P/P	50 - 175
2229646	HF183-qPCR	78.0		P	50 - 175
2229816	HF183-qPCR	86.3		P	50 - 175
2229817	HF183-qPCR	81.0		P	50 - 175
2230735	HF183-qPCR	79.5		P	50 - 175
2230736	HF183-qPCR	81.7		P	50 - 175
2231603	HF183-qPCR	68.4		P	50 - 175
2231634	HF183-qPCR	73.2		P	50 - 175
2231754	HF183-qPCR	82.7		P	50 - 175
2233147	HF183-qPCR	85.8		P	50 - 175
2233254	HF183-qPCR	76.4		P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.2
Batch ID: P395548

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2229646	GULL2-qPCR	32.6		F	50 - 300

Reference Method: SOP-PCR-1.3
Batch ID: P395548

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2229646	GFD-qPCR	101		P	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P394546

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2229538	BacR-qPCR	85.4	92.4	P/P	50 - 175
2229646	BacR-qPCR	74.4		P	50 - 175
2229816	BacR-qPCR	83.9		P	50 - 175
2229817	BacR-qPCR	83.2		P	50 - 175
2230735	BacR-qPCR	76.3		P	50 - 175
2230736	BacR-qPCR	69.0		P	50 - 175
2231603	BacR-qPCR	74.8		P	50 - 175
2231634	BacR-qPCR	71.2		P	50 - 175
2231754	BacR-qPCR	76.0		P	50 - 175
2232075	BacR-qPCR	81.6		P	50 - 175
2233147	BacR-qPCR	76.4		P	50 - 175
2233254	BacR-qPCR	67.9		P	50 - 175

Reference Method: SOP-PCR-1.5
Batch ID: P394546

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2229538	DG3-qPCR	113	107	P/P	50 - 175
2229646	DG3-qPCR	77.4		P	50 - 175
2229816	DG3-qPCR	96.6		P	50 - 175
2229817	DG3-qPCR	94.2		P	50 - 175
2230735	DG3-qPCR	91.8		P	50 - 175
2230736	DG3-qPCR	90.5		P	50 - 175
2231603	DG3-qPCR	73.0		P	50 - 175
2231634	DG3-qPCR	78.0		P	50 - 175
2231754	DG3-qPCR	74.4		P	50 - 175
2232075	DG3-qPCR	83.1		P	50 - 175
2233147	DG3-qPCR	90.7		P	50 - 175
2233254	DG3-qPCR	109		P	50 - 175

Quality Assurance Report Precision

Reference Method: SOP-PCR-1.0
Batch ID: P394546

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2229538	HF183-qPCR	9.92	Spike	P	0 - 25

Quality Assurance Report Precision

Reference Method: SOP-PCR-1.2
Batch ID: P395548

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2229538	GULL2-qPCR	17.4	Spike	P	0 - 25

Reference Method: SOP-PCR-1.3
Batch ID: P395548

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2229538	GFD-qPCR	0.898	Spike	P	0 - 25

Reference Method: SOP-PCR-1.4
Batch ID: P394546

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2229538	BacR-qPCR	7.89	Spike	P	0 - 25

Reference Method: SOP-PCR-1.5
Batch ID: P394546

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2229538	DG3-qPCR	5.58	Spike	P	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Surrogates

Lab Sample ID: 2229646
Field Sample ID: G4NW0429

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	68.2	P	50 - 300
SOP-PCR-1.2	SKETA-qPCR	101	P	50 - 300
SOP-PCR-1.3	SKETA-qPCR	83.3	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	87.7	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	71.2	P	50 - 300

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery			Precision SMP	MS
				LCS				
SM 10200 H (mod.)	Chlorophyll-a, Corrected	93.6						
SOP-PCR-1.0	HF183-qPCR	99.3	95.7	105	94.6	78.0		9.92
				86.3				
SOP-PCR-1.2	GULL2-qPCR	88.4	85.9	32.6				17.4
SOP-PCR-1.3	GFD-qPCR	101	108	101				0.898

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery			Precision SMP	MS
SOP-PCR-1.4	BacR-qPCR	93.1	86.9	85.4	92.4	74.4		7.89
SOP-PCR-1.5	DG3-qPCR	104	92.2	113	107	77.4		5.58
				83.9				
				96.6				

Reference Method Descriptions

Method	Description	Associated Samples
SM 10200 H (mod.)	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	2229637, 2229638, 2229639
SM 9223 B Quanti-Tray	E. coli by Colilert-18/QT by UWF in Pensacola	2229640, 2229641, 2229642, 2229643, 2229644, 2229645
SOP-PCR-1.0	Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	2229646
SOP-PCR-1.2	Detection and quantification of coastal bird specific Catellicoccus marimammalium Gull2 genetic marker with quantitative polymerase chain reaction	2229646
SOP-PCR-1.3	Detection and quantification of bird specific Helicobacter GFD genetic marker with quantitative polymerase chain reaction	2229646
SOP-PCR-1.4	Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction	2229646
SOP-PCR-1.5	Detection and quantification of canine-specific DG3 Bacteroides genetic marker with quantitative polymerase chain reaction	2229646

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
SM 10200 H (mod.)	03/05/2021	03/05/2021 12:16	Jennifer Mihalic	03/11/2021 15:41	Carina A. Tull	2229637, 2229638, 2229639
SM 9223 B Quanti-Tray	03/04/2021	03/04/2021 16:35		03/05/2021 12:03	UWF Lab	2229640, 2229641, 2229642, 2229643, 2229644, 2229645
SOP-PCR-1.0	03/05/2021	03/05/2021 14:10	DeAsia Armster	03/25/2021 09:54	Mailin Lopez	2229646
SOP-PCR-1.2	03/05/2021	03/05/2021 14:10	Mailin Lopez	03/29/2021 08:27	Mailin Lopez	2229646
SOP-PCR-1.3	03/05/2021	03/05/2021 14:10	Mailin Lopez	03/29/2021 11:41	Mailin Lopez	2229646
SOP-PCR-1.4	03/05/2021	03/05/2021 14:10	DeAsia Armster	03/26/2021 08:49	Mailin Lopez	2229646
SOP-PCR-1.5	03/05/2021	03/05/2021 14:10	DeAsia Armster	03/26/2021 12:55	Mailin Lopez	2229646