

Biological Analysis Report

NW-DIST-2021-04-22-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
University of West Florida
11000 University Parkway
Pensacola, FL 32514
DOH Accreditation E71969

Eurofins TestAmerica Pensacola
3355 McLemore Drive
Pensacola, FL 32514
DOH Accreditation E81010

Event Description: **Twin Lakes Run**
Request ID: **RQ-2021-04-19-33**
Customer: **NW-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
160 Government Center
Suite 208
Pensacola, FL 32502-5794
Attn: Cheryl Bunch

For additional information please contact
Cheryl Swanson - Administrator
Jacqueline Savage - Bench Biology & Aquatic
Toxicity
Puja Jasrotia, Ph.D. - Molecular Biology & Taxonomy
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Puja Jasrotia, Environmental Administrator

Date Certified: 27-MAY-2021 10:56



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: AlgalBio, Chlorophyll/Grain Size/BOD and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Allen Lake Input

Collection Date/Time: 04/21/2021 10:25

Field ID: G3NW0177

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2241816	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	17329		MPN/100 mL		

Sample Location: Twin Lake

Collection Date/Time: 04/21/2021 11:10

Field ID: G3NW0215

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2241801	SM 10200 H (mod.)	Chlorophyll-a, Corrected	15		ug/L	P397328	
		Phaeophytin-a	3.5		ug/L	P397328	
		Chlorophyll-a, Uncorrected	17		ug/L	P397328	
2241806	SM 9222 D	Fecal Coliforms-Membrane Filter	230		cfu/100 mL		
2241811	Enterolert/QT	Enterococci-Quanti-Tray	683		MPN/100 mL		
	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	185		MPN/100 mL		
2241823	SOP-AB05	Dominant sample taxon**	Cyanophyceae				

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

SOP-AB05: The dominant taxon was Plectonema wollei.

Sample Location: Twin Lake south Lobe

Collection Date/Time: 04/21/2021 11:25

Field ID: G3NW0448

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2241802	SM 10200 H (mod.)	Chlorophyll-a, Corrected	8.3		ug/L	P397328	
		Phaeophytin-a	1.8	U	ug/L	P397328	
		Chlorophyll-a, Uncorrected	9.3		ug/L	P397328	
2241807	SM 9222 D	Fecal Coliforms-Membrane Filter	62.0		cfu/100 mL		
2241812	Enterolert/QT	Enterococci-Quanti-Tray	52		MPN/100 mL		
	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	41		MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Twin Lake eastern lake

Collection Date/Time: 04/21/2021 11:50

Field ID: G3NW0449

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2241803	SM 10200 H (mod.)	Chlorophyll-a, Corrected	45		ug/L	P397328	
		Phaeophytin-a	12		ug/L	P397328	
		Chlorophyll-a, Uncorrected	54		ug/L	P397328	
2241808	SM 9222 D	Fecal Coliforms-Membrane Filter	52.0		cfu/100 mL		
2241813	Enterolert/QT	Enterococci-Quanti-Tray	41		MPN/100 mL		
	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	20		MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Coleman Lake

Collection Date/Time: 04/21/2021 12:25

Field ID: G3NW0216

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2241804	SM 10200 H (mod.)	Chlorophyll-a, Corrected	10		ug/L	P397328	
		Phaeophytin-a	2.6	I	ug/L	P397328	
		Chlorophyll-a, Uncorrected	12		ug/L	P397328	
2241809	SM 9222 D	Fecal Coliforms-Membrane Filter	240		cfu/100 mL		
2241814	Enterolert/QT	Enterococci-Quanti-Tray	265		MPN/100 mL		
	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	426		MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Kell-Aire Lake

Collection Date/Time: 04/21/2021 12:35

Field ID: G3NW0217

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2241805	SM 10200 H (mod.)	Chlorophyll-a, Corrected	30		ug/L	P397328	
		Phaeophytin-a	2.7		ug/L	P397328	
		Chlorophyll-a, Uncorrected	33		ug/L	P397328	
2241810	SM 9222 D	Fecal Coliforms-Membrane Filter	52.0		cfu/100 mL		
2241815	Enterolert/QT	Enterococci-Quanti-Tray	189		MPN/100 mL		
	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	41		MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)

Batch ID: P397328

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.82	U	ug/L
Chlorophyll-a, Uncorrected	0.60	U	ug/L
Phaeophytin-a	0.90	U	ug/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)

Batch ID: P397328

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	97.1		P	84 - 116

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	LCS	Precision SMP	MS
SM 10200 H (mod.)	Chlorophyll-a, Corrected	97.1				

Reference Method Descriptions

Method	Description	<u>Associated Samples</u>
Enterolert/QT	Enterococci by Enterolert/QT by UWF in Pensacola	2241811, 2241812, 2241813, 2241814, 2241815
SM 10200 H (mod.)	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	2241801, 2241802, 2241803, 2241804, 2241805
SM 9222 D	Fecal coliforms by MF by Test America in Pensacola	2241806, 2241807, 2241808, 2241809, 2241810
SM 9223 B Quanti-Tray	E. coli by Colilert-18/QT by UWF in Pensacola	2241811, 2241812, 2241813, 2241814, 2241815, 2241816
SOP-AB05	Qualitative assessment of algal taxa present without counts	2241823

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
Enterolert/QT	04/21/2021	04/21/2021 15:50		04/22/2021 16:17	UWF Lab	2241811, 2241812, 2241813, 2241814, 2241815
SM 10200 H (mod.)	04/22/2021	04/22/2021 15:14	Carina A. Tull	04/27/2021 15:18	Jessica Fetgatter	2241801, 2241802, 2241803, 2241804, 2241805
SM 9222 D	04/21/2021	04/21/2021 17:17		04/22/2021 16:31	TestAmerica Pensacola	2241806, 2241807, 2241808, 2241809, 2241810
SM 9223 B Quanti-Tray	04/21/2021	04/21/2021 16:00		04/22/2021 12:16	UWF Lab	2241811, 2241812, 2241813, 2241814, 2241815, 2241816
SOP-AB05	04/22/2021			04/23/2021 11:10	Rachael Dragon	2241823