Chemical Analysis Report

NW-DIST-2021-06-16-04

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Western Lakes**
Request ID: **RQ-2021-06-21-22**
Customer: **NW-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
160 Government Center
Suite 208
Pensacola, FL 32502-5794
Attn: Myranda Butler

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Colin Wright, Program Administrator

Date Certified: 12-JUL-2021 09:59

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Metals and Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

A - Value reported is the mean of two or more determinations.
B - Results based on colony counts outside the acceptable range.
I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
J - Estimated value and/or the analysis did not meet established quality control criteria.
K - Actual value is known to be less than value given.
L - Actual value is known to be greater than value given.
N - Presumptive evidence of presence of material.
O - Sampled, but analysis lost or not performed.
Q - Sample held beyond normal holding time.
T - Value reported is less than the criterion of detection.
U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
V - Analyte was detected in both sample and method blank.
X - Too few individuals to calculate SCI value.
Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Locklin Lake Center **Collection Date/Time: 06/15/2021 09:50**

Field ID: G4NW0437 Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2255305	EPA 180.1 Rev. 2.0	Turbidity	1.5		NTU	P399811	
	EPA 300.0 Rev. 2.1	Chloride	6.2		mg Cl/L	P399976	
		Sulfate	1.1		mg SO4/L	P399979	
	SM 2120 B-2011	Color (true)	7.3		PCU	P399814	
	SM 2320 B-2011	Total Alkalinity	9.0		mg CaCO3/L	P399965	
	SM 2540 C-2011	TDS	21	I	mg/L	P400232	
	SM 2540 D-2011	TSS	3	I	mg/L	P400047	
	SM 4500 F-C-2011	Fluoride	0.035	U	mg F/L	P399969	MS
2255306	EPA 350.1 Rev. 2.0	Ammonia-N	0.018		mg N/L	P400288	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.25		mg N/L	P399936	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.17		mg N/L	P399867	
	EPA 365.1 Rev. 2.0	Total-P	0.008		mg P/L	P400187	
	SM 5310 B-2011	Organic Carbon	1.9		mg C/L	P400251	
2255307	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P399787	

Ref. Method and Comment:
SM 2540 D-2011: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.
EPA 351.2 Rev. 2.0: Batch relative percent difference is unavailable because of analytical difficulties.

Sample Location: Lake Stone Center **Collection Date/Time: 06/15/2021 11:20**

Field ID: G4NW0426 Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2255302	EPA 180.1 Rev. 2.0	Turbidity	1.7		NTU	P399811	
	EPA 300.0 Rev. 2.1	Chloride	3.2		mg Cl/L	P399976	
		Sulfate	1.7		mg SO4/L	P399979	
	SM 2120 B-2011	Color (true)	18		PCU	P399814	
	SM 2320 B-2011	Total Alkalinity	4.9		mg CaCO3/L	P399965	
	SM 2540 C-2011	TDS	23	I	mg/L	P400232	
	SM 2540 D-2011	TSS	2	I	mg/L	P400047	
	SM 4500 F-C-2011	Fluoride	0.035	U	mg F/L	P399969	MS
2255303	EPA 350.1 Rev. 2.0	Ammonia-N	0.003	I	mg N/L	P400288	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.37		mg N/L	P399936	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P399867	
	EPA 365.1 Rev. 2.0	Total-P	0.016		mg P/L	P400187	
	SM 5310 B-2011	Organic Carbon	5.4		mg C/L	P400251	
2255304	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P399787	
2255313	EPA 200.7 Rev. 4.4	Barium	7.3		ug/L	P399987	
		Calcium	2.31		mg/L	P399987	
		Iron	220		ug/L	P399987	
		Magnesium	0.90		mg/L	P399987	
		Manganese	11.5		ug/L	P399987	
		Potassium	0.30	U	mg/L	P399987	
		Sodium	1.7	I	mg/L	P399987	
		Zinc	5.0	U	ug/L	P399987	
	EPA 200.8 Rev. 5.4	Aluminum	38		ug/L	P399987	
		Antimony	0.050	U	ug/L	P399987	
		Arsenic	0.35		ug/L	P399987	
		Beryllium	0.017	I	ug/L	P399987	
		Boron**	12.9		ug/L	P399987	
		Cadmium	0.020	U	ug/L	P399987	
		Chromium	0.40	U	ug/L	P399987	
		Copper	0.40	U	ug/L	P399987	
		Lead	0.20	U	ug/L	P399987	
		Nickel	0.50	U	ug/L	P399987	
		Selenium	0.20	U	ug/L	P399987	
		Silver	0.010	U	ug/L	P399987	
		Thallium	0.10	U	ug/L	P399987	
	SM 2340B	Hardness	9.5		mg/L	P399987	

Ref. Method and Comment:
SM 2540 D-2011: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.
EPA 351.2 Rev. 2.0: Batch relative percent difference is unavailable because of analytical difficulties.

Sample Location: FB **Collection Date/Time: 06/15/2021 11:35**

Field ID: FB_06152021 Matrix: W-FIELD-BK

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2255308	EPA 180.1 Rev. 2.0	Turbidity	0.10	U	NTU	P399811	
	EPA 300.0 Rev. 2.1	Chloride	0.20	U	mg Cl/L	P399976	
		Sulfate	0.20	U	mg SO4/L	P399979	
	SM 2120 B-2011	Color (true)	2.5	U	PCU	P399814	
	SM 2320 B-2011	Total Alkalinity	0.65	UJ	mg CaCO3/L	P400153	LCS
	SM 2540 C-2011	TDS	15	U	mg/L	P400229	
	SM 2540 D-2011	TSS	2	U	mg/L	P400044	
	SM 4500 F-C-2011	Fluoride	0.035	U	mg F/L	P400621	
2255309	EPA 350.1 Rev. 2.0	Ammonia-N	0.002	U	mg N/L	P400288	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.080	U	mg N/L	P399936	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P399868	
	EPA 365.1 Rev. 2.0	Total-P	0.002	U	mg P/L	P400214	
	SM 5310 B-2011	Organic Carbon	0.50	U	mg C/L	P400251	
2255310	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P399787	
2255314	EPA 200.7 Rev. 4.4	Barium	1.0	U	ug/L	P399987	
		Calcium	0.075	U	mg/L	P399987	
		Iron	30	U	ug/L	P399987	
		Magnesium	0.040	U	mg/L	P399987	
		Manganese	1.0	U	ug/L	P399987	
		Potassium	0.30	U	mg/L	P399987	
		Sodium	0.50	U	mg/L	P399987	
		Zinc	5.0	U	ug/L	P399987	
	EPA 200.8 Rev. 5.4	Aluminum	5.0	U	ug/L	P399987	
		Antimony	0.050	U	ug/L	P399987	
		Arsenic	0.050	U	ug/L	P399987	
		Beryllium	0.010	U	ug/L	P399987	
		Boron**	2.0	U	ug/L	P399987	
		Cadmium	0.020	U	ug/L	P399987	
		Chromium	0.40	U	ug/L	P399987	
		Copper	0.57	I	ug/L	P400451	
		Lead	0.20	U	ug/L	P399987	
		Nickel	0.50	U	ug/L	P399987	
		Selenium	0.20	U	ug/L	P399987	
		Silver	0.010	U	ug/L	P399987	
		Thallium	0.10	U	ug/L	P399987	
	SM 2340B	Hardness	0.35	U	mg/L	P399987	

Ref. Method and Comment:
SM 2320 B-2011: Refer to the Lab Analysis Report for an explanation of QC Codes.
SM 2540 D-2011: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.
EPA 351.2 Rev. 2.0: Batch relative percent difference is unavailable because of analytical difficulties.
EPA 200.8 Rev. 5.4: The copper result was confirmed in the undigested sample on 06/29/2021.

Quality Assurance Report
Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P399811

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P399987

Component	Result	Code	Units
Barium	1.0	U	ug/L
Calcium	0.075	U	mg/L
Iron	30	U	ug/L
Magnesium	0.040	U	mg/L
Manganese	1.0	U	ug/L
Potassium	0.30	U	mg/L
Sodium	0.50	U	mg/L
Zinc	5.0	U	ug/L

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P399987

Component	Result	Code	Units
Aluminum	5.0	U	ug/L
Antimony	0.050	U	ug/L
Arsenic	0.050	U	ug/L
Beryllium	0.010	U	ug/L
Boron	2.0	U	ug/L
Cadmium	0.020	U	ug/L
Chromium	0.40	U	ug/L
Copper	2.00		ug/L
Lead	0.20	U	ug/L
Nickel	0.77	I	ug/L
Selenium	0.20	U	ug/L
Silver	0.010	U	ug/L
Thallium	0.10	U	ug/L

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P400451

Component	Result	Code	Units
Copper	0.40	U	ug/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P399976

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P399979

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Quality Assurance Report
Method Blank Results

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P400288

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P399936

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P399867

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P399868

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P400187

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P400214

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P399787

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B-2011
Batch ID: P399814

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-2011
Batch ID: P399965

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Quality Assurance Report
Method Blank Results

Reference Method: SM 2320 B-2011
Batch ID: P400153

Component	Result	Code	Units
Total Alkalinity	0.72	I	mg CaCO3/L

Reference Method: SM 2540 C-2011
Batch ID: P400229

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 C-2011
Batch ID: P400232

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-2011
Batch ID: P400044

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 2540 D-2011
Batch ID: P400047

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-2011
Batch ID: P399969

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 4500 F-C-2011
Batch ID: P400621

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-2011
Batch ID: P400251

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report
Laboratory Control Sample Accuracy

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P399987

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Barium	102		P	85 - 115
Calcium	109		P	85 - 115
Iron	110		P	85 - 115
Magnesium	111		P	85 - 115
Manganese	104		P	85 - 115
Potassium	103		P	85 - 115
Sodium	103		P	85 - 115
Zinc	98.5		P	85 - 115

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P399987

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Aluminum	102		P	85 - 115
Antimony	102		P	85 - 115
Arsenic	105		P	85 - 115
Beryllium	104		P	85 - 115
Boron	106		P	85 - 115
Cadmium	101		P	85 - 115
Chromium	99.9		P	85 - 115
Copper	101		P	85 - 115
Lead	114		P	85 - 115
Nickel	103		P	85 - 115
Selenium	103		P	85 - 115
Silver	99.6		P	85 - 115
Thallium	103		P	85 - 115

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P400451

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Copper	108		P	80 - 120

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P399976

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	98.6		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P399979

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	98.2		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P400288

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	99.2		P	90 - 110

Quality Assurance Report
Laboratory Control Sample Accuracy

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P399936

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	108		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P399867

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	100		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P399868

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	102		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P400187

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	106		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P400214

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	105		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P399787

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	100		P	90 - 110

Reference Method: SM 2120 B-2011
Batch ID: P399814

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	101		P	85 - 115

Reference Method: SM 2320 B-2011
Batch ID: P399965

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	101		P	94 - 106

Reference Method: SM 2320 B-2011
Batch ID: P400153

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	107		F	94 - 106

Quality Assurance Report
Laboratory Control Sample Accuracy

Reference Method: SM 4500 F-C-2011
Batch ID: P399969

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	101		P	93 - 104

Reference Method: SM 4500 F-C-2011
Batch ID: P400621

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	101		P	93 - 104

Reference Method: SM 5310 B-2011
Batch ID: P400251

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	97.6		P	85 - 115

Quality Assurance Report
Matrix Spike Accuracy

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P399987

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2255313	Barium	101		P	80 - 120
2255313	Calcium	104		P	80 - 120
2255313	Iron	108		P	80 - 120
2255313	Magnesium	107		P	80 - 120
2255313	Manganese	102		P	80 - 120
2255313	Potassium	107		P	80 - 120
2255313	Sodium	100		P	80 - 120
2255313	Zinc	97.8		P	80 - 120
2255626	Barium	103	104	P/P	80 - 120
2255626	Calcium	111	111	P/P	80 - 120
2255626	Iron	112	112	P/P	80 - 120
2255626	Magnesium	113	112	P/P	80 - 120
2255626	Manganese	105	105	P/P	80 - 120
2255626	Potassium	109	108	P/P	80 - 120
2255626	Sodium	110	107	P/P	80 - 120
2255626	Zinc	98.4	99.6	P/P	80 - 120

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P399987

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2255313	Aluminum	104		P	80 - 120
2255313	Antimony	102		P	80 - 120
2255313	Arsenic	103		P	80 - 120
2255313	Beryllium	102		P	80 - 120
2255313	Boron	109		P	80 - 120
2255313	Cadmium	100		P	80 - 120
2255313	Chromium	99.5		P	80 - 120
2255313	Copper	104		P	80 - 120
2255313	Lead	118		P	80 - 120
2255313	Nickel	102		P	80 - 120
2255313	Selenium	102		P	80 - 120
2255313	Silver	100		P	80 - 120
2255313	Thallium	105		P	80 - 120
2255626	Aluminum	102	102	P/P	80 - 120
2255626	Antimony	102	101	P/P	80 - 120
2255626	Arsenic	104	102	P/P	80 - 120
2255626	Beryllium	103	104	P/P	80 - 120
2255626	Boron	105	106	P/P	80 - 120
2255626	Cadmium	99.0	98.8	P/P	80 - 120
2255626	Chromium	99.8	98.8	P/P	80 - 120
2255626	Copper	103	101	P/P	80 - 120
2255626	Lead	116	115	P/P	80 - 120
2255626	Nickel	101	101	P/P	80 - 120
2255626	Selenium	102	101	P/P	80 - 120
2255626	Silver	101	100	P/P	80 - 120
2255626	Thallium	105	104	P/P	80 - 120

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P400451

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits

Quality Assurance Report
Matrix Spike Accuracy

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P400451

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2255346	Copper	106	109	P/P	80 - 120
2255828	Copper	107		P	80 - 120

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P399976

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2255302	Chloride	98.2		P	90 - 110
2255489	Chloride	94.9		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P399979

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2255302	Sulfate	97.2		P	90 - 110
2255489	Sulfate	95.2		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P400288

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2255303	Ammonia-N	97.4	98.0	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P399936

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2255110	Kjeldahl Nitrogen	103		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P399867

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2255026	NO2NO3-N	100	100	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P399868

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2255343	NO2NO3-N	102	102	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P400187

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2255109	Total-P	106	104	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P400214

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2255388	Total-P	108	108	P/P	90 - 110

Quality Assurance Report
Matrix Spike Accuracy

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P399787

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2255304	O-Phosphate-P	96.8	98.3	P/P	90 - 110

Reference Method: SM 4500 F-C-2011
Batch ID: P399969

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2255065	Fluoride	108	107	F/F	92 - 107

Reference Method: SM 4500 F-C-2011
Batch ID: P400621

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2257021	Fluoride	103	103	P/P	92 - 107

Reference Method: SM 5310 B-2011
Batch ID: P400251

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2255306	Organic Carbon	96.3	96.3	P/P	85 - 115

Quality Assurance Report
Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P399811

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2255107	Turbidity	2.43	Sample	P	0 - 20

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P399987

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2255626	Barium	0.818	Spike	P	0 - 20
2255626	Calcium	0.0361	Spike	P	0 - 20
2255626	Iron	0.0727	Spike	P	0 - 20
2255626	Magnesium	0.296	Spike	P	0 - 20
2255626	Manganese	0.738	Spike	P	0 - 20
2255626	Potassium	1.28	Spike	P	0 - 20
2255626	Sodium	2.36	Spike	P	0 - 20
2255626	Zinc	1.20	Spike	P	0 - 20

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P399987

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2255626	Aluminum	0.0119	Spike	P	0 - 20
2255626	Antimony	1.45	Spike	P	0 - 20
2255626	Arsenic	1.74	Spike	P	0 - 20
2255626	Beryllium	0.853	Spike	P	0 - 20
2255626	Boron	0.622	Spike	P	0 - 20
2255626	Cadmium	0.112	Spike	P	0 - 20
2255626	Chromium	1.00	Spike	P	0 - 20
2255626	Copper	1.55	Spike	P	0 - 20
2255626	Lead	1.23	Spike	P	0 - 20
2255626	Nickel	0.737	Spike	P	0 - 20
2255626	Selenium	0.706	Spike	P	0 - 20
2255626	Silver	0.321	Spike	P	0 - 20
2255626	Thallium	1.00	Spike	P	0 - 20

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P400451

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2255346	Copper	2.93	Spike	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P399976

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2255489	Chloride	0.298	Sample	P	0 - 20

Quality Assurance Report
Precision

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P399979

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2255489	Sulfate	4.28	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P400288

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2255303	Ammonia-N	0.577	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P399867

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2255026	NO2NO3-N	0.499	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P399868

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2255343	NO2NO3-N	0.0	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P400187

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2255109	Total-P	2.54	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P400214

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2255388	Total-P	0.675	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P399787

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2255304	O-Phosphate-P	1.54	Spike	P	0 - 20

Reference Method: SM 2120 B-2011
Batch ID: P399814

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2255342	Color (true)	3.46	Sample	P	0 - 20

Quality Assurance Report
Precision

Reference Method: SM 2320 B-2011
Batch ID: P399965

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2255065	Total Alkalinity	0.0720	Sample	P	0 - 5.2

Reference Method: SM 2320 B-2011
Batch ID: P400153

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2255387	Total Alkalinity	0.495	Sample	P	0 - 5.2

Reference Method: SM 2540 C-2011
Batch ID: P400229

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2254803	TDS	5.01	Sample	P	0 - 10

Reference Method: SM 2540 C-2011
Batch ID: P400232

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2255342	TDS	8.96	Sample	P	0 - 10

Reference Method: SM 4500 F-C-2011
Batch ID: P399969

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2255065	Fluoride	0.462	Spike	P	0 - 2.1

Reference Method: SM 4500 F-C-2011
Batch ID: P400621

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2257021	Fluoride	0.469	Spike	P	0 - 2.1

Reference Method: SM 5310 B-2011
Batch ID: P400251

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2255306	Organic Carbon	0.0473	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report
Calibration Verification

Reference Method: EPA 300.0 Rev. 2.1
Run ID: A106105
Included Lab Sample IDs: 2255302, 2255305, 2255308

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	100	101	P/P	90 - 110
Chloride	101	101	P/P	90 - 110
Sulfate	100	101	P/P	90 - 110
Sulfate	100	100	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Run ID: A106113
Included Lab Sample IDs: 2255304, 2255307, 2255310

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	97.4	96.8	P/P	90 - 110
O-Phosphate-P	99.4	97.4	P/P	90 - 110

Reference Method: EPA 180.1 Rev. 2.0
Run ID: A106120
Included Lab Sample IDs: 2255302, 2255305, 2255308

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	99.5	99.0	P/P	95 - 105

Reference Method: SM 2120 B-2011
Run ID: A106121
Included Lab Sample IDs: 2255302, 2255305, 2255308

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	103	103	P/P	90 - 115

Reference Method: EPA 353.2 Rev. 2.0
Run ID: A106142
Included Lab Sample IDs: 2255303, 2255306, 2255309

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	100	100	P/P	90 - 110
NO2NO3-N	102	100	P/P	90 - 110

Reference Method: SM 2320 B-2011
Run ID: A106182
Included Lab Sample IDs: 2255302, 2255305

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	96.9	98.2	P/P	90 - 110

Reference Method: SM 4500 F-C-2011
Run ID: A106182
Included Lab Sample IDs: 2255302, 2255305

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	103	104	P/P	90 - 110

Quality Assurance Report
Calibration Verification

Reference Method: EPA 200.7 Rev. 4.4
Run ID: A106231
Included Lab Sample IDs: 2255313, 2255314

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Barium	96.7	97.2	P/P	95 - 105
Barium	97.2	97.2	P/P	90 - 110
Calcium	99.8	99.8	P/P	95 - 105
Calcium	99.8	101	P/P	90 - 110
Iron	99.7	99.9	P/P	95 - 105
Iron	99.9	101	P/P	90 - 110
Magnesium	98.7	99.6	P/P	90 - 110
Magnesium	98.8	98.7	P/P	95 - 105
Manganese	100	101	P/P	95 - 105
Manganese	101	101	P/P	90 - 110
Potassium	96.9	97.1	P/P	95 - 105
Potassium	97.1	98.9	P/P	90 - 110
Sodium	98.0	98.3	P/P	95 - 105
Sodium	98.3	99.9	P/P	90 - 110
Zinc	98.3	98.6	P/P	95 - 105
Zinc	98.6	97.2	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Run ID: A106244
Included Lab Sample IDs: 2255303, 2255306, 2255309

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	103	92.2	P/P	90 - 110

Reference Method: SM 2320 B-2011
Run ID: A106248
Included Lab Sample IDs: 2255308

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	106	102	P/P	90 - 110

Reference Method: SM 5310 B-2011
Run ID: A106304
Included Lab Sample IDs: 2255303, 2255306, 2255309

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	97.1	96.4	P/P	90 - 110
Organic Carbon	97.3	97.4	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Run ID: A106327
Included Lab Sample IDs: 2255303, 2255306, 2255309

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	99.1	98.7	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Run ID: A106349
Included Lab Sample IDs: 2255309

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits

Quality Assurance Report
Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0
Run ID: A106349
Included Lab Sample IDs: 2255309

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	100	99.8	P/P	90 - 110

Reference Method: EPA 200.8 Rev. 5.4
Run ID: A106356
Included Lab Sample IDs: 2255313, 2255314

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Aluminum	94.8	97.5	P/P	90 - 110
Aluminum	95.3	94.8	P/P	90 - 110
Antimony	97.2	98.1	P/P	90 - 110
Antimony	98.1	97.9	P/P	90 - 110
Arsenic	99.1	99.2	P/P	90 - 110
Arsenic	99.2	98.0	P/P	90 - 110
Beryllium	92.4	93.7	P/P	90 - 110
Beryllium	93.7	92.2	P/P	90 - 110
Boron	96.9	97.0	P/P	90 - 110
Boron	97.0	101	P/P	90 - 110
Cadmium	96.1	96.2	P/P	90 - 110
Cadmium	96.2	96.3	P/P	90 - 110
Chromium	94.1	95.0	P/P	90 - 110
Chromium	95.0	94.7	P/P	90 - 110
Copper	96.8	96.6	P/P	90 - 110
Nickel	97.8	97.8	P/P	90 - 110
Nickel	97.8	96.8	P/P	90 - 110
Selenium	96.7	98.0	P/P	90 - 110
Selenium	98.0	97.7	P/P	90 - 110
Silver	97.2	97.4	P/P	90 - 110
Silver	97.4	97.5	P/P	90 - 110
Thallium	94.0	94.0	P/P	90 - 110
Thallium	94.4	94.0	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Run ID: A106366
Included Lab Sample IDs: 2255303, 2255306

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	95.0	99.0	P/P	90 - 110

Reference Method: EPA 200.8 Rev. 5.4
Run ID: A106377
Included Lab Sample IDs: 2255313, 2255314

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Lead	105	107	P/P	90 - 110
Lead	106	105	P/P	90 - 110

Reference Method: EPA 200.8 Rev. 5.4
Run ID: A106446
Included Lab Sample IDs: 2255314

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits

Quality Assurance Report
Calibration Verification

Reference Method: EPA 200.8 Rev. 5.4
Run ID: A106446
Included Lab Sample IDs: 2255314

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Copper	102	102	P/P	90 - 110

Reference Method: SM 4500 F-C-2011
Run ID: A106477
Included Lab Sample IDs: 2255308

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	104	103	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.
Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
Where they are different, both control limits are provided.

Quality Assurance Report
Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery			Precision		
						LCS	SMP	MS
EPA 180.1 Rev. 2.0	Turbidity						2.43	
EPA 200.7 Rev. 4.4	Barium	102	101	103	104			0.818
	Calcium	109	104	111	111			0.0361
	Iron	110	108	112	112			0.0727
	Magnesium	111	107	113	112			0.296
	Manganese	104	102	105	105			0.738
	Potassium	103	107	109	108			1.28
	Sodium	103	100	110	107			2.36
	Zinc	98.5	97.8	98.4	99.6			1.20
EPA 200.8 Rev. 5.4	Aluminum	102	102	102	104			0.0119
	Antimony	102	102	101	102			1.45
	Arsenic	105	104	102	103			1.74
	Beryllium	104	103	104	102			0.853
	Boron	106	105	106	109			0.622
	Cadmium	101	99.0	98.8	100			0.112
	Chromium	99.9	99.8	98.8	99.5			1.00
	Copper	101	103	101	104			1.55
	Copper	108	106	109	107			2.93
	Lead	114	116	115	118			1.23
	Nickel	103	101	101	102			0.737
	Selenium	103	102	101	102			0.706
	Silver	99.6	101	100	100			0.321
	Thallium	103	105	104	105			1.00
EPA 300.0 Rev. 2.1	Chloride	98.6	94.9	98.2			0.298	
	Sulfate	98.2	95.2	97.2			4.28	
EPA 350.1 Rev. 2.0	Ammonia-N	99.2	97.4	98.0				0.577
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	108	103					
EPA 353.2 Rev. 2.0	NO2NO3-N	100	100	100				0.499
	NO2NO3-N	102	102	102				0.0
EPA 365.1 Rev. 2.0	Total-P	106	106	104				2.54
	Total-P	105	108	108				0.675
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	100	96.8	98.3				1.54
SM 2120 B-2011	Color (true)	101					3.46	
SM 2320 B-2011	Total Alkalinity	101					0.0720	
	Total Alkalinity	107					0.495	
SM 2540 C-2011	TDS						5.01	
	TDS						8.96	
SM 4500 F-C-2011	Fluoride	101	108	107				0.462
	Fluoride	101	103	103				0.469
SM 5310 B-2011	Organic Carbon	97.6	96.3	96.3				0.0473

Reference Method Descriptions

Method	Description	Associated Samples
EPA 180.1 Rev. 2.0	Turbidity in aqueous matrices	2255302, 2255305, 2255308
EPA 200.7 Rev. 4.4	Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects	2255313, 2255314
EPA 200.8 Rev. 5.4	Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects	2255313, 2255314
EPA 300.0 Rev. 2.1	Chloride in aqueous matrices	2255302, 2255305, 2255308
EPA 300.0 Rev. 2.1	Sulfate in aqueous matrices	2255302, 2255305, 2255308
EPA 350.1 Rev. 2.0	Ammonia in aqueous matrices as mg N/L	2255303, 2255306, 2255309
EPA 351.2 Rev. 2.0	Total Kjeldahl Nitrogen in aqueous matrices	2255303, 2255306, 2255309

Reference Method Descriptions

Method	Description	Associated Samples
EPA 353.2 Rev. 2.0	Nitrite/Nitrate in aqueous matrices as mg N/L	2255303, 2255306, 2255309
EPA 365.1 Rev. 2.0	Total Phosphorus in aqueous matrices as mg P/L	2255303, 2255306, 2255309
EPA 365.1 Rev. 2.0 dissolved	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2255304, 2255307, 2255310
SM 2120 B-2011	True Color measured at 450 nm (not valid for NPDES monitoring)	2255302, 2255305, 2255308
SM 2320 B-2011	Alkalinity in aqueous matrices as mg CaCO3/L	2255302, 2255305, 2255308
SM 2340B	Hardness by calculation, in aqueous matrices, reported as mg/L CaCO3	2255313, 2255314
SM 2540 C-2011	Total Dissolved Solids in aqueous matrices	2255302, 2255305, 2255308
SM 2540 D-2011	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2255302, 2255305, 2255308
SM 4500 F-C-2011	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2255302, 2255305, 2255308
SM 5310 B-2011	Nonpurgeable Organic Carbon in aqueous matrices	2255303, 2255306, 2255309

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	06/16/2021			06/16/2021 15:55	Sarah A Nixon	2255302, 2255305, 2255308
EPA 200.7 Rev. 4.4	06/16/2021	06/21/2021 13:15	Elliott D. Healy	06/22/2021 13:29	Josef B Mick	2255314
	06/16/2021	06/21/2021 13:15	Elliott D. Healy	06/22/2021 14:55	Josef B Mick	2255313
EPA 200.8 Rev. 5.4	06/16/2021	06/21/2021 13:15	Elliott D. Healy	06/29/2021 13:26	Alexander Thompson	2255314
	06/16/2021	06/21/2021 13:15	Elliott D. Healy	06/29/2021 16:37	Alexander Thompson	2255313
	06/16/2021	06/21/2021 13:15	Elliott D. Healy	06/30/2021 12:35	Alexander Thompson	2255314
	06/16/2021	06/21/2021 13:15	Elliott D. Healy	06/30/2021 14:40	Alexander Thompson	2255313
	06/16/2021	07/01/2021 13:10	Elliott D. Healy	07/02/2021 23:27	Alexander Thompson	2255314
EPA 300.0 Rev. 2.1	06/16/2021			06/18/2021 14:41	Lipi Saha	2255302
	06/16/2021			06/18/2021 17:30	Lipi Saha	2255305
	06/16/2021			06/18/2021 17:42	Lipi Saha	2255308
EPA 350.1 Rev. 2.0	06/16/2021			06/28/2021 12:59	Ping Hua	2255303
	06/16/2021			06/28/2021 13:05	Ping Hua	2255306
	06/16/2021			06/28/2021 13:14	Ping Hua	2255309
EPA 351.2 Rev. 2.0	06/16/2021	06/18/2021 14:20	Benjamin T. Nordmann	06/23/2021 15:54	Letuzia M De Oliveira	2255303
	06/16/2021	06/18/2021 14:20	Benjamin T. Nordmann	06/23/2021 15:55	Letuzia M De Oliveira	2255306
	06/16/2021	06/18/2021 14:20	Benjamin T. Nordmann	06/23/2021 15:57	Letuzia M De Oliveira	2255309
EPA 353.2 Rev. 2.0	06/16/2021			06/17/2021 10:01	Beverly Y. Sanders	2255303
	06/16/2021			06/17/2021 10:02	Beverly Y. Sanders	2255306
	06/16/2021			06/17/2021 10:21	Beverly Y. Sanders	2255309
EPA 365.1 Rev. 2.0	06/16/2021	06/24/2021 16:53	Madeline Gruver	06/30/2021 10:21	Shengyu Ding	2255303
	06/16/2021	06/24/2021 16:53	Madeline Gruver	06/30/2021 10:22	Shengyu Ding	2255306
	06/16/2021	06/25/2021 12:24	Madeline Gruver	06/29/2021 14:41	Shengyu Ding	2255309
EPA 365.1 Rev. 2.0 dissolved	06/16/2021			06/16/2021 11:46	Ping Hua	2255304
	06/16/2021			06/16/2021 11:48	Ping Hua	2255307
	06/16/2021			06/16/2021 11:56	Ping Hua	2255310
SM 2120 B-2011	06/16/2021			06/16/2021 16:44	Madeline Gruver	2255302
	06/16/2021			06/16/2021 16:45	Madeline Gruver	2255305
	06/16/2021			06/16/2021 16:46	Madeline Gruver	2255308
SM 2320 B-2011	06/16/2021			06/19/2021 10:42	Dale L. Simmons	2255302
	06/16/2021			06/19/2021 10:53	Dale L. Simmons	2255305
	06/16/2021			06/23/2021 20:32	Patrick M. Roche	2255308
SM 2340B	06/16/2021			06/22/2021 13:29	Josef B Mick	2255314
	06/16/2021			06/22/2021 14:55	Josef B Mick	2255313
SM 2540 C-2011	06/16/2021			06/18/2021 15:41	Yijie Li	2255302, 2255305, 2255308
SM 2540 D-2011	06/16/2021			06/18/2021 15:41	Yijie Li	2255302, 2255305, 2255308
SM 4500 F-C-2011	06/16/2021			06/19/2021 10:42	Dale L. Simmons	2255302
	06/16/2021			06/19/2021 10:53	Dale L. Simmons	2255305
	06/16/2021			07/07/2021 06:27	Patrick M. Roche	2255308
SM 5310 B-2011	06/16/2021			06/24/2021 03:53	Madeline Gruver	2255306

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
SM 5310 B-2011	06/16/2021			06/24/2021 07:55	Madeline Gruver	2255303
	06/16/2021			06/24/2021 08:08	Madeline Gruver	2255309