

Chemical Analysis Report

NW-DIST-2021-12-20-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780


Event Description: **Dead River/ Yellow River Bioassessment**
Request ID: **RQ-2021-08-09-29**
Customer: **NW-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
160 Government Center
Suite 208
Pensacola, FL 32502-5794
Attn: Myranda Butler

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Liang Lin, Environmental Administrator

Date Certified: 14-JAN-2022 09:12

A handwritten signature in black ink, appearing to read "Liang Lin", on a light-colored background.

NON-CONFORMANCE REPORT INCLUDED

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Metals, Nutrients and Pesticides.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Yellow River below Malone Creek

Collection Date/Time: 12/16/2021 15:00

Field ID: G4NW0373

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2296163	EPA 180.1 Rev. 2.0	Turbidity	12	YQ	NTU	P407777	
	EPA 300.0 Rev. 2.1	Chloride	3.9		mg Cl/L	P407903	
		Sulfate	1.3	Y	mg SO4/L	P407905	
	SM 2120 B-2011	Color (true)	56	YQ	PCU	P407773	
	SM 2320 B-2011	Total Alkalinity	8.1	Y	mg CaCO3/L	P407987	
	SM 2540 C-2011	TDS	27	Y	mg/L	P407914	
	SM 2540 D-2011	TSS	7	IY	mg/L	P407817	
	SM 4500 F-C-2011	Fluoride	0.035	U	mg F/L	P407994	
2296165	EPA 350.1 Rev. 2.0	Ammonia-N	0.010	Y	mg N/L	P408069	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.25	Y	mg N/L	P408074	MS
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.096	Y	mg N/L	P407740	
	EPA 365.1 Rev. 2.0	Total-P	0.026	Y	mg P/L	P407845	
	SM 5310 B-2011	Organic Carbon	4.9	Y	mg C/L	P408216	
2296167	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	UYQ	mg P/L	P407769	
2296174	EPA 8321B	2,4-D	0.0020	UY	ug/L	P407620	
		Acesulfame K	0.10	UY	ug/L	P407617	
		2,4,5-T	0.0040	UY	ug/L	P407620	
		AMPA	0.10	UY	ug/L	P407617	
		Acetaminophen	0.0080	UY	ug/L	P407620	
		Acetamiprid	0.0020	UY	ug/L	P407620	
		Endothall	0.25	UY	ug/L	P407617	
		Glufosinate	0.10	UY	ug/L	P407617	
		Glyphosate	0.10	UY	ug/L	P407617	
		Afidopyropen	0.0020	UY	ug/L	P407620	
		Bentazon	8.0E-04	UY	ug/L	P407620	
		Sucralose	0.12	Y	ug/L	P407617	
		Benzovindiflupyr	0.0020	UY	ug/L	P407620	
		Carbamazepine	8.0E-04	UY	ug/L	P407620	
		Clothianidin	0.0020	UY	ug/L	P407620	
		Dinotefuran	0.0020	UY	ug/L	P407620	
		Diuron	0.0020	UY	ug/L	P407620	
		Fenuron	0.016	UY	ug/L	P407620	
		Fluridone	8.0E-04	UY	ug/L	P407620	
		Imazapyr	0.015	UY	ug/L	P407620	
		Hydrocodone	0.0020	UY	ug/L	P407620	
		Ibuprofen	0.020	UY	ug/L	P407620	
		Imidacloprid	0.0020	UY	ug/L	P407620	
		Linuron	0.0040	UY	ug/L	P407620	
		Mandestrobin	0.0020	UY	ug/L	P407620	
		MCP	0.0040	UY	ug/L	P407620	
		Naproxen	0.0080	UY	ug/L	P407620	
		Primidone	0.0040	UY	ug/L	P407620	MS
		Pyraclostrobin	0.0020	UY	ug/L	P407620	

Field ID: G4NW0373

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2296174	EPA 8321B	Thiamethoxam	0.0020	UY	ug/L	P407620	
		Tolfenpyrad	0.0020	UY	ug/L	P407620	
		Triclopyr	0.0040	UY	ug/L	P407620	
2296176	EPA 200.7 Rev. 4.4	Barium	12.5		ug/L	P407727	
		Calcium	3.42		mg/L	P407727	
		Iron	640		ug/L	P407727	
		Magnesium	1.05		mg/L	P407727	
		Manganese	21.7		ug/L	P407727	
		Potassium	0.84	I	mg/L	P407727	
		Sodium	2.1		mg/L	P407727	
		Zinc	5.0	U	ug/L	P407727	
	EPA 200.8 Rev. 5.4	Aluminum	375		ug/L	P407727	
		Antimony	0.050	U	ug/L	P407727	
		Arsenic	0.35		ug/L	P407727	
		Beryllium	0.023	I	ug/L	P407727	
		Boron**	10.5		ug/L	P407727	
		Cadmium	0.020	U	ug/L	P407727	
		Chromium	0.48	I	ug/L	P407727	
		Copper	0.40	U	ug/L	P407727	
		Lead	0.39	I	ug/L	P407727	
		Nickel	0.50	U	ug/L	P407727	
		Selenium	0.20	U	ug/L	P407727	
		Silver	0.010	U	ug/L	P407727	
		Thallium	0.18	I	ug/L	P407727	
		Hardness	12.9		mg/L	P407727	
2296178	SM 2340B	Acetochlor	0.25	UY	ng/L	P407641	
	EPA 8270E	Alachlor	0.25	UY	ng/L	P407641	
		Ametryn	0.60	UY	ng/L	P407641	
		Atrazine	1.3	Y	ng/L	P407641	
		Atrazine Desethyl	1.5	UY	ng/L	P407641	
		Azinphos Methyl	2.0	UY	ng/L	P407641	
		Azoxystrobin**	0.50	UY	ng/L	P407641	
		Bromacil	0.50	UY	ng/L	P407641	
		Butylate	0.40	UY	ng/L	P407641	
		Caffeine**	7.5	UY	ng/L	P407641	
		Carbophenothion	0.50	UY	ng/L	P407641	
		Carfentrazone Ethyl**	0.10	UY	ng/L	P407641	
		Chlorfenapyr**	0.18	UY	ng/L	P407641	
		Chlorpyrifos Ethyl	0.25	UY	ng/L	P407641	
		Chlorpyrifos Methyl	0.050	UY	ng/L	P407641	
		Coumaphos**	0.50	UY	ng/L	P407641	
		Cyanazine	3.3	UY	ng/L	P407641	
		Cyprodinil**	0.10	UY	ng/L	P407641	
		Demeton	1.5	UY	ng/L	P407641	
		Diazinon	0.13	UY	ng/L	P407641	

Field ID: G4NW0373

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2296178	EPA 8270E	Difenoconazole**	0.60	UY	ng/L	P407641	MS
		Dimethenamid**	0.10	UY	ng/L	P407641	
		Dimethomorph**	0.18	UY	ng/L	P407641	
		Disulfoton	0.50	UY	ng/L	P407641	
		Dithiopyr**	0.18	UY	ng/L	P407641	
		EPTC	1.3	UY	ng/L	P407641	
		Ethion	0.15	UY	ng/L	P407641	
		Ethoprop	0.10	UY	ng/L	P407641	
		Etridiazole**	0.15	UY	ng/L	P407641	
		Fenamiphos	0.50	UY	ng/L	P407641	
		Fenbuconazole**	0.13	UY	ng/L	P407641	
		Fipronil	0.25	UY	ng/L	P407641	
		Fipronil Desulfinyl**	0.13	UY	ng/L	P407641	
		Fipronil Sulfide	0.15	UY	ng/L	P407641	
		Fipronil Sulfone	0.15	UY	ng/L	P407641	
		Fluazifop-P-butyl**	0.10	UY	ng/L	P407641	
		Fludioxonil**	0.13	UY	ng/L	P407641	
		Flumioxazin**	1.8	UY	ng/L	P407641	
		Flutolanil**	0.18	IY	ng/L	P407641	
		Fluxapyroxad**	0.22	IY	ng/L	P407641	
		Fonofos	0.20	UY	ng/L	P407641	
		Hexazinone	11	Y	ng/L	P407641	
		Imazalil**	0.75	UY	ng/L	P407641	
		Iprodione**	0.60	UY	ng/L	P407641	
		Loratadine**	0.10	UY	ng/L	P407641	
		Malathion	0.35	UY	ng/L	P407641	
		Metalaxyl	0.75	UY	ng/L	P407641	
		Metolachlor	0.68	IY	ng/L	P407641	
		Metribuzin	3.3	UY	ng/L	P407641	
		Mevinphos	1.1	UY	ng/L	P407641	
		Molinate	0.30	UY	ng/L	P407641	
		Myclobutanil**	0.25	UY	ng/L	P407641	
		Naled**	1.5	UYJ	ng/L	P407641	LCS
		Napropamide**	0.40	UY	ng/L	P407641	
		Norflurazon	0.50	UY	ng/L	P407641	
		Oxadiazon	0.30	UY	ng/L	P407641	
		Oxyfluorfen**	0.15	UY	ng/L	P407641	LCS
		Parathion Ethyl	0.25	UY	ng/L	P407641	
		Parathion Methyl	0.55	UY	ng/L	P407641	
		Pendimethalin	1.0	UYJ	ng/L	P407641	
		Phenytol**	3.5	UY	ng/L	P407641	MS
		Phorate	0.53	UY	ng/L	P407641	
		Prodiamine**	0.30	UY	ng/L	P407641	
		Prometon	0.90	UY	ng/L	P407641	
		Prometryn	0.20	UY	ng/L	P407641	

Field ID: G4NW0373

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2296178	EPA 8270E	Pronamide**	0.15	UY	ng/L	P407641	
		Propanil**	0.13	UY	ng/L	P407641	
		Propargite**	1.5	UY	ng/L	P407641	
		Propiconazole**	0.50	UY	ng/L	P407641	
		Pyraflufen Ethyl**	0.25	UY	ng/L	P407641	
		Pyridaben**	0.45	UY	ng/L	P407641	
		Pyriproxyfen**	0.13	UY	ng/L	P407641	
		Simazine	3.5	Y	ng/L	P407641	
		Stirophos**	0.13	UY	ng/L	P407641	
		Sulfentrazone**	0.50	UY	ng/L	P407641	
		Tebuconazole**	0.50	UY	ng/L	P407641	
		Terbufos	0.10	UY	ng/L	P407641	
		Terbutylazine	0.43	UY	ng/L	P407641	
		Thiobencarb**	0.60	UY	ng/L	P407641	
		Triadimefon**	0.25	UY	ng/L	P407641	

Ref. Method and Comment:

EPA 180.1 Rev. 2.0: The sample expired prior to receipt. Sample temperature was outside the acceptable range when received at the laboratory.

EPA 300.0 Rev. 2.1: Sulfate: Sample temperature was outside the acceptable range when received at the laboratory.

SM 2120 B-2011: The sample expired prior to receipt. Sample temperature was outside the acceptable range when received at the laboratory.

SM 2320 B-2011: Sample temperature was outside the acceptable range when received at the laboratory.

SM 2540 C-2011: Sample temperature was outside the acceptable range when received at the laboratory.

SM 2540 D-2011: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample. Sample temperature was outside the acceptable range when received at the laboratory.

EPA 350.1 Rev. 2.0: Sample temperature was outside the acceptable range when received at the laboratory.

EPA 351.2 Rev. 2.0: Sample temperature was outside the acceptable range when received at the laboratory.

EPA 353.2 Rev. 2.0: Sample temperature was outside the acceptable range when received at the laboratory.

EPA 365.1 Rev. 2.0: Total-P: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample. Sample temperature was outside the acceptable range when received at the laboratory.

SM 5310 B-2011: Sample temperature was outside the acceptable range when received at the laboratory.

EPA 365.1 Rev. 2.0 dissolved: O-Phosphate-P: The sample expired prior to receipt. Sample temperature was outside the acceptable range when received at the laboratory.

EPA 8321B: Y - Sample was received with inadequate sample preservation; see NCR report.

EPA 8270E: Refer to the Lab Analysis Report for an explanation of QC Codes.; Y - Due to improper preservation; see NCR report.

Sample Location: Dead River near mouth of pond

Collection Date/Time: 12/16/2021 10:45

Field ID: G4NW0536

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2296166	EPA 350.1 Rev. 2.0	Ammonia-N	0.012	Y	mg N/L	P408069	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.11	IY	mg N/L	P408074	MS
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.45	Y	mg N/L	P407740	
	EPA 365.1 Rev. 2.0	Total-P	0.006	Y	mg P/L	P407845	
	SM 5310 B-2011	Organic Carbon	2.8	Y	mg C/L	P408216	
2296168	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	UYQ	mg P/L	P407769	
2296175	EPA 8321B	2,4-D	0.0020	UY	ug/L	P407620	
		Acesulfame K	0.11	IY	ug/L	P407617	
		2,4,5-T	0.0040	UY	ug/L	P407620	
		AMPA	0.10	UY	ug/L	P407617	
		Acetaminophen	0.0080	UY	ug/L	P407620	
		Acetamiprid	0.0020	UY	ug/L	P407620	
		Endothall	0.25	UY	ug/L	P407617	
		Glufosinate	0.10	UY	ug/L	P407617	
		Glyphosate	0.10	UY	ug/L	P407617	
		Afidopyropen	0.0020	UY	ug/L	P407620	
		Bentazon	8.0E-04	UY	ug/L	P407620	
		Sucralose	0.23	Y	ug/L	P407617	
		Benzovindiflupyr	0.0020	UY	ug/L	P407620	
		Carbamazepine	8.0E-04	UY	ug/L	P407620	
		Clothianidin	0.0020	UY	ug/L	P407620	
		Dinotefuran	0.0020	UY	ug/L	P407620	
		Diuron	0.0020	UY	ug/L	P407620	
		Fenuron	0.016	UY	ug/L	P407620	
		Fluridone	8.0E-04	UY	ug/L	P407620	
		Imazapyr	0.0040	UY	ug/L	P407620	
		Hydrocodone	0.0020	UY	ug/L	P407620	
		Ibuprofen	0.020	UY	ug/L	P407620	
		Imidacloprid	0.0043	IY	ug/L	P407620	
		Linuron	0.0040	UY	ug/L	P407620	
		Mandestrobin	0.0020	UY	ug/L	P407620	
		MCPP	0.0040	UY	ug/L	P407620	
		Naproxen	0.0080	UY	ug/L	P407620	
		Primidone	0.0040	UY	ug/L	P407620	MS
		Pyraclostrobin	0.0020	UY	ug/L	P407620	
		Thiamethoxam	0.0020	UY	ug/L	P407620	
		Tolfenpyrad	0.0020	UY	ug/L	P407620	
		Triclopyr	0.0040	UY	ug/L	P407620	
2296177	EPA 200.7 Rev. 4.4	Barium	15.3		ug/L	P407727	
		Calcium	0.87		mg/L	P407727	
		Iron	210		ug/L	P407727	
		Magnesium	0.70		mg/L	P407727	
		Manganese	11.0		ug/L	P407727	

Field ID: G4NW0536

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2296177	EPA 200.7 Rev. 4.4	Potassium	0.54	I	mg/L	P407727	
		Sodium	2.4		mg/L	P407727	
		Zinc	5.0	U	ug/L	P407727	
		Aluminum	83		ug/L	P407727	
	EPA 200.8 Rev. 5.4	Antimony	0.050	U	ug/L	P407727	
		Arsenic	0.13	I	ug/L	P407727	
		Beryllium	0.010	U	ug/L	P407727	
		Boron**	11.4		ug/L	P407727	
		Cadmium	0.020	U	ug/L	P407727	
		Chromium	0.40	U	ug/L	P407727	
		Copper	0.40	U	ug/L	P407727	
		Lead	0.20	U	ug/L	P407727	
		Nickel	0.50	U	ug/L	P407727	
		Selenium	0.20	U	ug/L	P407727	
		Silver	0.010	U	ug/L	P407727	
		Thallium	0.10	U	ug/L	P407727	
		Hardness	5.0		mg/L	P407727	
2296179	SM 2340B						
	EPA 8270E	Acetochlor	0.25	UY	ng/L	P407641	
		Alachlor	0.25	UY	ng/L	P407641	
		Ametryn	0.60	UY	ng/L	P407641	
		Atrazine	0.31	IY	ng/L	P407641	
		Atrazine Desethyl	1.5	UY	ng/L	P407641	
		Azinphos Methyl	2.0	UY	ng/L	P407641	
		Azoxystrobin**	0.50	UY	ng/L	P407641	
		Bromacil	13	Y	ng/L	P407641	
		Butylate	0.40	UY	ng/L	P407641	
		Caffeine**	7.5	UY	ng/L	P407641	
		Carbophenothion	0.50	UY	ng/L	P407641	
		Carfentrazone Ethyl**	0.10	UY	ng/L	P407641	
		Chlorfenapyr**	0.18	UY	ng/L	P407641	
		Chlorpyrifos Ethyl	0.25	UY	ng/L	P407641	
		Chlorpyrifos Methyl	0.050	UY	ng/L	P407641	
		Coumaphos**	0.50	UY	ng/L	P407641	
		Cyanazine	3.2	UY	ng/L	P407641	
		Cyprodinil**	0.10	UY	ng/L	P407641	
		Demeton	1.5	UY	ng/L	P407641	
		Diazinon	0.12	UY	ng/L	P407641	
		Difenoconazole**	0.60	UY	ng/L	P407641	
		Dimethenamid**	0.10	UY	ng/L	P407641	
		Dimethomorph**	0.18	UY	ng/L	P407641	MS
		Disulfoton	0.50	UY	ng/L	P407641	
		Dithiopyr**	0.18	UY	ng/L	P407641	
		EPTC	1.2	UY	ng/L	P407641	
		Ethion	0.15	UY	ng/L	P407641	
		Ethoprop	0.10	UY	ng/L	P407641	

Field ID: G4NW0536

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2296179	EPA 8270E	Etridiazole**	0.15	UY	ng/L	P407641	
		Fenamiphos	0.50	UY	ng/L	P407641	
		Fenbuconazole**	0.12	UY	ng/L	P407641	
		Fipronil	0.25	UY	ng/L	P407641	
		Fipronil Desulfinyl**	0.12	UY	ng/L	P407641	
		Fipronil Sulfide	0.15	UY	ng/L	P407641	
		Fipronil Sulfone	0.32	IY	ng/L	P407641	
		Fluazifop-P-butyl**	0.10	UY	ng/L	P407641	
		Fludioxonil**	0.12	UY	ng/L	P407641	
		Flumioxazin**	1.8	UY	ng/L	P407641	
		Flutolanil**	0.10	UY	ng/L	P407641	
		Fluxapyroxad**	0.10	UY	ng/L	P407641	
		Fonofos	0.20	UY	ng/L	P407641	
		Hexazinone	2.6	Y	ng/L	P407641	
		Imazalil**	0.75	UY	ng/L	P407641	
		Iprodione**	0.60	UY	ng/L	P407641	
		Loratadine**	0.10	UY	ng/L	P407641	
		Malathion	0.35	UY	ng/L	P407641	
		Metalaxyl	0.75	UY	ng/L	P407641	
		Metolachlor	0.35	UY	ng/L	P407641	
		Metribuzin	3.2	UY	ng/L	P407641	
		Mevinphos	1.0	UY	ng/L	P407641	
		Molinate	0.30	UY	ng/L	P407641	
		Myclobutanil**	0.25	UY	ng/L	P407641	
		Naled**	1.5	UYJ	ng/L	P407641	LCS
		Napropamide**	0.40	UY	ng/L	P407641	
		Norflurazon	0.50	UY	ng/L	P407641	
		Oxadiazon	0.30	UY	ng/L	P407641	
		Oxyfluorfen**	0.15	UY	ng/L	P407641	
		Parathion Ethyl	0.25	UY	ng/L	P407641	
		Parathion Methyl	0.55	UY	ng/L	P407641	
		Pendimethalin	1.0	UYJ	ng/L	P407641	LCS
		Phenytol**	3.5	UY	ng/L	P407641	MS
		Phorate	0.52	UY	ng/L	P407641	
		Prodiamine**	0.30	UY	ng/L	P407641	
		Prometon	0.90	UY	ng/L	P407641	
		Prometryn	0.20	UY	ng/L	P407641	
		Pronamide**	0.15	UY	ng/L	P407641	
		Propanil**	0.12	UY	ng/L	P407641	
		Propargite**	1.5	UY	ng/L	P407641	
		Propiconazole**	0.50	UY	ng/L	P407641	
		Pyraflufen Ethyl**	0.25	UY	ng/L	P407641	
		Pyridaben**	0.45	UY	ng/L	P407641	
		Pyriproxyfen**	0.12	UY	ng/L	P407641	
		Simazine	0.50	UY	ng/L	P407641	

Field ID: G4NW0536

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2296179	EPA 8270E	Stirophos**	0.12	UY	ng/L	P407641	
		Sulfentrazone**	0.50	UY	ng/L	P407641	
		Tebuconazole**	0.50	UY	ng/L	P407641	
		Terbufos	0.10	UY	ng/L	P407641	
		Terbutylazine	0.42	UY	ng/L	P407641	
		Thiobencarb**	0.60	UY	ng/L	P407641	
		Triadimefon**	0.25	UY	ng/L	P407641	

Ref. Method and Comment:

EPA 350.1 Rev. 2.0: Sample temperature was outside the acceptable range when received at the laboratory.

EPA 351.2 Rev. 2.0: Sample temperature was outside the acceptable range when received at the laboratory.

EPA 353.2 Rev. 2.0: Sample temperature was outside the acceptable range when received at the laboratory.

EPA 365.1 Rev. 2.0: Total-P: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample. Sample temperature was outside the acceptable range when received at the laboratory.

SM 5310 B-2011: Sample temperature was outside the acceptable range when received at the laboratory.

EPA 365.1 Rev. 2.0 dissolved: O-Phosphate-P: The sample expired prior to receipt. Sample temperature was outside the acceptable range when received at the laboratory.

EPA 8321B: Y - Sample was received with inadequate sample preservation; see NCR report.

EPA 8270E: Refer to the Lab Analysis Report for an explanation of QC Codes.; Y - Due to improper preservation; see NCR report.

Non-Conformance Report

NCR ID: 9178

Event(s)

NW-DIST-2021-12-20-01

Job(s)

Sample(s)

Test(s)

NCR Type: SHIPPING/RECEIVING

NCR Category: Samples arrived late

Observation: Samples arrived late, samples received outside the acceptable temperature range.

Resolution: The customer was contacted by phone, he requested the chemistry and macroinvertebrate samples to still be analyzed.

Samples will be qualified as appropriate.

Chemistry supervisors were notified by email.

Authorized by/Date: Joshua Ayres 12/21/2021

The Non-Conformance Report details exceptions or problems encountered with the events/jobs/samples/test.
Please address questions to:

Chemistry	Colin Wright	(850) 245-8085
Biology	Cheryl Swanson	(850) 245-8177

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P407777

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P407727

Component	Result	Code	Units
Barium	1.0	U	ug/L
Calcium	0.075	U	mg/L
Iron	30	U	ug/L
Magnesium	0.040	U	mg/L
Manganese	1.0	U	ug/L
Potassium	0.30	U	mg/L
Sodium	0.50	U	mg/L
Zinc	5.0	U	ug/L

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P407727

Component	Result	Code	Units
Aluminum	5.0	U	ug/L
Antimony	0.050	U	ug/L
Arsenic	0.050	U	ug/L
Beryllium	0.010	U	ug/L
Boron	2.0	U	ug/L
Cadmium	0.020	U	ug/L
Chromium	0.40	U	ug/L
Copper	0.40	U	ug/L
Lead	0.20	U	ug/L
Nickel	0.50	U	ug/L
Selenium	0.20	U	ug/L
Silver	0.010	U	ug/L
Thallium	0.10	U	ug/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P407903

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P407905

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P408069

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Quality Assurance Report

Method Blank Results

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P408074

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P407740

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P407845

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P407769

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: EPA 8270E
Batch ID: P407641

Component	Result	Code	Units
Acetochlor	0.25	U	ng/L
Acetochlor	0.25	U	ng/L
Alachlor	0.25	U	ng/L
Alachlor	0.25	U	ng/L
Ametryn	0.60	U	ng/L
Ametryn	0.60	U	ng/L
Atrazine	0.25	U	ng/L
Atrazine	0.25	U	ng/L
Atrazine Desethyl	1.5	U	ng/L
Atrazine Desethyl	1.5	U	ng/L
Azinphos Methyl	2.0	U	ng/L
Azinphos Methyl	2.0	U	ng/L
Azoxystrobin	0.50	U	ng/L
Azoxystrobin	0.50	U	ng/L
Bromacil	0.50	U	ng/L
Bromacil	0.50	U	ng/L
Butylate	0.40	U	ng/L
Butylate	0.40	U	ng/L
Caffeine	7.5	U	ng/L
Caffeine	7.5	U	ng/L
Carbophenothion	0.50	U	ng/L
Carbophenothion	0.50	U	ng/L
Carfentrazone Ethyl	0.10	U	ng/L
Carfentrazone Ethyl	0.10	U	ng/L
Chlorfenapyr	0.18	U	ng/L
Chlorfenapyr	0.18	U	ng/L
Chlorpyrifos Ethyl	0.25	U	ng/L
Chlorpyrifos Ethyl	0.25	U	ng/L

Quality Assurance Report

Method Blank Results

Reference Method: EPA 8270E

Batch ID: P407641

Component	Result	Code	Units
Chlorpyrifos Methyl	0.050	U	ng/L
Chlorpyrifos Methyl	0.050	U	ng/L
Coumaphos	0.50	U	ng/L
Coumaphos	0.50	U	ng/L
Cyanazine	3.2	U	ng/L
Cyanazine	3.2	U	ng/L
Cyprodinil	0.10	U	ng/L
Cyprodinil	0.10	U	ng/L
Demeton	1.5	U	ng/L
Demeton	1.5	U	ng/L
Diazinon	0.12	U	ng/L
Diazinon	0.12	U	ng/L
Difenoconazole	0.60	U	ng/L
Difenoconazole	0.60	U	ng/L
Dimethenamid	0.10	U	ng/L
Dimethenamid	0.10	U	ng/L
Dimethomorph	0.18	U	ng/L
Dimethomorph	0.18	U	ng/L
Disulfoton	0.50	U	ng/L
Disulfoton	0.50	U	ng/L
Dithiopyr	0.18	U	ng/L
Dithiopyr	0.18	U	ng/L
EPTC	1.2	U	ng/L
EPTC	1.2	U	ng/L
Ethion	0.15	U	ng/L
Ethion	0.15	U	ng/L
Ethoprop	0.10	U	ng/L
Ethoprop	0.10	U	ng/L
Etridiazole	0.15	U	ng/L
Etridiazole	0.15	U	ng/L
Fenamiphos	0.50	U	ng/L
Fenamiphos	0.50	U	ng/L
Fenbuconazole	0.12	U	ng/L
Fenbuconazole	0.12	U	ng/L
Fipronil	0.25	U	ng/L
Fipronil	0.25	U	ng/L
Fipronil Desulfinyl	0.12	U	ng/L
Fipronil Desulfinyl	0.12	U	ng/L
Fipronil Sulfide	0.15	U	ng/L
Fipronil Sulfide	0.15	U	ng/L
Fipronil Sulfone	0.15	U	ng/L
Fipronil Sulfone	0.15	U	ng/L
Fluazifop-P-butyl	0.10	U	ng/L
Fluazifop-P-butyl	0.10	U	ng/L
Fludioxonil	0.12	U	ng/L
Fludioxonil	0.12	U	ng/L
Flumioxazin	1.8	U	ng/L
Flumioxazin	1.8	U	ng/L
Flutolanil	0.10	U	ng/L
Flutolanil	0.10	U	ng/L
Fluxapyroxad	0.10	U	ng/L
Fluxapyroxad	0.10	U	ng/L

Quality Assurance Report

Method Blank Results

Reference Method: EPA 8270E

Batch ID: P407641

Component	Result	Code	Units
Fonofos	0.20	U	ng/L
Fonofos	0.20	U	ng/L
Hexazinone	0.50	U	ng/L
Hexazinone	0.50	U	ng/L
Imazalil	0.75	U	ng/L
Imazalil	0.75	U	ng/L
Iprodione	0.60	U	ng/L
Iprodione	0.60	U	ng/L
Loratadine	0.10	U	ng/L
Loratadine	0.10	U	ng/L
Malathion	0.35	U	ng/L
Malathion	0.35	U	ng/L
Metalaxyl	0.75	U	ng/L
Metalaxyl	0.75	U	ng/L
Metolachlor	0.35	U	ng/L
Metolachlor	0.35	U	ng/L
Metribuzin	3.2	U	ng/L
Metribuzin	3.2	U	ng/L
Mevinphos	1.0	U	ng/L
Mevinphos	1.0	U	ng/L
Molinate	0.30	U	ng/L
Molinate	0.30	U	ng/L
Myclobutanil	0.25	U	ng/L
Myclobutanil	0.25	U	ng/L
Naled	1.5	U	ng/L
Naled	1.5	U	ng/L
Napropamide	0.40	U	ng/L
Napropamide	0.40	U	ng/L
Norflurazon	0.50	U	ng/L
Norflurazon	0.50	U	ng/L
Oxadiazon	0.30	U	ng/L
Oxadiazon	0.30	U	ng/L
Oxyfluorfen	0.15	U	ng/L
Oxyfluorfen	0.15	U	ng/L
Parathion Ethyl	0.25	U	ng/L
Parathion Ethyl	0.25	U	ng/L
Parathion Methyl	0.55	U	ng/L
Parathion Methyl	0.55	U	ng/L
Pendimethalin	1.0	U	ng/L
Pendimethalin	1.0	U	ng/L
Phenytol	3.5	U	ng/L
Phenytol	3.5	U	ng/L
Phorate	0.52	U	ng/L
Phorate	0.52	U	ng/L
Prodiamine	0.30	U	ng/L
Prodiamine	0.30	U	ng/L
Prometon	0.90	U	ng/L
Prometon	0.90	U	ng/L
Prometryn	0.20	U	ng/L
Prometryn	0.20	U	ng/L
Pronamide	0.15	U	ng/L
Pronamide	0.15	U	ng/L

Quality Assurance Report

Method Blank Results

Reference Method: EPA 8270E
Batch ID: P407641

Component	Result	Code	Units
Propanil	0.12	U	ng/L
Propanil	0.12	U	ng/L
Propargite	1.5	U	ng/L
Propargite	1.5	U	ng/L
Propiconazole	0.50	U	ng/L
Propiconazole	0.50	U	ng/L
Pyraflufen Ethyl	0.25	U	ng/L
Pyraflufen Ethyl	0.25	U	ng/L
Pyridaben	0.45	U	ng/L
Pyridaben	0.45	U	ng/L
Pyriproxyfen	0.12	U	ng/L
Pyriproxyfen	0.12	U	ng/L
Simazine	0.50	U	ng/L
Simazine	0.50	U	ng/L
Stirophos	0.12	U	ng/L
Stirophos	0.12	U	ng/L
Sulfentrazone	0.50	U	ng/L
Sulfentrazone	0.50	U	ng/L
Tebuconazole	0.50	U	ng/L
Tebuconazole	0.50	U	ng/L
Terbufos	0.10	U	ng/L
Terbufos	0.10	U	ng/L
Terbuthylazine	0.42	U	ng/L
Terbuthylazine	0.42	U	ng/L
Thiobencarb	0.60	U	ng/L
Thiobencarb	0.60	U	ng/L
Triadimefon	0.25	U	ng/L
Triadimefon	0.25	U	ng/L

Reference Method: EPA 8321B
Batch ID: P407617

Component	Result	Code	Units
Acesulfame K	0.10	U	ug/L
AMPA	0.10	U	ug/L
Endothall	0.25	U	ug/L
Glufosinate	0.10	U	ug/L
Glyphosate	0.10	U	ug/L
Sucralose	0.010	U	ug/L

Reference Method: EPA 8321B
Batch ID: P407620

Component	Result	Code	Units
2,4-D	0.0020	U	ug/L
2,4,5-T	0.0040	U	ug/L
Acetaminophen	0.0080	U	ug/L
Acetamiprid	0.0020	U	ug/L
Afidopyropen	0.0020	U	ug/L
Bentazon	8.0E-04	U	ug/L
Benzovindiflupyr	0.0020	U	ug/L
Carbamazepine	8.0E-04	U	ug/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 8321B

Batch ID: P407620

Component	Result	Code	Units
Clothianidin	0.0020	U	ug/L
Dinotefuran	0.0020	U	ug/L
Diuron	0.0020	U	ug/L
Fenuron	0.016	U	ug/L
Fluridone	8.0E-04	U	ug/L
Hydrocodone	0.0020	U	ug/L
Ibuprofen	0.020	U	ug/L
Imazapyr	0.0040	U	ug/L
Imidacloprid	0.0020	U	ug/L
Linuron	0.0040	U	ug/L
Mandestrobin	0.0020	U	ug/L
MCPP	0.0040	U	ug/L
Naproxen	0.0080	U	ug/L
Primidone	0.0040	U	ug/L
Pyraclostrobin	0.0020	U	ug/L
Thiamethoxam	0.0020	U	ug/L
Tolfenpyrad	0.0020	U	ug/L
Triclopyr	0.0040	U	ug/L

Reference Method: SM 2120 B-2011

Batch ID: P407773

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-2011

Batch ID: P407987

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2540 C-2011

Batch ID: P407914

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-2011

Batch ID: P407817

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-2011

Batch ID: P407994

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Quality Assurance Report

Method Blank Results

Reference Method: SM 5310 B-2011
Batch ID: P408216

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P407727

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Barium	101		P	85 - 115
Calcium	103		P	85 - 115
Iron	106		P	85 - 115
Magnesium	104		P	85 - 115
Manganese	101		P	85 - 115
Potassium	103		P	85 - 115
Sodium	102		P	85 - 115
Zinc	102		P	85 - 115

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P407727

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Aluminum	98.6		P	85 - 115
Antimony	96.7		P	85 - 115
Arsenic	96.5		P	85 - 115
Beryllium	90.0		P	85 - 115
Boron	96.9		P	85 - 115
Cadmium	98.4		P	85 - 115
Chromium	95.8		P	85 - 115
Copper	96.0		P	85 - 115
Lead	98.9		P	85 - 115
Nickel	96.5		P	85 - 115
Selenium	97.5		P	85 - 115
Silver	103		P	85 - 115
Thallium	89.9		P	85 - 115

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P407903

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	98.4		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P407905

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	96.7		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P408069

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	98.8		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P408074

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	109		P	90 - 110

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: EPA 353.2 Rev. 2.0
 Batch ID: P407740

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	105		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
 Batch ID: P407845

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	107		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
 Batch ID: P407769

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	98.8		P	90 - 110

Reference Method: EPA 8270E
 Batch ID: P407641

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Acetochlor	121	108	P/P	70 - 121
Alachlor	112	98.0	P/P	70 - 119
Ametryn	109	110	P/P	61 - 135
Atrazine	111	105	P/P	76 - 123
Atrazine Desethyl	106	103	P/P	35 - 140
Azinphos Methyl	139	131	P/P	57 - 163
Azoxystrobin	109	99.2	P/P	43 - 231
Bromacil	95.8	102	P/P	42 - 123
Butylate	53.5	53.3	P/P	34 - 92.0
Caffeine	72.1	76.0	P/P	70 - 130
Carbophenothion	98.9	92.5	P/P	61 - 121
Carfentrazone Ethyl	127	115	P/P	62 - 139
Chlorfenapyr	98.7	83.8	P/P	50 - 150
Chlorpyrifos Ethyl	87.1	78.3	P/P	67 - 121
Chlorpyrifos Methyl	99.7	93.0	P/P	67 - 120
Coumaphos	105	96.8	P/P	50 - 220
Cyanazine	120	110	P/P	20 - 226
Cyprodinil	124	107	P/P	50 - 150
Demeton	106	91.7	P/P	35 - 125
Diazinon	121	109	P/P	70 - 122
Difenoconazole	146	141	P/P	56 - 186
Dimethenamid	98.8	88.9	P/P	67 - 119
Dimethomorph	118	104	P/P	50 - 150
Disulfoton	108	105	P/P	47 - 120
Dithiopyr	110	99.4	P/P	67 - 118
EPTC	57.7	55.8	P/P	33 - 90.0
Ethion	93.2	85.0	P/P	40 - 133
Ethoprop	97.5	92.3	P/P	61 - 121
Etridiazole	67.5	62.2	P/P	50 - 150
Fenamiphos	92.3	78.3	P/P	31 - 139
Fenbuconazole	116	106	P/P	66 - 141
Fipronil	123	114	P/P	62 - 129
Fipronil Desulfinyl	126	119	P/P	59 - 126
Fipronil Sulfide	96.5	90.6	P/P	63 - 117

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 8270E
Batch ID: P407641

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fipronil Sulfone	91.5	80.8	P/P	57 - 117
Fluazifop-P-butyl	118	108	P/P	63 - 124
Fludioxonil	115	107	P/P	63 - 123
Flumioxazin	173	153	P/P	34 - 245
Flutolanil	105	99.9	P/P	56 - 131
Fluxapyroxad	106	93.9	P/P	57 - 117
Fonofos	96.5	85.3	P/P	61 - 116
Hexazinone	111	96.7	P/P	55 - 138
Imazalil	109	88.3	P/P	33 - 143
Iprodione	103	102	P/P	59 - 118
Loratadine	110	92.3	P/P	50 - 150
Malathion	85.4	74.8	P/P	62 - 138
Metaxyl	102	99.6	P/P	24 - 147
Metolachlor	104	91.7	P/P	68 - 118
Metribuzin	107	97.5	P/P	20 - 239
Mevinphos	83.2	84.1	P/P	46 - 124
Molinate	72.5	68.0	P/P	46 - 100
Myclobutanil	107	99.5	P/P	32 - 149
Naled	99.5	91.0	F/P	32 - 95.0
Napropamide	111	95.6	P/P	50 - 150
Norflurazon	118	109	P/P	57 - 127
Oxadiazon	93.7	85.0	P/P	63 - 118
Oxyfluorfen	134	120	P/P	69 - 137
Parathion Ethyl	108	93.4	P/P	70 - 113
Parathion Methyl	124	129	P/P	71 - 130
Pendimethalin	126	105	F/P	55 - 118
Phenytoin	61.4	53.3	P/P	50 - 200
Phorate	85.1	74.2	P/P	46 - 125
Prodiamine	44.8	38.1	P/P	20 - 141
Prometon	103	97.6	P/P	54 - 122
Prometryn	111	97.7	P/P	66 - 124
Pronamide	114	105	P/P	79 - 122
Propanil	138	150	P/P	50 - 150
Propargite	102	93.2	P/P	50 - 200
Propiconazole	109	101	P/P	61 - 126
Pyraflufen Ethyl	114	102	P/P	50 - 150
Pyridaben	109	95.2	P/P	50 - 200
Pyriproxyfen	122	111	P/P	52 - 131
Simazine	106	96.1	P/P	75 - 128
Stirophos	64.7	54.8	P/P	50 - 150
Sulfentrazone	113	106	P/P	20 - 132
Tebuconazole	82.5	76.8	P/P	20 - 116
Terbufos	110	95.4	P/P	61 - 117
Terbutylazine	102	93.2	P/P	74 - 116
Thiobencarb	107	93.5	P/P	50 - 150
Triadimefon	109	96.5	P/P	50 - 150

Reference Method: EPA 8321B
Batch ID: P407617

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Acesulfame K	61.8		P	40 - 150

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: EPA 8321B
Batch ID: P407617

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
AMPA	127		P	40 - 160
Endothall	77.6		P	40 - 150
Glufosinate	119		P	40 - 160
Glyphosate	116		P	40 - 160
Sucralose	104		P	40 - 150

Reference Method: EPA 8321B
Batch ID: P407620

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2,4-D	105		P	40 - 150
2,4,5-T	123		P	40 - 150
Acetaminophen	87.7		P	30 - 150
Acetamiprid	88.4		P	40 - 150
Afidopyropen	77.0		P	40 - 150
Bentazon	124		P	30 - 150
Benzovindiflupyr	83.0		P	40 - 150
Carbamazepine	97.5		P	40 - 150
Clothianidin	110		P	40 - 150
Dinotefuran	83.4		P	40 - 150
Diuron	79.9		P	40 - 150
Fenuron	93.9		P	40 - 150
Fluridone	91.9		P	40 - 150
Hydrocodone	104		P	40 - 150
Ibuprofen	110		P	40 - 150
Imazapyr	103		P	40 - 150
Imidacloprid	100		P	40 - 150
Linuron	77.5		P	40 - 150
Mandestrobin	89.4		P	40 - 150
MCPP	101		P	40 - 150
Naproxen	56.8		P	40 - 150
Primidone	141		P	40 - 150
Pyraclostrobin	70.5		P	40 - 150
Thiamethoxam	96.5		P	40 - 150
Tolfenpyrad	33.0		P	30 - 150
Triclopyr	106		P	40 - 150

Reference Method: SM 2120 B-2011
Batch ID: P407773

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	103		P	90 - 110

Reference Method: SM 2320 B-2011
Batch ID: P407987

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	99.9		P	94 - 106

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: SM 4500 F-C-2011
Batch ID: P407994

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	99.8		P	93 - 104

Reference Method: SM 5310 B-2011
Batch ID: P408216

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	94.1		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P407727

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2296177	Barium	101	101	P/P	80 - 120
2296177	Calcium	102	104	P/P	80 - 120
2296177	Iron	106	109	P/P	80 - 120
2296177	Magnesium	106	108	P/P	80 - 120
2296177	Manganese	101	101	P/P	80 - 120
2296177	Potassium	101	104	P/P	80 - 120
2296177	Sodium	101	103	P/P	80 - 120
2296177	Zinc	103	103	P/P	80 - 120

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P407727

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2296177	Aluminum	104	103	P/P	80 - 120
2296177	Antimony	103	103	P/P	80 - 120
2296177	Arsenic	102	101	P/P	80 - 120
2296177	Beryllium	96.2	96.4	P/P	80 - 120
2296177	Boron	102	101	P/P	80 - 120
2296177	Cadmium	102	101	P/P	80 - 120
2296177	Chromium	102	101	P/P	80 - 120
2296177	Copper	103	101	P/P	80 - 120
2296177	Lead	105	105	P/P	80 - 120
2296177	Nickel	102	101	P/P	80 - 120
2296177	Selenium	102	99.1	P/P	80 - 120
2296177	Silver	106	105	P/P	80 - 120
2296177	Thallium	97.4	101	P/P	80 - 120

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P407903

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2295799	Chloride	96.9		P	90 - 110
2296187	Chloride	98.8		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P407905

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2295799	Sulfate	96.7		P	90 - 110
2296187	Sulfate	97.5		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P408069

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2295915	Ammonia-N	96.0	97.2	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P408074

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2295921	Kjeldahl Nitrogen	116	114	F/F	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 353.2 Rev. 2.0

Batch ID: P407740

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2296165	NO2NO3-N	104	103	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Batch ID: P407769

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2296189	O-Phosphate-P	100	98.6	P/P	90 - 110

Reference Method: EPA 8270E

Batch ID: P407641

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2295927	Acetochlor	108	117	P/P	66 - 122
2295927	Alachlor	103	102	P/P	65 - 122
2295927	Ametryn	118	110	P/P	45 - 173
2295927	Atrazine	121	131	P/P	70 - 134
2295927	Atrazine Desethyl	96.1	99.2	P/P	25 - 150
2295927	Azinphos Methyl	119	127	P/P	44 - 174
2295927	Azoxystrobin	122	122	P/P	10 - 268
2295927	Bromacil	82.1	99.3	P/P	31 - 145
2295927	Butylate	50.3	57.7	P/P	15 - 97.0
2295927	Caffeine	89.9	101	P/P	70 - 130
2295927	Carbophenothion	95.8	98.9	P/P	42 - 129
2295927	Carfentrazone Ethyl	111	121	P/P	62 - 145
2295927	Chlorfenapyr	90.7	103	P/P	50 - 150
2295927	Chlorpyrifos Ethyl	79.2	103	P/P	60 - 124
2295927	Chlorpyrifos Methyl	95.2	99.4	P/P	66 - 119
2295927	Coumaphos	90.2	94.3	P/P	50 - 220
2295927	Cyanazine	122	102	P/P	17 - 225
2295927	Cyprodinil	118	135	P/P	50 - 150
2295927	Demeton	111	116	P/P	36 - 142
2295927	Diazinon	126	126	P/P	70 - 128
2295927	Difenoconazole	132	158	P/P	33 - 222
2295927	Dimethenamid	86.9	94.8	P/P	54 - 125
2295927	Dimethomorph	172	137	F/P	50 - 150
2295927	Disulfoton	100	111	P/P	49 - 133
2295927	Dithiopyr	96.3	108	P/P	55 - 123
2295927	EPTC	58.2	62.4	P/P	19 - 91.0
2295927	Ethion	68.1	86.0	P/P	13 - 143
2295927	Ethoprop	110	103	P/P	49 - 144
2295927	Etridiazole	70.8	78.9	P/P	50 - 150
2295927	Fenamiphos	87.6	89.5	P/P	32 - 136
2295927	Fenbuconazole	101	112	P/P	73 - 148
2295927	Fipronil	108	126	P/P	57 - 129
2295927	Fipronil Desulfinyl	104	116	P/P	49 - 127
2295927	Fipronil Sulfide	90.6	95.7	P/P	44 - 127
2295927	Fipronil Sulfone	79.0	84.5	P/P	35 - 126
2295927	Fluazifop-P-butyl	106	112	P/P	67 - 129
2295927	Fludioxonil	104	115	P/P	61 - 126
2295927	Flumioxazin	153	182	P/P	38 - 279
2295927	Flutolanil	95.8	113	P/P	55 - 136
2295927	Fluxapyroxad	85.0	100	P/P	33 - 140

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 8270E
Batch ID: P407641

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2295927	Fonofos	96.7	97.4	P/P	58 - 125
2295927	Hexazinone	106	115	P/P	57 - 148
2295927	Imazalil	106	105	P/P	10 - 221
2295927	Iprodione	94.7	112	P/P	32 - 140
2295927	Loratadine	150	120	P/P	50 - 150
2295927	Malathion	80.1	89.6	P/P	52 - 138
2295927	Metalaxyl	94.8	105	P/P	46 - 134
2295927	Metolachlor	84.6	107	P/P	58 - 122
2295927	Metribuzin	110	113	P/P	16 - 272
2295927	Mevinphos	87.4	96.9	P/P	45 - 140
2295927	Molinate	79.2	80.0	P/P	41 - 103
2295927	Myclobutanil	99.8	109	P/P	60 - 134
2295927	Naled	87.4	108	P/P	20 - 113
2295927	Napropamide	97.5	113	P/P	50 - 150
2295927	Norflurazon	89.3	107	P/P	51 - 123
2295927	Oxadiazon	90.2	92.3	P/P	44 - 125
2295927	Oxyfluorfen	124	138	P/P	66 - 176
2295927	Parathion Ethyl	105	109	P/P	57 - 132
2295927	Parathion Methyl	124	130	P/P	59 - 156
2295927	Pendimethalin	125	124	P/P	59 - 129
2295927	Phenytol	45.0	59.7	F/P	50 - 200
2295927	Phorate	89.5	96.0	P/P	47 - 136
2295927	Prodiamine	46.8	59.6	P/P	10 - 159
2295927	Prometon	90.8	106	P/P	59 - 127
2295927	Prometryn	98.7	111	P/P	59 - 129
2295927	Pronamide	101	113	P/P	65 - 145
2295927	Propanil	105	115	P/P	50 - 150
2295927	Propargite	81.5	106	P/P	50 - 200
2295927	Propiconazole	89.1	111	P/P	28 - 165
2295927	Pyraflufen Ethyl	99.8	109	P/P	50 - 150
2295927	Pyridaben	97.7	100	P/P	50 - 200
2295927	Pyriproxyfen	114	114	P/P	21 - 180
2295927	Simazine	110	117	P/P	63 - 147
2295927	Stirophos	70.1	80.2	P/P	50 - 150
2295927	Sulfentrazone	97.5	109	P/P	32 - 136
2295927	Tebuconazole	58.9	82.2	P/P	10 - 117
2295927	Terbufos	116	125	P/P	61 - 131
2295927	Terbutylazine	95.5	104	P/P	62 - 126
2295927	Thiobencarb	84.3	106	P/P	50 - 150
2295927	Triadimefon	103	107	P/P	50 - 150

Reference Method: EPA 8321B
Batch ID: P407617

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2295641	Acesulfame K	106	104	P/P	40 - 150
2295641	AMPA	131	135	P/P	40 - 160
2295641	Endothall	97.3	103	P/P	40 - 150
2295641	Glufosinate	128	126	P/P	40 - 160
2295641	Glyphosate	126	127	P/P	40 - 160
2295641	Sucralose	105	102	P/P	40 - 150

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 8321B

Batch ID: P407620

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2295376	2,4-D	95.6	82.5	P/P	40 - 150
2295376	2,4,5-T	99.6	102	P/P	40 - 150
2295376	Acetaminophen	87.2	92.9	P/P	30 - 150
2295376	Acetamiprid	84.3	90.8	P/P	40 - 150
2295376	Afidopyropen	85.9	68.7	P/P	40 - 150
2295376	Bentazon	94.3	94.0	P/P	30 - 150
2295376	Benzovindiflupyr	83.1	77.8	P/P	40 - 150
2295376	Carbamazepine	89.3	86.6	P/P	40 - 150
2295376	Clothianidin	93.2	112	P/P	40 - 150
2295376	Dinotefuran	86.7	89.1	P/P	40 - 150
2295376	Diuron	86.6	76.1	P/P	40 - 150
2295376	Fenuron	82.4	78.2	P/P	40 - 150
2295376	Fluridone	87.4	87.9	P/P	40 - 150
2295376	Hydrocodone	101	94.2	P/P	40 - 150
2295376	Ibuprofen	84.0	68.7	P/P	40 - 150
2295376	Imazapyr	108	106	P/P	40 - 150
2295376	Imidacloprid	112	111	P/P	40 - 150
2295376	Linuron	79.1	65.9	P/P	40 - 150
2295376	Mandestrobin	86.6	85.2	P/P	40 - 150
2295376	MCCP	101	94.8	P/P	40 - 150
2295376	Naproxen	71.3	83.4	P/P	40 - 150
2295376	Primidone	163	135	F/P	40 - 150
2295376	Pyraclostrobin	80.6	81.7	P/P	40 - 150
2295376	Thiamethoxam	105	95.2	P/P	40 - 150
2295376	Tolfenpyrad	57.9	48.3	P/P	30 - 150
2295376	Triclopyr	99.7	99.2	P/P	40 - 150

Reference Method: SM 4500 F-C-2011

Batch ID: P407994

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2296526	Fluoride	98.6	99.2	P/P	92 - 107

Reference Method: SM 5310 B-2011

Batch ID: P408216

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2296188	Organic Carbon	95.2	95.1	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0

Batch ID: P407777

Replicated

Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2296187	Turbidity	0.922	Sample	P	0 - 20

Reference Method: EPA 200.7 Rev. 4.4

Batch ID: P407727

Replicated

Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2296177	Barium	0.0415	Spike	P	0 - 20
2296177	Calcium	1.75	Spike	P	0 - 20
2296177	Iron	2.17	Spike	P	0 - 20
2296177	Magnesium	1.56	Spike	P	0 - 20
2296177	Manganese	0.103	Spike	P	0 - 20
2296177	Potassium	2.34	Spike	P	0 - 20
2296177	Sodium	0.937	Spike	P	0 - 20
2296177	Zinc	0.0689	Spike	P	0 - 20

Reference Method: EPA 200.8 Rev. 5.4

Batch ID: P407727

Replicated

Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2296177	Aluminum	0.623	Spike	P	0 - 20
2296177	Antimony	0.332	Spike	P	0 - 20
2296177	Arsenic	0.501	Spike	P	0 - 20
2296177	Beryllium	0.195	Spike	P	0 - 20
2296177	Boron	1.05	Spike	P	0 - 20
2296177	Cadmium	1.15	Spike	P	0 - 20
2296177	Chromium	0.603	Spike	P	0 - 20
2296177	Copper	1.45	Spike	P	0 - 20
2296177	Lead	0.133	Spike	P	0 - 20
2296177	Nickel	0.463	Spike	P	0 - 20
2296177	Selenium	2.89	Spike	P	0 - 20
2296177	Silver	0.743	Spike	P	0 - 20
2296177	Thallium	4.07	Spike	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1

Batch ID: P407903

Replicated

Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2295799	Chloride	0.389	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1

Batch ID: P407905

Replicated

Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2295799	Sulfate	0.364	Sample	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 350.1 Rev. 2.0
 Batch ID: P408069

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2295915	Ammonia-N	1.06	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
 Batch ID: P408074

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2295921	Kjeldahl Nitrogen	0.992	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
 Batch ID: P407740

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2296165	NO2NO3-N	0.329	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
 Batch ID: P407845

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2295940	Total-P	0.586	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
 Batch ID: P407769

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2296189	O-Phosphate-P	0.716	Spike	P	0 - 20

Reference Method: EPA 8270E
 Batch ID: P407641

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2295927	Acetochlor	7.56	Spike	P	0 - 24
2295927	Alachlor	1.16	Spike	P	0 - 24
2295927	Ametryn	7.29	Spike	P	0 - 27
2295927	Atrazine	7.19	Spike	P	0 - 29
2295927	Atrazine Desethyl	3.22	Spike	P	0 - 30
2295927	Azinphos Methyl	6.18	Spike	P	0 - 50
2295927	Azoxystrobin	0.0597	Spike	P	0 - 32
2295927	Bromacil	15.5	Spike	P	0 - 30
2295927	Butylate	13.7	Spike	P	0 - 47
2295927	Caffeine	11.4	Spike	P	0 - 60
2295927	Carbophenothion	3.13	Spike	P	0 - 24
2295927	Carfentrazone Ethyl	9.19	Spike	P	0 - 26
2295927	Chlorfenapyr	12.9	Spike	P	0 - 30
2295927	Chlorpyrifos Ethyl	26.2	Spike	P	0 - 27
2295927	Chlorpyrifos Methyl	4.22	Spike	P	0 - 22
2295927	Coumaphos	4.46	Spike	P	0 - 30

Quality Assurance Report Precision

Reference Method: EPA 8270E
Batch ID: P407641

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2295927	Cyanazine	18.1	Spike	P	0 - 32
2295927	Cyprodinil	13.7	Spike	P	0 - 30
2295927	Demeton	4.89	Spike	P	0 - 25
2295927	Diazinon	0.460	Spike	P	0 - 24
2295927	Difenoconazole	18.0	Spike	P	0 - 25
2295927	Dimethenamid	8.69	Spike	P	0 - 30
2295927	Dimethomorph	22.5	Spike	P	0 - 30
2295927	Disulfoton	10.3	Spike	P	0 - 26
2295927	Dithiopyr	11.1	Spike	P	0 - 22
2295927	EPTC	6.88	Spike	P	0 - 38
2295927	Ethion	23.3	Spike	P	0 - 47
2295927	Ethoprop	6.60	Spike	P	0 - 23
2295927	Etridiazole	10.8	Spike	P	0 - 30
2295927	Fenamiphos	2.12	Spike	P	0 - 34
2295927	Fenbuconazole	10.6	Spike	P	0 - 37
2295927	Fipronil	14.8	Spike	P	0 - 23
2295927	Fipronil Desulfinyl	10.2	Spike	P	0 - 26
2295927	Fipronil Sulfide	5.42	Spike	P	0 - 23
2295927	Fipronil Sulfone	6.75	Spike	P	0 - 24
2295927	Fluazifop-P-butyl	5.54	Spike	P	0 - 24
2295927	Fludioxonil	9.88	Spike	P	0 - 26
2295927	Flumioxazin	17.3	Spike	P	0 - 37
2295927	Flutolanil	16.4	Spike	P	0 - 26
2295927	Fluxapyroxad	16.2	Spike	P	0 - 34
2295927	Fonofos	0.696	Spike	P	0 - 22
2295927	Hexazinone	5.54	Spike	P	0 - 21
2295927	Imazalil	0.891	Spike	P	0 - 65
2295927	Iprodione	16.5	Spike	P	0 - 33
2295927	Loratadine	22.4	Spike	P	0 - 30
2295927	Malathion	11.2	Spike	P	0 - 26
2295927	Metalaxyl	10.4	Spike	P	0 - 38
2295927	Metolachlor	23.6	Spike	P	0 - 36
2295927	Metribuzin	2.59	Spike	P	0 - 29
2295927	Mevinphos	10.3	Spike	P	0 - 26
2295927	Molinate	1.02	Spike	P	0 - 27
2295927	Myclobutanil	8.91	Spike	P	0 - 21
2295927	Naled	21.3	Spike	P	0 - 26
2295927	Napropamide	14.7	Spike	P	0 - 30
2295927	Norflurazon	18.2	Spike	P	0 - 24
2295927	Oxadiazon	2.34	Spike	P	0 - 23
2295927	Oxyfluorfen	11.0	Spike	P	0 - 24
2295927	Parathion Ethyl	3.06	Spike	P	0 - 23
2295927	Parathion Methyl	4.61	Spike	P	0 - 23
2295927	Pendimethalin	0.456	Spike	P	0 - 31
2295927	Phenytoin	28.0	Spike	P	0 - 30
2295927	Phorate	7.03	Spike	P	0 - 27
2295927	Prodiamine	24.1	Spike	P	0 - 52
2295927	Prometon	15.2	Spike	P	0 - 31
2295927	Prometryn	11.8	Spike	P	0 - 24
2295927	Pronamide	11.1	Spike	P	0 - 26
2295927	Propanil	8.98	Spike	P	0 - 30

Quality Assurance Report

Precision

Reference Method: EPA 8270E
Batch ID: P407641

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2295927	Propargite	26.0	Spike	P	0 - 30
2295927	Propiconazole	22.0	Spike	P	0 - 31
2295927	Pyraflufen Ethyl	8.90	Spike	P	0 - 30
2295927	Pyridaben	2.22	Spike	P	0 - 30
2295927	Pyriproxyfen	0.0630	Spike	P	0 - 50
2295927	Simazine	6.30	Spike	P	0 - 25
2295927	Stirophos	13.5	Spike	P	0 - 30
2295927	Sulfentrazone	11.0	Spike	P	0 - 33
2295927	Tebuconazole	33.1	Spike	P	0 - 43
2295927	Terbufos	7.40	Spike	P	0 - 22
2295927	Terbuthylazine	8.31	Spike	P	0 - 24
2295927	Thiobencarb	23.0	Spike	P	0 - 30
2295927	Triadimefon	3.90	Spike	P	0 - 30
LFB	Acetochlor	10.6	LCS	P	0 - 22
LFB	Alachlor	13.0	LCS	P	0 - 20
LFB	Ametryn	1.63	LCS	P	0 - 25
LFB	Atrazine	5.71	LCS	P	0 - 20
LFB	Atrazine Desethyl	2.93	LCS	P	0 - 33
LFB	Azinphos Methyl	5.96	LCS	P	0 - 51
LFB	Azoxystrobin	9.08	LCS	P	0 - 47
LFB	Bromacil	6.53	LCS	P	0 - 26
LFB	Butylate	0.407	LCS	P	0 - 35
LFB	Caffeine	5.31	LCS	P	0 - 27
LFB	Carbophenothion	6.68	LCS	P	0 - 22
LFB	Carfentrazone Ethyl	10.1	LCS	P	0 - 21
LFB	Chlorfenapyr	16.4	LCS	P	0 - 30
LFB	Chlorpyrifos Ethyl	10.6	LCS	P	0 - 23
LFB	Chlorpyrifos Methyl	6.94	LCS	P	0 - 24
LFB	Coumaphos	7.81	LCS	P	0 - 30
LFB	Cyanazine	9.37	LCS	P	0 - 37
LFB	Cyprodinil	14.8	LCS	P	0 - 30
LFB	Demeton	14.9	LCS	P	0 - 32
LFB	Diazinon	10.7	LCS	P	0 - 21
LFB	Difenoconazole	3.07	LCS	P	0 - 37
LFB	Dimethenamid	10.6	LCS	P	0 - 21
LFB	Dimethomorph	12.6	LCS	P	0 - 30
LFB	Disulfoton	3.20	LCS	P	0 - 31
LFB	Dithiopyr	9.69	LCS	P	0 - 21
LFB	EPTC	3.42	LCS	P	0 - 41
LFB	Ethion	9.17	LCS	P	0 - 45
LFB	Ethoprop	5.44	LCS	P	0 - 28
LFB	Etridiazole	8.19	LCS	P	0 - 30
LFB	Fenamiphos	16.4	LCS	P	0 - 28
LFB	Fenbuconazole	8.87	LCS	P	0 - 36
LFB	Fipronil	7.47	LCS	P	0 - 23
LFB	Fipronil Desulfanyl	5.71	LCS	P	0 - 22
LFB	Fipronil Sulfide	6.31	LCS	P	0 - 24
LFB	Fipronil Sulfone	12.4	LCS	P	0 - 24
LFB	Fluazifop-P-butyl	8.13	LCS	P	0 - 23
LFB	Fludioxonil	7.30	LCS	P	0 - 23
LFB	Flumioxazin	12.7	LCS	P	0 - 39

Quality Assurance Report Precision

Reference Method: EPA 8270E
Batch ID: P407641

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
LFB	Flutolanil	5.16	LCS	P	0 - 27
LFB	Fluxapyroxad	12.6	LCS	P	0 - 38
LFB	Fonofos	12.3	LCS	P	0 - 28
LFB	Hexazinone	14.0	LCS	P	0 - 27
LFB	Imazalil	21.0	LCS	P	0 - 45
LFB	Iprodione	1.37	LCS	P	0 - 42
LFB	Loratadine	17.8	LCS	P	0 - 30
LFB	Malathion	13.2	LCS	P	0 - 23
LFB	Metaxyl	2.87	LCS	P	0 - 41
LFB	Metolachlor	12.5	LCS	P	0 - 21
LFB	Metribuzin	9.38	LCS	P	0 - 31
LFB	Mevinphos	1.14	LCS	P	0 - 32
LFB	Molinate	6.43	LCS	P	0 - 31
LFB	Myclobutanil	7.03	LCS	P	0 - 27
LFB	Naled	8.96	LCS	P	0 - 32
LFB	Napropamide	15.0	LCS	P	0 - 30
LFB	Norflurazon	8.05	LCS	P	0 - 25
LFB	Oxadiazon	9.73	LCS	P	0 - 25
LFB	Oxyfluorfen	11.3	LCS	P	0 - 22
LFB	Parathion Ethyl	14.4	LCS	P	0 - 32
LFB	Parathion Methyl	4.38	LCS	P	0 - 30
LFB	Pendimethalin	18.2	LCS	P	0 - 39
LFB	Phenytoin	14.1	LCS	P	0 - 30
LFB	Phorate	13.7	LCS	P	0 - 36
LFB	Prodiamine	16.0	LCS	P	0 - 71
LFB	Prometon	5.22	LCS	P	0 - 23
LFB	Prometryn	12.6	LCS	P	0 - 22
LFB	Pronamide	7.94	LCS	P	0 - 21
LFB	Propanil	8.09	LCS	P	0 - 30
LFB	Propargite	8.70	LCS	P	0 - 30
LFB	Propiconazole	7.93	LCS	P	0 - 23
LFB	Pyraflufen Ethyl	10.8	LCS	P	0 - 30
LFB	Pyridaben	13.4	LCS	P	0 - 30
LFB	Pyriproxyfen	9.32	LCS	P	0 - 53
LFB	Simazine	9.35	LCS	P	0 - 22
LFB	Stirophos	16.6	LCS	P	0 - 30
LFB	Sulfentrazone	6.36	LCS	P	0 - 45
LFB	Tebuconazole	7.13	LCS	P	0 - 52
LFB	Terbufos	13.8	LCS	P	0 - 27
LFB	Terbutylazine	9.07	LCS	P	0 - 21
LFB	Thiobencarb	13.6	LCS	P	0 - 30
LFB	Triadimefon	12.0	LCS	P	0 - 30

Reference Method: EPA 8321B
Batch ID: P407617

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2295641	Acesulfame K	1.49	Spike	P	0 - 30
2295641	AMPA	2.83	Spike	P	0 - 30
2295641	Endothall	6.00	Spike	P	0 - 30

Quality Assurance Report

Precision

Reference Method: EPA 8321B
Batch ID: P407617

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2295641	Glufosinate	1.72	Spike	P	0 - 30
2295641	Glyphosate	0.769	Spike	P	0 - 30
2295641	Sucralose	3.20	Spike	P	0 - 30

Reference Method: EPA 8321B
Batch ID: P407620

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2295376	2,4-D	14.7	Spike	P	0 - 30
2295376	2,4,5-T	2.51	Spike	P	0 - 30
2295376	Acetaminophen	6.38	Spike	P	0 - 30
2295376	Acetamiprid	7.42	Spike	P	0 - 30
2295376	Afidopyropen	22.3	Spike	P	0 - 30
2295376	Bentazon	0.320	Spike	P	0 - 30
2295376	Benzovindiflupyr	6.69	Spike	P	0 - 30
2295376	Carbamazepine	3.07	Spike	P	0 - 30
2295376	Clothianidin	18.0	Spike	P	0 - 30
2295376	Dinotefuran	2.68	Spike	P	0 - 30
2295376	Diuron	13.0	Spike	P	0 - 30
2295376	Fenuron	5.21	Spike	P	0 - 30
2295376	Fluridone	0.622	Spike	P	0 - 30
2295376	Hydrocodone	7.01	Spike	P	0 - 30
2295376	Ibuprofen	20.0	Spike	P	0 - 30
2295376	Imazapyr	2.16	Spike	P	0 - 30
2295376	Imidacloprid	0.881	Spike	P	0 - 30
2295376	Linuron	18.2	Spike	P	0 - 30
2295376	Mandestrobin	1.61	Spike	P	0 - 30
2295376	MCP	6.48	Spike	P	0 - 30
2295376	Naproxen	15.6	Spike	P	0 - 30
2295376	Primidone	18.7	Spike	P	0 - 30
2295376	Pyraclostrobin	1.40	Spike	P	0 - 30
2295376	Thiamethoxam	9.84	Spike	P	0 - 30
2295376	Tolfenpyrad	18.1	Spike	P	0 - 30
2295376	Triclopyr	0.503	Spike	P	0 - 30

Reference Method: SM 2120 B-2011
Batch ID: P407773

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2296276	Color (true)	8.09	Sample	P	0 - 20

Reference Method: SM 2320 B-2011
Batch ID: P407987

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2296526	Total Alkalinity	3.63	Sample	P	0 - 5.2

Quality Assurance Report Precision

Reference Method: SM 2540 C-2011
Batch ID: P407914

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2295790	TDS	0.0	Sample	P	0 - 10

Reference Method: SM 4500 F-C-2011
Batch ID: P407994

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2296526	Fluoride	0.492	Spike	P	0 - 2.1

Reference Method: SM 5310 B-2011
Batch ID: P408216

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2296188	Organic Carbon	0.127	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Surrogates

Lab Sample ID: 2296174

Field Sample ID: G4NW0373

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	2,4-D-d3	94.6	P	30 - 160
EPA 8321B	Acetaminophen-d4	90.4	P	30 - 160
EPA 8321B	Carbamazepine-d10	97.8	P	30 - 160
EPA 8321B	Diuron-d6	90.6	P	30 - 160
EPA 8321B	Endothall-d6	70.3	P	30 - 160
EPA 8321B	Glyphosate 13C 15N	102	P	30 - 160
EPA 8321B	Ibuprofen-d3	72.4	P	30 - 160
EPA 8321B	Primidone-d5	99.5	P	30 - 160
EPA 8321B	Sucralose-d6	108	P	30 - 160

Lab Sample ID: 2296175

Field Sample ID: G4NW0536

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	2,4-D-d3	92.5	P	30 - 160
EPA 8321B	Acetaminophen-d4	83.5	P	30 - 160
EPA 8321B	Carbamazepine-d10	84.1	P	30 - 160
EPA 8321B	Diuron-d6	93.8	P	30 - 160
EPA 8321B	Endothall-d6	81.4	P	30 - 160
EPA 8321B	Glyphosate 13C 15N	109	P	30 - 160
EPA 8321B	Ibuprofen-d3	85.3	P	30 - 160
EPA 8321B	Primidone-d5	59.1	P	30 - 160
EPA 8321B	Sucralose-d6	108	P	30 - 160

Lab Sample ID: 2296178

Field Sample ID: G4NW0373

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8270E	Caffeine-d9	71.8	P	20 - 200
EPA 8270E	Simazine-d10	128	P	73 - 135
EPA 8270E	Terbufos-d10	103	P	58 - 130

Lab Sample ID: 2296179

Field Sample ID: G4NW0536

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8270E	Caffeine-d9	69.5	P	20 - 200
EPA 8270E	Simazine-d10	135	P	73 - 135
EPA 8270E	Terbufos-d10	116	P	58 - 130

Quality Assurance Report Calibration Verification

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A109508

Included Lab Sample IDs: 2296165, 2296166

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	105	105	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A109514

Included Lab Sample IDs: 2296167, 2296168

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	99.5	99.4	P/P	90 - 110

Reference Method: SM 2120 B-2011

Run ID: A109516

Included Lab Sample IDs: 2296163

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	101	103	P/P	85 - 115

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A109517

Included Lab Sample IDs: 2296163

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	99.5	99.5	P/P	95 - 105

Reference Method: EPA 8321B

Run ID: A109521

Included Lab Sample IDs: 2296174, 2296175

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
AMPA	128	130	P/P	60 - 160
Glufosinate	130	128	P/P	60 - 160
Glyphosate	114	121	P/P	60 - 160

Reference Method: EPA 8321B

Run ID: A109560

Included Lab Sample IDs: 2296174, 2296175

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Acesulfame K	101	88.9	P/P	60 - 160
Endothall	79.2	78.1	P/P	60 - 160
Sucralose	92.3	93.4	P/P	60 - 160

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A109573

Included Lab Sample IDs: 2296163

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	99.8	100	P/P	90 - 110
Sulfate	98.9	100	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 200.7 Rev. 4.4

Run ID: A109575

Included Lab Sample IDs: 2296176, 2296177

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Barium	101	98.1	P/P	90 - 110
Barium	98.1	98.4	P/P	90 - 110
Calcium	99.1	99.2	P/P	90 - 110
Calcium	99.2	98.8	P/P	90 - 110
Iron	102	103	P/P	90 - 110
Iron	103	101	P/P	90 - 110
Magnesium	101	101	P/P	90 - 110
Magnesium	101	101	P/P	90 - 110
Manganese	100	98.1	P/P	90 - 110
Manganese	98.1	98.2	P/P	90 - 110
Potassium	98.1	99.2	P/P	90 - 110
Potassium	99.2	99.1	P/P	90 - 110
Sodium	97.3	97.8	P/P	90 - 110
Sodium	97.8	97.5	P/P	90 - 110
Zinc	100	97.4	P/P	90 - 110
Zinc	97.4	98.5	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A109592

Included Lab Sample IDs: 2296165, 2296166

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	98.2	97.0	P/P	90 - 110

Reference Method: EPA 8270E

Run ID: A109616

Included Lab Sample IDs: 2296178, 2296179

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Acetochlor	102		P	80 - 120
Alachlor	99.9		P	80 - 120
Ametryn	99.7		P	80 - 120
Atrazine	95.8		P	80 - 120
Atrazine Desethyl	95.6		P	80 - 120
Azinphos Methyl	91.1		P	80 - 120
Azoxystrobin	100		P	80 - 120
Bromacil	94.4		P	80 - 120
Butylate	106		P	80 - 120
Caffeine	82.9		P	80 - 120
Carbophenothion	95.4		P	80 - 120
Carfentrazone Ethyl	99.4		P	80 - 120
Chlorfenapyr	110		P	80 - 120
Chlorpyrifos Ethyl	103		P	80 - 120
Chlorpyrifos Methyl	98.9		P	80 - 120
Coumaphos	98.5		P	80 - 120
Cyanazine	99.9		P	80 - 120
Cyprodinil	92.6		P	80 - 120
Demeton	93.0		P	80 - 120
Diazinon	101		P	80 - 120
Difenoconazole	96.9		P	80 - 120
Dimethenamid	103		P	80 - 120

Quality Assurance Report

Calibration Verification

Reference Method: EPA 8270E

Run ID: A109616

Included Lab Sample IDs: 2296178, 2296179

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Dimethomorph	97.5		P	80 - 120
Disulfoton	91.3		P	80 - 120
Dithiopyr	101		P	80 - 120
EPTC	103		P	80 - 120
Ethion	99.0		P	80 - 120
Ethoprop	101		P	80 - 120
Etridiazole	94.4		P	80 - 120
Fenamiphos	95.8		P	80 - 120
Fenbuconazole	101		P	80 - 120
Fipronil	98.5		P	80 - 120
Fipronil Desulfinyl	103		P	80 - 120
Fipronil Sulfide	105		P	80 - 120
Fipronil Sulfone	107		P	80 - 120
Fluazifop-P-butyl	102		P	80 - 120
Fludioxonil	98.5		P	80 - 120
Flumioxazin	96.4		P	80 - 120
Flutolanil	102		P	80 - 120
Fluxapyroxad	98.1		P	80 - 120
Fonofos	99.2		P	80 - 120
Hexazinone	109		P	80 - 120
Imazalil	96.2		P	80 - 120
Iprodione	95.8		P	80 - 120
Loratadine	104		P	80 - 120
Malathion	101		P	80 - 120
Metalaxyl	106		P	80 - 120
Metolachlor	101		P	80 - 120
Metribuzin	103		P	80 - 120
Mevinphos	89.7		P	80 - 120
Molinate	104		P	80 - 120
Myclobutanil	101		P	80 - 120
Naled	105		P	80 - 120
Napropamide	103		P	80 - 120
Norflurazon	99.8		P	80 - 120
Oxadiazon	102		P	80 - 120
Oxyfluorfen	94.1		P	80 - 120
Parathion Ethyl	96.3		P	80 - 120
Parathion Methyl	95.6		P	80 - 120
Pendimethalin	98.8		P	80 - 120
Phenytol	99.9		P	80 - 120
Phorate	108		P	80 - 120
Prodiamine	87.4		P	80 - 120
Prometon	101		P	80 - 120
Prometryn	95.5		P	80 - 120
Pronamide	92.6		P	80 - 120
Propanil	93.5		P	80 - 120
Propargite	92.0		P	80 - 120
Propiconazole	105		P	80 - 120
Pyraflufen Ethyl	107		P	80 - 120
Pyridaben	96.2		P	80 - 120
Pyriproxyfen	93.2		P	80 - 120
Simazine	112		P	80 - 120

Quality Assurance Report Calibration Verification

Reference Method: EPA 8270E

Run ID: A109616

Included Lab Sample IDs: 2296178, 2296179

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Stirophos	102		P	80 - 120
Sulfentrazone	97.0		P	80 - 120
Tebuconazole	96.4		P	80 - 120
Terbufos	103		P	80 - 120
Terbuthylazine	101		P	80 - 120
Thiobencarb	101		P	80 - 120
Triadimefon	99.2		P	80 - 120

Reference Method: EPA 200.8 Rev. 5.4

Run ID: A109624

Included Lab Sample IDs: 2296176, 2296177

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Aluminum	100	99.0	P/P	90 - 110
Antimony	99.5	99.7	P/P	90 - 110
Arsenic	98.1	98.4	P/P	90 - 110
Beryllium	94.2	96.2	P/P	90 - 110
Boron	99.6	97.9	P/P	90 - 110
Cadmium	99.8	99.5	P/P	90 - 110
Chromium	96.2	96.0	P/P	90 - 110
Copper	97.3	97.3	P/P	90 - 110
Lead	97.5	98.5	P/P	90 - 110
Nickel	97.1	97.4	P/P	90 - 110
Selenium	98.9	98.6	P/P	90 - 110
Silver	103	103	P/P	90 - 110
Thallium	102	109	P/P	90 - 110

Reference Method: SM 2320 B-2011

Run ID: A109633

Included Lab Sample IDs: 2296163

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	97.3	96.8	P/P	90 - 110

Reference Method: SM 4500 F-C-2011

Run ID: A109633

Included Lab Sample IDs: 2296163

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	101	102	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A109658

Included Lab Sample IDs: 2296165, 2296166

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	98.9	98.4	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 8321B

Run ID: A109663

Included Lab Sample IDs: 2296174, 2296175

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
2,4-D	92.2	112	P/P	50 - 150
2,4,5-T	118	87.0	P/P	50 - 150
Acetaminophen	95.9	90.6	P/P	60 - 160
Acetamiprid	104	105	P/P	50 - 150
Afidopyropen	81.6	103	P/P	50 - 150
Bentazon	136	113	P/P	50 - 160
Benzovindiflupyr	102	103	P/P	50 - 150
Carbamazepine	100	98.2	P/P	60 - 150
Clothianidin	102	99.6	P/P	60 - 150
Dinotefuran	99.2	102	P/P	50 - 150
Diuron	97.7	99.9	P/P	60 - 160
Fenuron	98.8	93.4	P/P	60 - 150
Fluridone	102	91.4	P/P	60 - 160
Hydrocodone	107	114	P/P	60 - 150
Ibuprofen	80.2	90.9	P/P	50 - 160
Imazapyr	143	113	P/P	50 - 150
Imidacloprid	97.6	94.3	P/P	60 - 150
Linuron	98.1	75.7	P/P	60 - 150
Mandestrobin	103	105	P/P	50 - 150
MCPP	107	91.3	P/P	50 - 150
Naproxen	78.2	128	P/P	50 - 160
Primidone	130	72.1	P/P	60 - 150
Pyraclostrobin	97.4	104	P/P	60 - 150
Thiamethoxam	91.9	99.6	P/P	50 - 150
Tolfenpyrad	91.9	86.2	P/P	60 - 150
Triclopyr	93.8	124	P/P	50 - 150

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A109713

Included Lab Sample IDs: 2296165, 2296166

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	91.9	97.2	P/P	90 - 110

Reference Method: SM 5310 B-2011

Run ID: A109725

Included Lab Sample IDs: 2296165, 2296166

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	96.0	95.7	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery		LCS	Precision SMP	MS
EPA 180.1 Rev. 2.0	Turbidity						0.922	
EPA 200.7 Rev. 4.4	Barium	101		101	101			0.0415
	Calcium	103		102	104			1.75
	Iron	106		106	109			2.17
	Magnesium	104		106	108			1.56
	Manganese	101		101	101			0.103
	Potassium	103		101	104			2.34
	Sodium	102		101	103			0.937
	Zinc	102		103	103			0.0689
EPA 200.8 Rev. 5.4	Aluminum	98.6		104	103			0.623
	Antimony	96.7		103	103			0.332
	Arsenic	96.5		102	101			0.501
	Beryllium	90.0		96.2	96.4			0.195
	Boron	96.9		102	101			1.05
	Cadmium	98.4		102	101			1.15
	Chromium	95.8		102	101			0.603
	Copper	96.0		103	101			1.45
	Lead	98.9		105	105			0.133
	Nickel	96.5		102	101			0.463
	Selenium	97.5		102	99.1			2.89
	Silver	103		106	105			0.743
	Thallium	89.9		97.4	101			4.07
EPA 300.0 Rev. 2.1	Chloride	98.4		96.9	98.8		0.389	
	Sulfate	96.7		96.7	97.5		0.364	
EPA 350.1 Rev. 2.0	Ammonia-N	98.8		96.0	97.2			1.06
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	109		116	114			0.992
EPA 353.2 Rev. 2.0	NO2NO3-N	105		104	103			0.329
EPA 365.1 Rev. 2.0	Total-P	107						0.586
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	98.8		100	98.6			0.716
EPA 8270E	Acetochlor	108	121	108	117	10.6		7.56
	Alachlor	112	98.0	103	102	13.0		1.16
	Ametryn	109	110	118	110	1.63		7.29
	Atrazine	111	105	121	131	5.71		7.19
	Atrazine Desethyl	106	103	96.1	99.2	2.93		3.22
	Azinphos Methyl	139	131	119	127	5.96		6.18
	Azoxystrobin	109	99.2	122	122	9.08		0.0597
	Bromacil	95.8	102	82.1	99.3	6.53		15.5
	Butylate	53.5	53.3	50.3	57.7	0.407		13.7
	Caffeine	72.1	76.0	89.9	101	5.31		11.4
	Carbophenothion	98.9	92.5	95.8	98.9	6.68		3.13
	Carfentrazone Ethyl	127	115	111	121	10.1		9.19
	Chlorfenapyr	98.7	83.8	90.7	103	16.4		12.9
	Chlorpyrifos Ethyl	87.1	78.3	79.2	103	10.6		26.2
	Chlorpyrifos Methyl	99.7	93.0	95.2	99.4	6.94		4.22
	Coumaphos	105	96.8	90.2	94.3	7.81		4.46
	Cyanazine	120	110	122	102	9.37		18.1
	Cyprodinil	124	107	118	135	14.8		13.7
	Demeton	106	91.7	111	116	14.9		4.89
	Diazinon	121	109	126	126	10.7		0.460
	Difenoconazole	146	141	132	158	3.07		18.0
	Dimethenamid	98.8	88.9	86.9	94.8	10.6		8.69
	Dimethomorph	118	104	172	137	12.6		22.5
	Disulfoton	108	105	100	111	3.20		10.3
	Dithiopyr	110	99.4	96.3	108	9.69		11.1

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery		Precision	
						LCS	MS
						SMP	
EPA 8270E	EPTC	57.7	55.8	58.2	62.4	3.42	6.88
	Ethion	93.2	85.0	68.1	86.0	9.17	23.3
	Ethoprop	97.5	92.3	110	103	5.44	6.60
	Etridiazole	67.5	62.2	70.8	78.9	8.19	10.8
	Fenamiphos	92.3	78.3	87.6	89.5	16.4	2.12
	Fenbuconazole	116	106	101	112	8.87	10.6
	Fipronil	123	114	108	126	7.47	14.8
	Fipronil Desulfinyl	126	119	104	116	5.71	10.2
	Fipronil Sulfide	96.5	90.6	90.6	95.7	6.31	5.42
	Fipronil Sulfone	91.5	80.8	79.0	84.5	12.4	6.75
	Fluazifop-P-butyl	118	108	106	112	8.13	5.54
	Fludioxonil	115	107	104	115	7.30	9.88
	Flumioxazin	153	173	153	182	12.7	17.3
	Flutolanil	105	99.9	95.8	113	5.16	16.4
	Fluxapyroxad	106	93.9	85.0	100	12.6	16.2
	Fonofos	96.5	85.3	96.7	97.4	12.3	0.696
	Hexazinone	111	96.7	106	115	14.0	5.54
	Imazalil	109	88.3	106	105	21.0	0.891
	Iprodione	103	102	94.7	112	1.37	16.5
	Loratadine	110	92.3	150	120	17.8	22.4
	Malathion	85.4	74.8	80.1	89.6	13.2	11.2
	Metalaxyl	102	99.6	94.8	105	2.87	10.4
	Metolachlor	104	91.7	84.6	107	12.5	23.6
	Metribuzin	107	97.5	110	113	9.38	2.59
	Mevinphos	83.2	84.1	87.4	96.9	1.14	10.3
	Molinate	72.5	68.0	79.2	80.0	6.43	1.02
	Myclobutanil	107	99.5	99.8	109	7.03	8.91
	Naled	99.5	91.0	87.4	108	8.96	21.3
	Napropamide	111	95.6	97.5	113	15.0	14.7
	Norflurazon	118	109	89.3	107	8.05	18.2
	Oxadiazon	93.7	85.0	90.2	92.3	9.73	2.34
	Oxyfluorfen	134	120	124	138	11.3	11.0
	Parathion Ethyl	108	93.4	105	109	14.4	3.06
	Parathion Methyl	124	129	124	130	4.38	4.61
	Pendimethalin	126	105	125	124	18.2	0.456
	Phenytol	61.4	53.3	45.0	59.7	14.1	28.0
	Phorate	85.1	74.2	89.5	96.0	13.7	7.03
	Prodiamine	44.8	38.1	46.8	59.6	16.0	24.1
	Prometon	103	97.6	90.8	106	5.22	15.2
	Prometryn	111	97.7	98.7	111	12.6	11.8
	Pronamide	114	105	101	113	7.94	11.1
	Propanil	138	150	105	115	8.09	8.98
	Propargite	102	93.2	81.5	106	8.70	26.0
	Propiconazole	109	101	89.1	111	7.93	22.0
	Pyraflufen Ethyl	114	102	99.8	109	10.8	8.90
	Pyridaben	109	95.2	97.7	100	13.4	2.22
	Pyriproxyfen	122	111	114	114	9.32	0.0630
	Simazine	106	96.1	110	117	9.35	6.30
	Stirophos	64.7	54.8	70.1	80.2	16.6	13.5
	Sulfentrazone	113	106	97.5	109	6.36	11.0
	Tebuconazole	82.5	76.8	58.9	82.2	7.13	33.1
	Terbufos	110	95.4	116	125	13.8	7.40
	Terbuthylazine	102	93.2	95.5	104	9.07	8.31
	Thiobencarb	107	93.5	84.3	106	13.6	23.0

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery		LCS	Precision	MS
							SMP	
EPA 8270E	Triadimefon	109	96.5	103	107	12.0		3.90
EPA 8321B	2,4-D	105		95.6	82.5			14.7
	2,4,5-T	123		99.6	102			2.51
	Acesulfame K	61.8		106	104			1.49
	Acetaminophen	87.7		87.2	92.9			6.38
	Acetamiprid	88.4		84.3	90.8			7.42
	Afidopyropen	77.0		85.9	68.7			22.3
	AMPA	127		131	135			2.83
	Bentazon	124		94.3	94.0			0.320
	Benzovindiflupyr	83.0		83.1	77.8			6.69
	Carbamazepine	97.5		89.3	86.6			3.07
	Clothianidin	110		93.2	112			18.0
	Dinotefuran	83.4		86.7	89.1			2.68
	Diuron	79.9		86.6	76.1			13.0
	Endothall	77.6		97.3	103			6.00
	Fenuron	93.9		82.4	78.2			5.21
	Fluridone	91.9		87.4	87.9			0.622
	Glufosinate	119		128	126			1.72
	Glyphosate	116		126	127			0.769
	Hydrocodone	104		101	94.2			7.01
	Ibuprofen	110		84.0	68.7			20.0
	Imazapyr	103		108	106			2.16
	Imidacloprid	100		112	111			0.881
	Linuron	77.5		79.1	65.9			18.2
	Mandestrobin	89.4		86.6	85.2			1.61
	MCPP	101		101	94.8			6.48
	Naproxen	56.8		71.3	83.4			15.6
	Primidone	141		163	135			18.7
	Pyraclostrobin	70.5		80.6	81.7			1.40
	Sucralose	104		105	102			3.20
	Thiamethoxam	96.5		105	95.2			9.84
	Tolfenpyrad	33.0		57.9	48.3			18.1
	Triclopyr	106		99.7	99.2			0.503
SM 2120 B-2011	Color (true)	103					8.09	
SM 2320 B-2011	Total Alkalinity	99.9					3.63	
SM 2540 C-2011	TDS						0.0	
SM 4500 F-C-2011	Fluoride	99.8		98.6	99.2			0.492
SM 5310 B-2011	Organic Carbon	94.1		95.2	95.1			0.127

Reference Method Descriptions

Method	Description	Associated Samples
EPA 180.1 Rev. 2.0	Turbidity in aqueous matrices	2296163
EPA 200.7 Rev. 4.4	Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects	2296176, 2296177
EPA 200.8 Rev. 5.4	Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects	2296176, 2296177
EPA 300.0 Rev. 2.1	Chloride in aqueous matrices	2296163
EPA 300.0 Rev. 2.1	Sulfate in aqueous matrices	2296163
EPA 350.1 Rev. 2.0	Ammonia in aqueous matrices as mg N/L	2296165, 2296166
EPA 351.2 Rev. 2.0	Total Kjeldahl Nitrogen in aqueous matrices	2296165, 2296166
EPA 353.2 Rev. 2.0	Nitrite/Nitrate in aqueous matrices as mg N/L	2296165, 2296166
EPA 365.1 Rev. 2.0	Total Phosphorus in aqueous matrices as mg P/L	2296165, 2296166

Reference Method Descriptions

Method	Description	<u>Associated Samples</u>
EPA 365.1 Rev. 2.0 dissolved	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2296167, 2296168
EPA 8270E	Organonitrogen and phosphorus pesticides in water matrices by GC/MS/MS	2296178, 2296179
EPA 8321B	Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS	2296174, 2296175
SM 2120 B-2011	True Color measured at 450 nm (not valid for NPDES monitoring)	2296163
SM 2320 B-2011	Alkalinity in aqueous matrices as mg CaCO ₃ /L	2296163
SM 2340B	Hardness by calculation, in aqueous matrices, reported as mg/L CaCO ₃	2296176, 2296177
SM 2540 C-2011	Total Dissolved Solids in aqueous matrices	2296163
SM 2540 D-2011	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2296163
SM 4500 F-C-2011	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2296163
SM 5310 B-2011	Nonpurgeable Organic Carbon in aqueous matrices	2296165, 2296166

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	12/20/2021			12/21/2021 16:02	Khloe J Berg	2296163
EPA 200.7 Rev. 4.4	12/20/2021	12/21/2021 11:00	Vijayalakshmi Reddy	12/27/2021 21:09	Josef B Mick	2296176
	12/20/2021	12/21/2021 11:00	Vijayalakshmi Reddy	12/27/2021 21:47	Josef B Mick	2296177
EPA 200.8 Rev. 5.4	12/20/2021	12/21/2021 11:00	Vijayalakshmi Reddy	12/29/2021 20:13	McKinley C Carter	2296176
	12/20/2021	12/21/2021 11:00	Vijayalakshmi Reddy	12/29/2021 20:32	McKinley C Carter	2296177
EPA 300.0 Rev. 2.1	12/20/2021			12/22/2021 13:49	Roberta Tatti	2296163
EPA 350.1 Rev. 2.0	12/20/2021			01/04/2022 12:46	Ping Hua	2296165
	12/20/2021			01/04/2022 12:47	Ping Hua	2296166
EPA 351.2 Rev. 2.0	12/20/2021	01/05/2022 09:59	Samantha L Bates	01/06/2022 17:00	Alexandra J Mattheus	2296165
	12/20/2021	01/05/2022 09:59	Samantha L Bates	01/06/2022 17:02	Alexandra J Mattheus	2296166
EPA 353.2 Rev. 2.0	12/20/2021			12/21/2021 11:30	Beverly Y. Sanders	2296165
	12/20/2021			12/21/2021 11:40	Beverly Y. Sanders	2296166
EPA 365.1 Rev. 2.0	12/20/2021	12/27/2021 15:00	Simonne.V. Calhoun	12/28/2021 15:44	Shengyu Ding	2296165
	12/20/2021	12/27/2021 15:00	Simonne.V. Calhoun	12/28/2021 15:45	Shengyu Ding	2296166
EPA 365.1 Rev. 2.0 dissolved	12/20/2021			12/21/2021 14:36	James L Waggeberby	2296167
	12/20/2021			12/21/2021 14:37	James L Waggeberby	2296168
EPA 8270E	12/20/2021	12/20/2021 11:00	Rasheda Ghaffari	12/24/2021 03:57	Michael Poppell	2296178
	12/20/2021	12/20/2021 11:00	Rasheda Ghaffari	12/24/2021 04:22	Michael Poppell	2296179
EPA 8321B	12/20/2021	12/21/2021 09:00	Hoor Shaik	12/24/2021 04:48	Juyoung Kim	2296174
	12/20/2021	12/21/2021 09:00	Hoor Shaik	12/24/2021 05:23	Juyoung Kim	2296175
	12/20/2021	12/21/2021 11:00	Juyoung Kim	12/21/2021 14:35	Juyoung Kim	2296174
	12/20/2021	12/21/2021 11:00	Juyoung Kim	12/21/2021 14:46	Juyoung Kim	2296175
	12/20/2021	12/21/2021 11:00	Juyoung Kim	12/21/2021 17:39	Manjita Shrestha	2296174
	12/20/2021	12/21/2021 11:00	Juyoung Kim	12/21/2021 17:53	Manjita Shrestha	2296175
SM 2120 B-2011	12/20/2021			12/21/2021 16:24	Samantha L Bates	2296163
SM 2320 B-2011	12/20/2021			12/28/2021 18:06	Dale L. Simmons	2296163
SM 2340B	12/20/2021			12/27/2021 21:09	Josef B Mick	2296176
	12/20/2021			12/27/2021 21:47	Josef B Mick	2296177
SM 2540 C-2011	12/20/2021			12/21/2021 16:06	Yijie Li	2296163
SM 2540 D-2011	12/20/2021			12/21/2021 16:06	Yijie Li	2296163
SM 4500 F-C-2011	12/20/2021			12/28/2021 18:06	Dale L. Simmons	2296163
SM 5310 B-2011	12/20/2021			01/05/2022 07:14	Touraj Touran	2296165
	12/20/2021			01/05/2022 07:25	Touraj Touran	2296166