

Chemical Analysis Report

NW-DIST-2021-09-24-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780


Event Description: **Holmes Run**
Request ID: **RQ-2021-09-20-21**
Customer: **NW-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
160 Government Center
Suite 208
Pensacola, FL 32502-5794
Attn: Myranda K. Butler

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Dr. rer. nat. Bettina Steinbock, Environmental Administrator

Date Certified: 19-OCT-2021 13:08



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Metals and Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Bay Branch Upstream of Hwy 331

Collection Date/Time: 09/23/2021 11:15

Field ID: G3NW0171

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2278180	EPA 180.1 Rev. 2.0	Turbidity	4.7		NTU	P404190	
	EPA 300.0 Rev. 2.1	Chloride	3.5		mg Cl/L	P404318	
		Sulfate	0.96		mg SO4/L	P404320	
	SM 2120 B-2011	Color (true)	130		PCU	P404180	
	SM 2320 B-2011	Total Alkalinity	8.4		mg CaCO3/L	P404566	
	SM 2540 C-2011	TDS	46		mg/L	P404622	
	SM 2540 D-2011	TSS	4	I	mg/L	P404558	
	SM 4500 F-C-2011	Fluoride	0.035	U	mg F/L	P404570	
2278181	EPA 350.1 Rev. 2.0	Ammonia-N	0.011		mg N/L	P404411	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.36		mg N/L	P404219	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.007	I	mg N/L	P404266	
	EPA 365.1 Rev. 2.0	Total-P	0.013		mg P/L	P404298	
	SM 5310 B-2011	Organic Carbon	10		mg C/L	P404343	
2278182	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P404182	
2278188	EPA 200.7 Rev. 4.4	Calcium	4.18		mg/L	P404252	
		Iron	1.23E+03		ug/L	P404252	
		Magnesium	0.89		mg/L	P404252	
		Manganese	13.1		ug/L	P404252	
		Potassium	0.34	I	mg/L	P404252	
		Sodium	2.2		mg/L	P404252	
	EPA 200.8 Rev. 5.4	Zinc	5.8	I	ug/L	P404252	
		Aluminum	269		ug/L	P404252	
		Antimony	0.059	I	ug/L	P404252	
		Arsenic	0.59		ug/L	P404252	
		Barium	12.4		ug/L	P404252	
		Beryllium	0.023	I	ug/L	P404252	
		Boron**	10.3		ug/L	P404252	
		Cadmium	0.020	U	ug/L	P404252	
		Chromium	0.44	I	ug/L	P404252	
		Copper	0.40	U	ug/L	P404252	
		Lead	0.34	I	ug/L	P404252	
		Nickel	0.50	U	ug/L	P404252	
		Selenium	0.20	U	ug/L	P404252	
		Silver	0.010	U	ug/L	P404252	
		Thallium	0.10	U	ug/L	P404252	
	SM 2340B	Hardness	14.1		mg/L	P404252	

Ref. Method and Comment:

SM 2540 D-2011: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: Sikes Creek Upstream of Harris Stevenson Rd. Collection Date/Time: 09/23/2021 12:10

Field ID: G3NW0450

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2278189	EPA 200.7 Rev. 4.4	Calcium	6.22		mg/L	P404252	
		Iron	1.28E+03		ug/L	P404252	
		Magnesium	0.81		mg/L	P404252	
		Manganese	35.9		ug/L	P404252	
		Potassium	0.69	I	mg/L	P404252	
		Sodium	1.4	I	mg/L	P404252	
	EPA 200.8 Rev. 5.4	Zinc	19	I	ug/L	P404252	
		Aluminum	273		ug/L	P404252	
		Antimony	0.053	I	ug/L	P404252	
		Arsenic	0.49		ug/L	P404252	
		Barium	12.7		ug/L	P404252	
		Beryllium	0.033	I	ug/L	P404252	
		Boron**	10.7		ug/L	P404252	
		Cadmium	0.020	U	ug/L	P404252	
		Chromium	0.53	I	ug/L	P404252	
		Copper	0.40	U	ug/L	P404252	
		Lead	0.64		ug/L	P404252	
		Nickel	0.50	U	ug/L	P404252	
		Selenium	0.20	U	ug/L	P404252	
		Silver	0.010	U	ug/L	P404252	
		Thallium	0.10	U	ug/L	P404252	
	SM 2340B	Hardness	18.9		mg/L	P404252	

Ref. Method and Comment:

EPA 200.8 Rev. 5.4: The lead result was confirmed in the undigested sample on 09/30/2021.

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P404190

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P404252

Component	Result	Code	Units
Calcium	0.075	U	mg/L
Iron	30	U	ug/L
Magnesium	0.040	U	mg/L
Manganese	1.0	U	ug/L
Potassium	0.30	U	mg/L
Sodium	0.50	U	mg/L
Zinc	5.0	U	ug/L

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P404252

Component	Result	Code	Units
Aluminum	5.0	U	ug/L
Antimony	0.050	U	ug/L
Arsenic	0.050	U	ug/L
Barium	0.20	U	ug/L
Beryllium	0.010	U	ug/L
Boron	2.0	U	ug/L
Cadmium	0.020	U	ug/L
Chromium	0.40	U	ug/L
Copper	0.40	U	ug/L
Lead	0.20	U	ug/L
Nickel	0.50	U	ug/L
Selenium	0.20	U	ug/L
Silver	0.010	U	ug/L
Thallium	0.10	U	ug/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P404318

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P404320

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P404411

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P404219

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P404266

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P404298

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P404182

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B-2011
Batch ID: P404180

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-2011
Batch ID: P404566

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2540 C-2011
Batch ID: P404622

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-2011
Batch ID: P404558

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-2011
Batch ID: P404570

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Quality Assurance Report

Method Blank Results

Reference Method: SM 5310 B-2011
Batch ID: P404343

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P404252

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Calcium	104		P	85 - 115
Iron	106		P	85 - 115
Magnesium	106		P	85 - 115
Manganese	101		P	85 - 115
Potassium	99.7		P	85 - 115
Sodium	104		P	85 - 115
Zinc	99.6		P	85 - 115

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P404252

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Aluminum	102		P	80 - 120
Antimony	106		P	80 - 120
Arsenic	104		P	85 - 115
Barium	104		P	80 - 120
Beryllium	101		P	80 - 120
Boron	101		P	80 - 120
Cadmium	103		P	85 - 115
Chromium	97.9		P	80 - 120
Copper	98.8		P	80 - 120
Lead	105		P	80 - 120
Nickel	98.9		P	80 - 120
Selenium	103		P	80 - 120
Silver	105		P	80 - 120
Thallium	102		P	80 - 120

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P404318

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	101		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P404320

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	101		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P404411

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	96.4		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P404219

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	95.2		P	90 - 110

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P404266

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	103		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P404298

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	107		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P404182

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	101		P	90 - 110

Reference Method: SM 2120 B-2011
Batch ID: P404180

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	99.4		P	85 - 115

Reference Method: SM 2320 B-2011
Batch ID: P404566

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	98.2		P	94 - 106

Reference Method: SM 4500 F-C-2011
Batch ID: P404570

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	101		P	93 - 104

Reference Method: SM 5310 B-2011
Batch ID: P404343

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	106		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 200.7 Rev. 4.4

Batch ID: P404252

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2277452	Calcium	106		P	80 - 120
2277452	Iron	110		P	80 - 120
2277452	Magnesium	110		P	80 - 120
2277452	Manganese	102		P	80 - 120
2277452	Potassium	107		P	80 - 120
2277452	Sodium	104		P	80 - 120
2277452	Zinc	103		P	80 - 120
2278063	Calcium	107	108	P/P	80 - 120
2278063	Iron	108	108	P/P	80 - 120
2278063	Magnesium	109	108	P/P	80 - 120
2278063	Manganese	101	104	P/P	80 - 120
2278063	Potassium	108	108	P/P	80 - 120
2278063	Sodium	104	106	P/P	80 - 120
2278063	Zinc	100	104	P/P	80 - 120

Reference Method: EPA 200.8 Rev. 5.4

Batch ID: P404252

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2277452	Aluminum	106		P	80 - 120
2277452	Antimony	106		P	80 - 120
2277452	Arsenic	96.5		P	80 - 120
2277452	Barium	105		P	80 - 120
2277452	Beryllium	97.9		P	80 - 120
2277452	Boron	106		P	80 - 120
2277452	Cadmium	98.0		P	80 - 120
2277452	Chromium	100		P	80 - 120
2277452	Copper	102		P	80 - 120
2277452	Lead	107		P	80 - 120
2277452	Nickel	98.9		P	80 - 120
2277452	Selenium	103		P	80 - 120
2277452	Silver	105		P	80 - 120
2277452	Thallium	103		P	80 - 120
2278063	Aluminum	103	99.0	P/P	80 - 120
2278063	Antimony	108	103	P/P	80 - 120
2278063	Arsenic	100	96.0	P/P	80 - 120
2278063	Barium	107	101	P/P	80 - 120
2278063	Beryllium	98.5	95.9	P/P	80 - 120
2278063	Boron	103	96.8	P/P	80 - 120
2278063	Cadmium	98.6	94.5	P/P	80 - 120
2278063	Chromium	99.7	96.8	P/P	80 - 120
2278063	Copper	91.8	88.8	P/P	80 - 120
2278063	Lead	101	95.9	P/P	80 - 120
2278063	Nickel	99.2	95.4	P/P	80 - 120
2278063	Selenium	104	101	P/P	80 - 120
2278063	Silver	106	101	P/P	80 - 120
2278063	Thallium	104	99.6	P/P	80 - 120

Reference Method: EPA 300.0 Rev. 2.1

Batch ID: P404318

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
---------------	-----------	---------	---------	-----------	----------------

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P404318

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2278044	Chloride	101	102	P/P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P404320

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2278044	Sulfate	103	103	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P404411

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2278057	Ammonia-N	96.4	97.4	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P404219

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2278228	Kjeldahl Nitrogen	92.4	94.3	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P404266

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2278118	NO2NO3-N	101	102	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P404298

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2277912	Total-P	107	106	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P404182

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2278182	O-Phosphate-P	98.9	101	P/P	90 - 110

Reference Method: SM 4500 F-C-2011
Batch ID: P404570

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2278044	Fluoride	98.2	98.2	P/P	92 - 107

Reference Method: SM 5310 B-2011
Batch ID: P404343

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2277929	Organic Carbon	107	107	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0

Batch ID: P404190

Replicated

Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2278044	Turbidity	2.63	Sample	P	0 - 20

Reference Method: EPA 200.7 Rev. 4.4

Batch ID: P404252

Replicated

Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2278063	Calcium	0.393	Spike	P	0 - 20
2278063	Iron	0.261	Spike	P	0 - 20
2278063	Magnesium	0.700	Spike	P	0 - 20
2278063	Manganese	2.51	Spike	P	0 - 20
2278063	Potassium	0.492	Spike	P	0 - 20
2278063	Sodium	1.92	Spike	P	0 - 20
2278063	Zinc	3.85	Spike	P	0 - 20

Reference Method: EPA 200.8 Rev. 5.4

Batch ID: P404252

Replicated

Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2278063	Aluminum	3.90	Spike	P	0 - 20
2278063	Antimony	4.50	Spike	P	0 - 20
2278063	Arsenic	4.28	Spike	P	0 - 20
2278063	Barium	5.17	Spike	P	0 - 20
2278063	Beryllium	2.62	Spike	P	0 - 20
2278063	Boron	5.33	Spike	P	0 - 20
2278063	Cadmium	4.30	Spike	P	0 - 20
2278063	Chromium	2.93	Spike	P	0 - 20
2278063	Copper	3.11	Spike	P	0 - 20
2278063	Lead	5.34	Spike	P	0 - 20
2278063	Nickel	3.92	Spike	P	0 - 20
2278063	Selenium	2.51	Spike	P	0 - 20
2278063	Silver	4.52	Spike	P	0 - 20
2278063	Thallium	4.69	Spike	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1

Batch ID: P404318

Replicated

Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2278044	Chloride	1.06	Spike	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1

Batch ID: P404320

Replicated

Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2278044	Sulfate	0.166	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P404411

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2278057	Ammonia-N	0.784	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P404219

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2278228	Kjeldahl Nitrogen	1.73	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P404266

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2278118	NO2NO3-N	0.315	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P404298

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2277912	Total-P	0.831	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P404182

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2278182	O-Phosphate-P	1.80	Spike	P	0 - 20

Reference Method: SM 2120 B-2011
Batch ID: P404180

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2278227	Color (true)	0.804	Sample	P	0 - 20

Reference Method: SM 2320 B-2011
Batch ID: P404566

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2278044	Total Alkalinity	1.83	Sample	P	0 - 5.2

Reference Method: SM 2540 C-2011
Batch ID: P404622

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2278175	TDS	6.39	Sample	P	0 - 10

Quality Assurance Report Precision

Reference Method: SM 4500 F-C-2011
Batch ID: P404570

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2278044	Fluoride	0.0	Spike	P	0 - 2.1

Reference Method: SM 5310 B-2011
Batch ID: P404343

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2277929	Organic Carbon	0.301	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Calibration Verification

Reference Method: SM 2120 B-2011

Run ID: A107985

Included Lab Sample IDs: 2278180

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	99.7	98.7	P/P	90 - 115

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A107986

Included Lab Sample IDs: 2278182

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	98.9	98.6	P/P	90 - 110

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A107987

Included Lab Sample IDs: 2278180

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	99.0	100	P/P	95 - 105

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A108024

Included Lab Sample IDs: 2278180

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	101	99.5	P/P	90 - 110
Sulfate	101	99.9	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A108029

Included Lab Sample IDs: 2278181

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	103	103	P/P	90 - 110

Reference Method: EPA 200.8 Rev. 5.4

Run ID: A108048

Included Lab Sample IDs: 2278188, 2278189

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Aluminum	102	102	P/P	90 - 110
Antimony	108	107	P/P	90 - 110
Barium	102	101	P/P	90 - 110
Beryllium	99.2	96.7	P/P	90 - 110
Boron	102	104	P/P	90 - 110
Chromium	98.7	98.2	P/P	90 - 110
Copper	98.3	96.8	P/P	90 - 110
Lead	102	102	P/P	90 - 110
Nickel	97.9	96.4	P/P	90 - 110
Selenium	102	101	P/P	90 - 110
Silver	104	104	P/P	90 - 110
Thallium	104	104	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A108054

Included Lab Sample IDs: 2278181

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	96.6	103	P/P	90 - 110

Reference Method: SM 5310 B-2011

Run ID: A108055

Included Lab Sample IDs: 2278181

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	106	105	P/P	90 - 110

Reference Method: EPA 200.7 Rev. 4.4

Run ID: A108062

Included Lab Sample IDs: 2278188, 2278189

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Calcium	101	101	P/P	90 - 110
Iron	102	101	P/P	90 - 110
Magnesium	101	100	P/P	90 - 110
Manganese	103	102	P/P	90 - 110
Potassium	99.5	99.0	P/P	90 - 110
Sodium	101	100	P/P	90 - 110
Zinc	102	98.9	P/P	90 - 110

Reference Method: EPA 200.8 Rev. 5.4

Run ID: A108068

Included Lab Sample IDs: 2278188, 2278189

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Arsenic	103	98.1	P/P	90 - 110
Cadmium	102	98.5	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A108078

Included Lab Sample IDs: 2278181

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	97.3	96.4	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A108110

Included Lab Sample IDs: 2278181

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	99.0	98.8	P/P	90 - 110

Reference Method: SM 2320 B-2011

Run ID: A108145

Included Lab Sample IDs: 2278180

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	97.9	96.1	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: SM 4500 F-C-2011

Run ID: A108145

Included Lab Sample IDs: 2278180

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	102	102	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery			Precision SMP	MS
			LCS				
EPA 180.1 Rev. 2.0	Turbidity					2.63	
EPA 200.7 Rev. 4.4	Calcium	104	106	107	108		0.393
	Iron	106	110	108	108		0.261
	Magnesium	106	110	109	108		0.700
	Manganese	101	102	101	104		2.51
	Potassium	99.7	107	108	108		0.492
	Sodium	104	104	104	106		1.92
	Zinc	99.6	103	100	104		3.85
EPA 200.8 Rev. 5.4	Aluminum	102	103	99.0	106		3.90
	Antimony	106	108	103	106		4.50
	Arsenic	104	100	96.0	96.5		4.28
	Barium	104	107	101	105		5.17
	Beryllium	101	98.5	95.9	97.9		2.62
	Boron	101	103	96.8	106		5.33
	Cadmium	103	98.6	94.5	98.0		4.30
	Chromium	97.9	100	99.7	96.8		2.93
	Copper	98.8	91.8	88.8	102		3.11
	Lead	105	101	95.9	107		5.34
	Nickel	98.9	99.2	95.4	98.9		3.92
	Selenium	103	104	101	103		2.51
	Silver	105	106	101	105		4.52
	Thallium	102	104	99.6	103		4.69
EPA 300.0 Rev. 2.1	Chloride	101	101	102			1.06
	Sulfate	101	103	103			0.166
EPA 350.1 Rev. 2.0	Ammonia-N	96.4	96.4	97.4			0.784
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	95.2	92.4	94.3			1.73
EPA 353.2 Rev. 2.0	NO ₂ NO ₃ -N	103	101	102			0.315
EPA 365.1 Rev. 2.0	Total-P	107	107	106			0.831
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	101	98.9	101			1.80
SM 2120 B-2011	Color (true)	99.4				0.804	
SM 2320 B-2011	Total Alkalinity	98.2				1.83	
SM 2540 C-2011	TDS					6.39	
SM 4500 F-C-2011	Fluoride	101	98.2	98.2			0.0
SM 5310 B-2011	Organic Carbon	106	107	107			0.301

Reference Method Descriptions

Method	Description	Associated Samples
EPA 180.1 Rev. 2.0	Turbidity in aqueous matrices	2278180
EPA 200.7 Rev. 4.4	Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects	2278188, 2278189
EPA 200.8 Rev. 5.4	Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects	2278188, 2278189
EPA 300.0 Rev. 2.1	Chloride in aqueous matrices	2278180
EPA 300.0 Rev. 2.1	Sulfate in aqueous matrices	2278180
EPA 350.1 Rev. 2.0	Ammonia in aqueous matrices as mg N/L	2278181
EPA 351.2 Rev. 2.0	Total Kjeldahl Nitrogen in aqueous matrices	2278181
EPA 353.2 Rev. 2.0	Nitrite/Nitrate in aqueous matrices as mg N/L	2278181
EPA 365.1 Rev. 2.0	Total Phosphorus in aqueous matrices as mg P/L	2278181
EPA 365.1 Rev. 2.0 dissolved	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2278182
SM 2120 B-2011	True Color measured at 450 nm (not valid for NPDES monitoring)	2278180
SM 2320 B-2011	Alkalinity in aqueous matrices as mg CaCO ₃ /L	2278180

Reference Method Descriptions

Method	Description	<u>Associated Samples</u>
SM 2340B	Hardness by calculation, in aqueous matrices, reported as mg/L CaCO ₃	2278188, 2278189
SM 2540 C-2011	Total Dissolved Solids in aqueous matrices	2278180
SM 2540 D-2011	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2278180
SM 4500 F-C-2011	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2278180
SM 5310 B-2011	Nonpurgeable Organic Carbon in aqueous matrices	2278181

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	09/24/2021			09/24/2021 14:51	Khloe J Berg	2278180
EPA 200.7 Rev. 4.4	09/24/2021	09/28/2021 10:40	Emily M Philpot	09/29/2021 19:24	Josef B Mick	2278188
	09/24/2021	09/28/2021 10:40	Emily M Philpot	09/29/2021 19:32	Josef B Mick	2278189
EPA 200.8 Rev. 5.4	09/24/2021	09/28/2021 10:40	Emily M Philpot	09/28/2021 19:30	McKinley C Carter	2278188
	09/24/2021	09/28/2021 10:40	Emily M Philpot	09/28/2021 19:39	McKinley C Carter	2278189
	09/24/2021	09/28/2021 10:40	Emily M Philpot	09/29/2021 19:27	McKinley C Carter	2278188
	09/24/2021	09/28/2021 10:40	Emily M Philpot	09/29/2021 19:34	McKinley C Carter	2278189
EPA 300.0 Rev. 2.1	09/24/2021			09/28/2021 21:08	Roberta Tatti	2278180
EPA 350.1 Rev. 2.0	09/24/2021			09/30/2021 14:30	Ping Hua	2278181
EPA 351.2 Rev. 2.0	09/24/2021	09/27/2021 11:20	Benjamin T. Nordmann	09/29/2021 10:56	Alexandra J Mattheus	2278181
EPA 353.2 Rev. 2.0	09/24/2021			09/28/2021 10:03	Beverly Y. Sanders	2278181
EPA 365.1 Rev. 2.0	09/24/2021	09/28/2021 14:14	Simonne.V. Calhoun	10/01/2021 12:09	Sarah A Nixon	2278181
EPA 365.1 Rev. 2.0 dissolved	09/24/2021			09/24/2021 15:01	James L Waggeberby	2278182
SM 2120 B-2011	09/24/2021			09/24/2021 15:55	Benjamin T. Nordmann	2278180
SM 2320 B-2011	09/24/2021			10/02/2021 02:12	Dale L. Simmons	2278180
SM 2340B	09/24/2021			09/29/2021 19:24	Josef B Mick	2278188
	09/24/2021			09/29/2021 19:32	Josef B Mick	2278189
SM 2540 C-2011	09/24/2021			09/28/2021 14:27	Yijie Li	2278180
SM 2540 D-2011	09/24/2021			09/28/2021 14:27	Yijie Li	2278180
SM 4500 F-C-2011	09/24/2021			10/02/2021 02:12	Dale L. Simmons	2278180
SM 5310 B-2011	09/24/2021			09/28/2021 11:18	Khloe J Berg	2278181