

Benchmark EnviroAnalytical, Inc.**E84167**1711 Twelfth Street East
Palmetto, FL 34221

(941) 723-9986 / (941) 723-6061 fax

Sample Temperature checked upon receipt at BEA with
Temperature Gun ID #258**Benchmark EA South E85086**

1001 Corporate Avenue, Suite 102

North Port, FL 34289

(941) 625-3137

(941) 423-7336 fax

Sample Temperature checked upon receipt at BEAS
with Temperature Gun ID #7**Client Information: FDEP**

Address: 13051 N. Telecom Parkway

Tampa FL 33604

Phone # 815-470-5878

Report to: benjamin.paswater@dep.state.fl.us

Invoice to: FDEP Micro Overflow

PO#**Project Name:**RQ-2021-08-09-07**Laboratory Submission #**2091646

Sample Name	Sample Type / Sample Matrix ²	Collection		Container		Preservative ⁴	Parameters for Analysis	Laboratory Sample #
		Date	Time	Qty	Capacity			
G3SW0107	SW	9/27/21	1050			Ice	E Coli	1
G3SW0056	SW	9/27/21	1120			Ice	E Coli	2
G3SW0053	SW	9/27/21	1140			Ice	E Coli	3

¹ "Sample Type" is used to indicate whether the sample was a grab (G) or whether it was a composite (C).
² "Sample Matrix" is used to indicate whether the sample was surface water (SW), groundwater (GW), surface water (FSW), saline surface water (SSW), soil, sediment (SDANT), or sludge (SLDG).
³ "Container Type" is used to indicate whether the container is plastic (P) or glass (G).
⁴ "Preservative" is used to indicate whether the sample was preserved in ice, or if it was not preserved, it was collected in a container that was not preserved. The temperature during storage should be less than or equal to 5°C (41°F).
Under "Preservative," list any preservatives that were added to the sample container.

1. Each bottle has a label identifying sample ID, premeasured preservative contained in the bottle, sample type, client ID, and parameters for analysis.
2. The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sampler's name or initials, and any field number or ID.
3. All bottles not containing preservative may be rinsed with appropriate sample prior to collection.
4. The client is responsible for documentation of the sampling event. Please indicate special sampling events on the sample custody form.

Laboratory Sample Acceptability:
Temperature: 3.5°C

1	Collected / Relinquished By: <u>Ben Paster</u>	Date	Time	Received By: <u>Nava</u>	Date	Time
		9/27/21	1335		9/27/21	1335
2	Relinquished By:	Date	Time	Received By:	Date	Time