

Benchmark EnviroAnalytical, Inc
1711 12th Street East
Palmetto, FL 34221
941-723-9986
941-723-6061 Fax

PO# B77880

Client Information: **FDEP**

Address: 13051 N. Telecom Parkway
Tampa FL 33604
Phone # 815-470-5878

Report to: benjamin.paswater@dep.state.fl.us
DEP-Overflomicro@dep.state.fl.us

Invoice to: FDEP Micro Overflow

Project Name: RQ-2021-12-13-14

Laboratory Submission #

21180498

Sample Name	Sample Type / Sample Matrix ²	Collection		Container		Preservative ⁴	Parameters for Analysis	Laboratory Sample #
		Date	Time	Qty	Capacity	Type ³		
<u>E. Fecaria</u> (EF) <u>G35W0057</u>	SW	<u>12/08/21</u>	<u>1030</u>		<u>250mL</u>	<u>P</u>	<u>Plain (on Ice)</u>	<u>1</u>
<u>G35W0108</u>	SW		<u>1130</u>		<u>250mL</u>	<u>P</u>	<u>Plain (on Ice)</u>	<u>1</u>
<u>G35W0061</u>	SW		<u>1245</u>		<u>250mL</u>	<u>P</u>	<u>Plain (on Ice)</u>	<u>1</u>
	SW				<u>250mL</u>	<u>P</u>	<u>Plain (on Ice)</u>	
	SW				<u>250mL</u>	<u>P</u>	<u>Plain (on Ice)</u>	
	SW				<u>250mL</u>	<u>P</u>	<u>Plain (on Ice)</u>	
	SW				<u>250mL</u>	<u>P</u>	<u>Plain (on Ice)</u>	

1. Each bottle has a label identifying sample ID, preservation/preservative contained in the bottle, sample type, client ID, and parameters for analysis.
2. The following information should be provided: sample ID, preservation/preservative, sample type, client ID, and parameters for analysis.
3. All bottles not containing preservative may be placed in a cooler with ice packs prior to collection.
4. The client is responsible for documentation of the sampling event. A field note is required for all sampling events on the sample card(s) form.

1 Collected / Relinquished By: F. Faria

2 Relinquished By: [Signature]

Date 12/08/21 Time 1410 Received By: [Signature]

Date 12-8-21 Time 1110

Laboratory Sample Acceptability:
Temperature: 3.7°C