

Benchmark EnviroAnalytical, Inc.
E841671711 Twelfth Street East
Palmetto, FL 34221

(941) 723-9986 / (941) 723-6061 fax

Sample Temperature checked upon receipt at BEA with
Temperature Gun ID #258**Benchmark EA South E85086**

1001 Corporate Avenue, Suite 102

North Port, FL 34289

(941) 625-3137

(941) 423-7336 fax

Sample Temperature checked upon receipt at BEAS
with Temperature Gun ID #7**Client Information: FDEP**

Address: 2600 Blair Stone Rd.

Tallahassee FL 32399

Phone # 850-245-8085

Report to:

Invoice to: FDEP Micro Overflow

Project Name:

RQ-2021-10-25-15

Laboratory Submission #

21101411

Sample Name	Sample Type ¹ / Sample Matrix ²	Collection		Container			Preservative ⁴	Parameters for Analysis	Laboratory Sample #
		Date	Time	Qty	Capacity	Type ³			
G3SW0107		10/25/21	1310	1		SW	Ice	E. Coli	1
G3SW0056		↓	1340	1		SW	↓	E. Coli	2
G3SW0053		↓	1400	1		SW	↓	E. Coli	3

1

"Sample Type" is used to indicate whether the sample was a grab (G) or whether it was a composite (C).

2

"Sample Matrix" is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SDAINT), or sludge (SLDG).

3

"Container Type" is used to indicate whether the container is plastic (P) or glass (G).

4

Sample must be refrigerated or stored in wet ice after collection. The temperature during storage should be less than or equal to 6°C (42.8°F).

Under "Preservative," list any preservatives that were added to the sample container.

Instructions:

1. Each bottle has a label identifying sample ID, premeasured preservative contained in the bottle, sample type, client ID, and parameters for analysis.

2. The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sampler's name or initials, and any field number or ID.

3. All bottles not containing preservative may be rinsed with appropriate sample prior to collection.

4. The client is responsible for documentation of the sampling event. Please use special sampling events on the sample custody form.

Laboratory Sample Acceptability:

Temperature: 3.7

1	Collected / Relinquished By: <u>[Signature]</u>	Date: <u>10/25/21</u>	Time: <u>1515</u>	Received By: <u>[Signature]</u>	Date: <u>10-25-21</u>	Time: <u>1515</u>
2	Relinquished By:	Date:	Time:	Received By:	Date:	Time: