

Benchmark EnviroAnalytical, Inc
1711 12th Street East
Palmetto, FL 34221
941-723-9986
941-723-6061 Fax

PO# B77880

Client Information: FDEP

Address: 13051 N. Telecom Parkway

Tampa FL 33604

Phone # 815-470-5878

Report to: benjamin.paswater@dep.state.fl.us
DEP-Overflomicro@dep.state.fl.us

Invoice to: FDEP Micro Overflow

Project Name: RQ-2021- 02-15-34

Laboratory Submission #

21020969

Sample Name	Sample Type ¹ / Sample Matrix ²	Collection		Container			Preservative ⁴	Parameters for Analysis	Laboratory Sample #
		Date	Time	Qty	Capacity	Type ³			
G3SW0096	SW	2/15/2021	1030	1	250mL	P	Plain (on ice)	E coli	1
G3SW0097	SW	2/15/2021	1045	1	250mL	P	Plain (on ice)	E coli	2
G3SW0071	SW	2/15/2021	1110	1	250mL	P	Plain (on ice)	E coli	3
G2SW0024	SW	2/15/2021	1215	1	250mL	P	Plain (on ice)	E coli	4
G2SW0039	SW	2/15/2021	1235	1	250mL	P	Plain (on ice)	E coli	5
G2SW0119	SW	↓	1315	1	250mL	P	Plain (on ice)	Entero	6
G2SW0120	SW	↓	1345	1	250mL	P	Plain (on ice)	Entero	7

1. "Sample Type" is used to indicate whether the sample was a grab (G) or whether it was a composite (C).
2. "Sample Matrix" is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SDMT), or sludge (SLDG).
3. "Container Type" is used to indicate whether the container is plastic (P) or glass (G).
4. Sample must be refrigerated or stored in wet ice after collection. The temperature during storage should be less than or equal to 6°C (42.8°F).
Under "Preservative," list any preservatives that were added to the sample container.

Instructions:

- Each bottle has a label identifying sample ID, preservative contained in the bottle, sample type, client ID, and parameters for analysis.
- The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sampler's name or initials, and any field number or ID.
- All bottles not containing preservative may be used with appropriate sample prior to collection.
- The client is responsible for documentation of the sampling event. Please note special sampling events on the sample custody form.

Laboratory Sample Acceptability:

Temperature: 1.8°C

1	Collected / Relinquished By: <u>[Signature]</u>	Date: <u>2/15/21</u>	Time: <u>1430</u>	Received By: <u>[Signature]</u>	Date: <u>2/15/21</u>	Time: <u>1430</u>
2	Relinquished By:	Date:	Time:	Received By:	Date:	Time: