

Date of Request: 08-FEB-2021  
 Created By: PASWATER\_B On: 08-FEB-2021  
 Modified By: JASROTIA\_P On: 09-FEB-2021  
 Customer: SW-DIST  
 Project: SMP  
 Division: Division of Environmental Assessment and Restoration  
 District: Southwest District  
 Event Description: RUN 15: Innisbrook and such

**Send Coolers To:**

Phone: 813-632-7600  
 FL Dept. of Environmental Protection  
 13051 N. Telecom Parkway  
 Temple Terrace, FL 33637-0926  
 Attn: Ben Paswater  
 Cooler Ship EMail: benjamin.paswater@dep.state.fl.us

Priority: 3  
 Event Status: R  
 Criminal Investigation: NO  
 Chemistry Request Reviewed By: WATTS\_J On: 09-FEB-2021  
 Biology Request Reviewed By: JASROTIA\_P On: 09-FEB-2021  
 Sampling Kit Required: YES Ship on: 12-FEB-2021  
 Sampling Kit Shipped: YES On: 10-FEB-2021  
 Sampling Kit Packed By: KLUG\_K  
 Preservatives Needed: NO  
 Date to Receive Samples: 22-FEB-2021  
 Logged In By: SHAIK\_A On: 23-FEB-2021

**Send Final Report To:**

FL Dept. of Environmental Protection  
 13051 N. Telecom Parkway  
 Temple Terrace, FL 33637-0926  
 Attn: Ben Paswater  
 Report Notification EMail:  
 benjamin.paswater@dep.state.fl.us;sarah.meyer@dep.state.fl.us

Comments: RUN 15

**Bottle Group A (Water) With 4 Samples:**

|                                    |                      |                                                                                                              |
|------------------------------------|----------------------|--------------------------------------------------------------------------------------------------------------|
| Bottle Type: P-1L                  | Number of Bottles: 4 | Preserved With: ICE                                                                                          |
| ALKALINITY                         | Template: DEFAULT    | (SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO <sub>3</sub> /L                                   |
| Total Alkalinity                   |                      |                                                                                                              |
| TURBIDITY                          | Template: DEFAULT    | (EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices                                                           |
| Turbidity                          |                      |                                                                                                              |
| W-BR-IC                            | Template: DEFAULT    | (EPA 300.0 Rev. 2.1) Bromide in aqueous matrices                                                             |
| Bromide                            |                      |                                                                                                              |
| W-F                                | Template: DEFAULT    | (SM 4500 F-C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)       |
| Fluoride                           |                      |                                                                                                              |
| W-TSS                              | Template: DEFAULT    | (SM 2540 D-2011) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample              |
| TSS                                |                      |                                                                                                              |
| Bottle Type: BP-1L                 | Number of Bottles: 4 | Preserved With: ICE                                                                                          |
| CHLSUITE-W                         | Template: DEFAULT    | (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry |
| Chlorophyll-a, Corrected           |                      |                                                                                                              |
| Chlorophyll-a, Uncorrected         |                      |                                                                                                              |
| Phaeophytin-a                      |                      |                                                                                                              |
| Bottle Type: P-500ML               | Number of Bottles: 4 | Preserved With: ICE And H <sub>2</sub> SO <sub>4</sub>                                                       |
| W-NH <sub>3</sub>                  | Template: DEFAULT    | (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L                                                   |
| Ammonia-N                          |                      |                                                                                                              |
| W-NO <sub>2</sub> NO <sub>3</sub>  | Template: DEFAULT    | (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L                                           |
| NO <sub>2</sub> NO <sub>3</sub> -N |                      |                                                                                                              |
| W-S-A-TP                           | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L                                          |
| Total-P                            |                      |                                                                                                              |
| W-TKN                              | Template: DEFAULT    | (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices                                             |
| Kjeldahl Nitrogen                  |                      |                                                                                                              |
| W-TOC                              | Template: DEFAULT    | (SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices                                             |
| Organic Carbon                     |                      |                                                                                                              |

**Bottle Group A (Water) With 4 Samples:**

Bottle Type: P-125ML      Number of Bottles: 4      Preserved With: FILTER-ICE  
W-PO4-F      Template: DEFAULT      (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L  
O-Phosphate-P

**Bottle Group B (Water) With 2 Samples:**

Bottle Type: P-250ML-WI-THI      Number of Bottles: 2      Preserved With: ICE  
SW-DOH-ENT      Template: DEFAULT      (EPA 1600 (MF)) Enterococci by MF by DOH in Tampa  
Enterococci-Membrane Filter