

Benchmark EnviroAnalytical, Inc
1711 12th Street East
Palmetto, FL 34221
941-723-9986
941-723-6061 Fax

PO# B77880 B95341

Client Information: **FDEP**

Address: 13051 N. Telecom Parkway
Tampa FL 33604
Phone # 815-470-5878

Report to: benjamin.paswater@dep.state.fl.us
DEP-Overflomicro@dep.state.fl.us

Invoice to: FDEP Micro Overflow

Project Name: RQ-2021-08-09-08

Laboratory Submission #

21080863

Sample Name	Sample Type / Sample Matrix ²	Collection		Container		Preservative ⁴	Parameters for Analysis	Laboratory Sample #
		Date	Time	Qty	Capacity	Type ³		
G2SW 0135	SW	08/11/2021	1130	1	250mL	P	Plain (on ice)	1
G1SW 0112	SW	08/11/2021	1130 ^{MA} 1215	1	250mL	P	Plain (on ice)	2
	SW	08/11/2021	1130	1	250mL	P	Plain (on ice)	MA
	SW				250mL	P	Plain (on ice)	
	SW				250mL	P	Plain (on ice)	
	SW				250mL	P	Plain (on ice)	
	SW				250mL	P	Plain (on ice)	

1. Sample Type¹ is used to indicate whether the sample was a grab (G) or whether it was a composite (C).
2. Sample Type² is used to indicate whether the sample is being collected in drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), surface water (SSW), soil, sediment (SD/MT), or sludge (SL/MT).
3. Container Type³ is used to indicate whether the sample is being collected in a container that is reusable (R) or disposable (D).
4. Under "Preservative", list any preservatives that were added to the sample container.
5. Sample must be refrigerated or stored in wet ice after collection. The temperature during storage should be less than or equal to 6°C (43°F).
6. The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sample's name or initials, and any field number or ID.
7. The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sample's name or initials, and any field number or ID.
8. The client is responsible for documentation of the sampling event. Please note: special sampling events on the sample container form.

Laboratory Sample Acceptability:
Temperature: 4.3°C

1	Collected / Relinquished By: <u>Natalie Abdo</u>	Date: <u>08/11/21</u>	Time: <u>1316</u>	Received By: <u>Natalie</u>	Date: <u>08/11/21</u>	Time: <u>1316</u>
2	Relinquished By:	Date:	Time:	Received By:	Date:	Time: