

RQ-2021-09-06-53

**Benchmark EnviroAnalytical, Inc.
E84167**1711 Twelfth Street East
Palmetto, FL 34221
(941) 723-9986 / (941) 723-6061 fax
Sample Temperature checked upon receipt at BEA with
Temperature Gun ID #258**Benchmark EA South E85086**1001 Corporate Avenue, Suite 102
North Port, FL 34289
(941) 625-3137
(941) 423-7336 fax
Sample Temperature checked upon receipt at BEAS
with Temperature Gun ID #7**Client Information: FDEP**Address: 13051 N. Telecom Parkway
Tampa FL 33604

Phone # 815-470-5878

Report to: benjamin.paswater@dep.state.fl.us

Invoice to: FDEP Micro Overflow

Project Name: Smp

PO# _____

Laboratory Submission #

21090491

Sample Name	Sample Type ¹ / Sample Matrix ²	Collection		Container			Preservative ⁴	Parameters for Analysis	Laboratory Sample #
		Date	Time	Qty	Capacity	Type ³			
G5SW0164		9/9/21	940	1		SW	Lce	Enteroc	1
G5SW0165			1010	1				Enteroc	2
G5SW0147			1030	1				E-Coli	3
G5SW0129			1100	1				E-Coli	4
G5SW0163			1120	1				Enteroc	5
G5SW0162			1140	1				Enteroc	6

1 "Sample Type" is used to indicate whether the sample was a grab (G) or whether it was a composite (C).
 2 "Sample Matrix" is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SDMNT), or sludge (SLDG).
 3 "Container Type" is used to indicate whether the container is plastic (P) or glass (G).
 4 Sample must be refrigerated or stored in wet ice after collection. The temperature during storage should be less than or equal to 4°C (42.8°F).
 Under "Preservative," list any preservatives that were added to the sample container.

Instructions:

- Each bottle has a label identifying sample ID, premeasured preservative contained in the bottle, sample type, client ID, and parameters for analysis.
- The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sampler's name or initials, and any field number or ID.
- All bottles not containing preservative may be rinsed with appropriate sample prior to collection.

4. The client is responsible for documentation of the sampling event. Please note special sampling events on the sample custody form.

1	Collected / Relinquished By: <u>Be Panto</u>	Date: <u>9/9/21</u>	Time: <u>1140</u>	Received By: <u>H. H. H.</u>	Laboratory Sample Acceptability: Temperature: <u>2.3°C</u>	
		Date	Time	Received By:	Date: <u>9-9-21</u>	Time: <u>1420</u>
2	Relinquished By:	Date	Time	Received By:	Date	Time