

Benchmark EnviroAnalytical, Inc
1711 12th Street East
Palmetto, FL 34221
941-723-9986
941-723-6061 Fax

PO# B77880

Client Information: FDEP

Address: 13051 N. Telecom Parkway

Tampa FL 33604

Phone # 815-470-5878

Report to: benjamin.paswater@dep.state.fl.us
DEP-Overflomicro@dep.state.fl.us

Invoice to: FDEP Micro Overflow

Project Name: RQ-2021-12-27-23

Laboratory Submission #

21121494

Sample Name	Sample Type / Sample Matrix ²	Collection		Container		Preservative ⁴	Parameters for Analysis		Laboratory Sample #
		Date	Time	Qty	Capacity				
G55W0163	SW	12/20/21	1100	1	250mL	Plain (on ice)	EnQ		1
G55W0162	SW	12/20/21	1120	1	250mL	Plain (on ice)	EnQ		2
G55W0134	SW	12/20/21	1225	1	250mL	Plain (on ice)	EnQ		3
G55W0170	SW	12/20/21	1245	1	250mL	Plain (on ice)	EnQ		4
G55W0169	SW	12/20/21	1300	1	250mL	Plain (on ice)	EnQ		5
G55W0051	SW	12/20/21	1425	1	250mL	Plain (on ice)	EnQ		6
	SW			1	250mL	Plain (on ice)			

¹ Sample Type¹ is used to indicate whether the sample was a grab (G) or whether it was a composite (C).
² "Sample Matrix" is used to indicate whether the sample was surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (S), or sludge (SLD).
³ "Container Type" is used to indicate whether the container is plastic (P) or glass (G).
⁴ Sample must be refrigerated or stored in wet ice after collection. The temperature during storage should be less than or equal to 6°C (42.8°F).
Under "Preservative," list any preservatives that were added to the sample container.

Instructions:
1. Each bottle has a label identifying sample ID, premeasured preservative contained in the bottle, sample type, date, ID, and parameters for analysis.
2. The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sampler's name or initials, and any field number or ID.
3. All bottles not containing preservative must be rinsed with appropriate sample prior to collection.
4. The data is required for documentation of the sampling event. Please print general sampling criteria on the sample custody form.

Laboratory Sample Acceptability:
Temperature: 4.6°C

1	Collected / Relinquished By: Ben Paswater	Date: 12/20/21	Time: 1520	Received By:	Date:	Time:
2	Relinquished By: Saeob Yoo (FDEP)	Date: 12/20/21	Time: 1520	Received By: Karo Helman	Date: 12/20/21	Time: 1525