

Benchmark EnviroAnalytical, Inc
1711 12th Street East
Palmetto, FL 34221
941-723-9986
941-723-6061 Fax

PO# B77880

Client Information: **FDEP**

Address: 13051 N. Telecom Parkway
Tampa FL 33604
Phone # 815-470-5878

Report to: benjamin.paswater@dep.state.fl.us
DEP-Overfomicro@dep.state.fl.us

Invoice to: FDEP Micro Overflow

Project Name: RQ-2021-12-27-25

Laboratory Submission #

211214757

Sample Name	Sample Type ¹ / Sample Matrix ²	Collection		Container		Preservative ⁴	Parameters for Analysis	Laboratory Sample #
		Date	Time	Qty	Capacity	Type ³		
G3SW0061	SW	12/26/21	1130	1	250mL	P	Plain (on Ice)	1
G3SW0111 Wrong G#	SW	12/26/21	1220	1	250mL	P	Plain (on Ice)	2
G3SW0108	SW	12/26/21	1045	1	250mL	P	Plain (on Ice)	3
Field IDWIN G3SW0057	SW				250mL	P	Plain (on Ice)	
	SW				250mL	P	Plain (on Ice)	
	SW				250mL	P	Plain (on Ice)	
	SW				250mL	P	Plain (on Ice)	

Site Name: Indian Creek @ Fruitville Rd

Correct G#

¹ "Sample Type" is used to indicate whether the sample was a grab (G) or whether it was a composite (C).
² "Sample Matrix" is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saltwater surface water (SSW), soil, sediment (S/D/SNT), or sludge (SLD/S).
³ "Container Type" is used to indicate whether the container is plastic (P) or glass (G).
⁴ "Preservative" is used to indicate whether the sample was preserved during storage. Should be less than or equal to 6°C (42.8°F).
If any preservative was added to the sample container, it must be noted on the sample label.

¹ Each bottle has a label identifying sample ID, preservation preservative contained in the bottle, sample type, client ID, and parameters for analysis.
² All information should be noted on the label and the collection permit, back side and time of collection, sample name or initials, and any field number or ID.
³ All information should be noted on the label and the collection permit, back side and time of collection, sample name or initials, and any field number or ID.
⁴ The client is responsible for documentation of the analysis. Please note: special sampling events on the sample analysis form.

Laboratory Sample Acceptability:
Temperature: 5.0°C

1	Collected / Reinquished By: <i>Shawn M. Ryan</i>	Date: 12/20/21	Time: 1330	Received By: <i>Kenneth M. Ryan</i>	Date: 12/20/21	Time: 1330
2	Reinquished By:	Date:	Time:	Received By:	Date:	Time: