

RQ- 2021-05-03-64

Login Checklist

Login Station ID: #5

Shipping Method: ~~FedEx~~ | UPS | HD | Greyhound

Date/Time of Receipt: 5/ 7 /21 @ 9:55

*Cooler Temperature	Samples Frozen? YES	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
		HNO ₃	Formalin		Present?		*Intact?		
					Yes	No	Yes	No	
-0.2				18		✓			9293 8011 7795

COOLER CHECK

*All samples received on ice unless otherwise noted. HNO₃ and Formalin preserved samples do NOT have a temperature requirement.

- If the temperature of a cooler exceeds 6.0 oC (above 10.0 oC for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. NCR# _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. NCR# _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. NCR# _____
- If coolers or samples are received late; identify the affected samples in an NCR. NCR# _____

Chain of Custody/ Field Sheet(s) Included?

Yes ☒ No ☐

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included?

Yes ☐ No ☒

CONTAINER CHECK

Evidence Tape on Bottles?

Yes ☐ No ☐ NA ☒Evidence Tape intact? Yes ☐ No ☐

If Criminal, photographs taken?

Yes ☐ No ☐Containers intact? Yes ☒ No ☐

Caps on tight?

Yes ☒ No ☐

Sufficient Sample Volume:

Yes ☒ No ☐If **NO** is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes ☐ No ☒ Init: BK

Chlorine detected? (One container checked per Field ID)

Yes ☐ No ☐ Init: _____

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH < 2.0?

Yes ☒ No ☐ NA ☐ Init: BK

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?

Yes ☐ No ☒ NA ☐ Init: BK

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: BK

Date: 5/ 7 /21

Event contains NCRs (Y/N)? N

Event ID:

Algal Bloom Response - SE ROC
WQAP-2021-05-07-02 (BLOOM-RESP)

Date Received: 07-MAY-2021 09:55

Login Checklist

Login Preservation Equipment

Lot # & Exp: Date

Infrared Thermometer ID:	IR TEMP GUN #5 EXP:10-28-21
pH Test Strips 0 – 6	Lot#213116BV Exp:5-15-21
pH Paper 0 – 3	
pH Paper 0 – 13	Lot#210620 EXP:4-15-23
Chlorine Test Strips	Lot#0261 EXP:5-23

Additional Comments:

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ Init: _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check(W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Request Number: RQ-2021-03-22-40

Algal Bloom Response - SE ROC 05-03-64

Florida Department of Environmental Protection Central Laboratory Submittal Form

Page 1 of 2

last revised Jan 25, 2018

Customer: WQAP

Project ID: BLOOM-RESP

Requester: Jordan Skaggs

Collected By: Sabrina Fischer

Field Report Prepared By: Andrew Luering

Sampling Agency: SE ROC

Location Lake Melva		☐ Comp ☒ Grab		Collection (comp begin or grab) Date 5/6/2021 Time 1100		Eastern Central	Composite end Date Time		Bottle Group(s) (See pg 2)	
Field ID SEHAB0030		Matrix (type, e.g., Salt, Fresh, etc) Fresh		Diss. Oxygen 7.60		☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)		A/B
WIN/STORET #		Temp (C) 29.7		pH 7.85		Sample Depth 0.3		Sp. Conductance (umho/cm) 324.1		
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt) 0.15		Comments				
Location M-Canal		☐ Comp ☒ Grab		Collection (comp begin or grab) Date 5/6/2021 Time 1245		Eastern Central	Composite end Date Time		Bottle Group(s)	
Field ID SEHAB0031		Matrix (type, e.g., Salt, Fresh, etc) Fresh		Diss. Oxygen 6.31		☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)		A/B
WIN/STORET #		Temp (C) 31.9		pH 8.18		Sample Depth 0.3		Sp. Conductance (umho/cm) 420.1		
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt) 0.20		Comments				
Location S80		☐ Comp ☒ Grab		Collection (comp begin or grab) Date 5/6/2021 Time 1415		Eastern Central	Composite end Date Time		Bottle Group(s)	
Field ID SEHAB0032		Matrix (type, e.g., Salt, Fresh, etc) Fresh		Diss. Oxygen 6.14		☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)		A/B
WIN/STORET #		Temp (C) 31.1		pH 7.89		Sample Depth 0.3		Sp. Conductance (umho/cm) 668		
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt) 0.32		Comments				
Location		☐ Comp ☐ Grab		Collection (comp begin or grab) Date Time		Eastern Central	Composite end Date Time		Bottle Group(s)	
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)		
WIN/STORET #		Temp (C)		pH		Sample Depth		Sp. Conductance (umho/cm)		
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt)		Comments				

Relinquished By: A. Luering	Date/Time 1700 5/6/21	Shipping Method Fedex	Number of Coolers Shipped: 1	Received By: KK	Date/Time 5-7-21/0955
--------------------------------	--------------------------	--------------------------	---------------------------------	--------------------	--------------------------

Group: A	Bottle Type:	PT-50ML	# of Bottles: 8	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3
BLOOM-ID							
Group: B	Bottle Type:	BP-1L	# of Bottles: 8	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3
CHLSUITE-W							
Group: B	Bottle Type:	BP-1L	# of Bottles: 8	Preservative:	Lugols	Enter Number of Bottles Sent to Lab	3
DTY-QN-C PKD-QN-C							
Group: B	Bottle Type:	BG-250ML-WDMT H	# of Bottles: 8	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
W-MCYST-AA							
Group: B	Bottle Type:	P-500ML	# of Bottles: 8	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	2
W-NH3 W-NO2NO3 W-S-A-TP W-TKN							
Group: B	Bottle Type:	P-125ML	# of Bottles: 8	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	3
W-PO4-F							

Date of Request: 20-APR-2021
 Created By: SKAGGS_J On: 20-APR-2021
 Modified By: JASROTIA_P On: 20-APR-2021
 Customer: WQAP
 Project: BLOOM-RESP
 Division: Division of Environmental Assessment and Restoration
 District: SE ROC
 Event Description: Algal Bloom Response - SE ROC

Send Coolers To:

Phone: 772-448-5884
 2199 South Rock Road
 Fort Pierce, FL 34945
 Attn: Jordan Skaggs
 Cooler Ship EMail: jordan.skaggs@floridadep.gov

Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 20-APR-2021
 Biology Request Reviewed By: JASROTIA_P On: 20-APR-2021
 Sampling Kit Required: YES Ship on: 23-APR-2021
 Sampling Kit Shipped: YES On: 23-APR-2021
 Sampling Kit Packed By: REYNOLDS_T
 Preservatives Needed: YES
 Date to Receive Samples: 04-MAY-2021
 Logged In By: REYNOLDS_T On: 05-MAY-2021

Send Final Report To:

2199 South Rock Road
 Fort Pierce, FL 34945
 Attn: Jordan Skaggs
 Report Notification EMail:
 jordan.skaggs@floridadep.gov;drew.liddick@floridadep.gov;andrew.luering@floridadep.gov

Comments: **Please send:
 -2 boxes nitric acid
 -2 boxes sulfuric acid
 -4 full-size coolers
 -extra trash bags for submitting samples (if possible)

Unless peak algal bloom season, may analyze toxin after consultation with Biology's Taxonomy Manager

Bottle Group A - Priority 1
 -For algal dominant taxon

Bottle Group B - Priority 1
 -For toxin testing, nutrients, and chlorophyll, algal full ID

There are multiple bottles per group in case multiple sample targets or sample locations are needed. Samplers use best professional judgement to decide which samples are appropriate to collect for a particular response. All sets of bottles do not have to be filled at one time. Please print two copies of algal job labels at login.

Bottle Group A (Biological) With 8 Samples:

Bottle Type: PT-50ML	Number of Bottles: 8	Preserved With: ICE
BLOOM-ID	Template: DEFAULT	(SOP-AB05) Assessment of dominant algal taxa in bloom or mat sample

Bottle Group B (Water) With 8 Samples:

Bottle Type: BP-1L	Number of Bottles: 8	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: BP-1L	Number of Bottles: 8	Preserved With: Lugols
DTY-QN-C	Template: DEFAULT	(SOP-AB05_1) No. of diatom taxa of quantitative phytoplankton sample.
PKD-QN-C	Template: DEFAULT	(SOP-AB05) No. of wet taxa of quantitative phytoplankton sample.
Bottle Type: BG-250ML-WDMTH	Number of Bottles: 8	Preserved With: ICE
W-MCYST-AA	Template: DEFAULT	(EPA 8321B) Microcystins in water matrices by HPLC/MS/MS
Bottle Type: P-500ML	Number of Bottles: 8	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L

Bottle Group B (Water) With 8 Samples:

Bottle Type: P-500ML	Number of Bottles: 8	Preserved With: ICE And H2SO4
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 8	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.