

Biological Analysis Report

SE-DIST-2021-07-21-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780


Event Description: **SMP - Okeechobee**
Request ID: **RQ-2021-07-19-33**
Customer: **SE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
2199 South Rock Road
Fort Pierce, FL 34945
Attn: Drew Liddick

For additional information please contact
Cheryl Swanson - Administrator
Jacqueline Savage - Bench Biology & Aquatic
Toxicity
Puja Jasrotia, Ph.D. - Molecular Biology & Taxonomy
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Cheryl A. Swanson, Program Administrator

Date Certified: 18-AUG-2021 13:19



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD and Microbiology.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Mosquito Creek @ 70

Collection Date/Time: 07/20/2021 11:30

Field ID: G1SE0006

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2263940	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	60.2	Q	MPN/100 mL	P401718	

Sample Location: Gore Branch @ 724

Collection Date/Time: 07/20/2021 12:20

Field ID: G4SE0130

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2263933	SM 10200 H (mod.)	Chlorophyll-a, Corrected	7.1		ug/L	P401785	
		Phaeophytin-a	1.5	U	ug/L	P401785	
		Chlorophyll-a, Uncorrected	7.5		ug/L	P401785	
2263937	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	193.5	Q	MPN/100 mL	P401718	

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Chandler Slough @ NW 190th

Collection Date/Time: 07/20/2021 12:40

Field ID: G4SE0136

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2263941	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	75.4	Q	MPN/100 mL	P401718	

Sample Location: Oak Creek @ 68

Collection Date/Time: 07/20/2021 13:10

Field ID: G4SE0080

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2263932	SM 10200 H (mod.)	Chlorophyll-a, Corrected	20		ug/L	P401757	
		Phaeophytin-a	7.5		ug/L	P401757	
		Chlorophyll-a, Uncorrected	25		ug/L	P401757	
2263936	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	57.6	Q	MPN/100 mL	P401718	

Sample Location: Mosquito Creek @ 710

Collection Date/Time: 07/20/2021 14:05

Field ID: G1SE0014

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2263942	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	185.0	Q	MPN/100 mL	P401718	

Sample Location: Nubbin Slough 1.4 miles upstream of 710

Collection Date/Time: 07/20/2021 14:30

Field ID: G1SE0031

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2263943	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	340.5	AQ	MPN/100 mL	P401718	

Sample Location: S-153 Unnamed creek @ 710

Collection Date/Time: 07/20/2021 15:50

Field ID: G4SE0137

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2263934	SM 10200 H (mod.)	Chlorophyll-a, Corrected	7.1		ug/L	P401785	
		Phaeophytin-a	5.6		ug/L	P401785	

Field ID: G4SE0137

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2263934	SM 10200 H (mod.)	Chlorophyll-a, Uncorrected	11		ug/L	P401785	
2263938	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	723.0	Q	MPN/100 mL	P401718	

Ref. Method and Comment:
 SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: L-65 upstream of S-153 Collection Date/Time: 07/20/2021 15:10

Field ID: G1SE0050

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2263935	SM 10200 H (mod.)	Chlorophyll-a, Corrected	2.4	I	ug/L	P401785	
		Phaeophytin-a	0.90	U	ug/L	P401785	
		Chlorophyll-a, Uncorrected	2.6		ug/L	P401785	
2263939	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	34.1	Q	MPN/100 mL	P401718	

Ref. Method and Comment:
 SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)
 Batch ID: P401757

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.82	U	ug/L
Chlorophyll-a, Uncorrected	0.60	U	ug/L
Phaeophytin-a	0.90	U	ug/L

Reference Method: SM 10200 H (mod.)
 Batch ID: P401785

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.82	U	ug/L
Chlorophyll-a, Uncorrected	0.60	U	ug/L
Phaeophytin-a	0.90	U	ug/L

Reference Method: SM 9223 Quanti-Tray
 Batch ID: P401718

Component	Result	Code	Units
Escherichia Coli-Quanti-Tray	1.0	U	MPN/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)
 Batch ID: P401757

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	101		P	84 - 116

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)
Batch ID: P401785

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	94.6		P	84 - 116

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)
Batch ID: P401757

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2263898	Chlorophyll-a, Corrected	0.583	Sample	P	0 - 25
2263898	Chlorophyll-a, Uncorrected	1.31	Sample	P	0 - 25
2263898	Phaeophytin-a	8.05	Sample	P	0 - 25

Reference Method: SM 10200 H (mod.)
Batch ID: P401785

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2263996	Chlorophyll-a, Corrected	3.91	Sample	P	0 - 25
2263996	Chlorophyll-a, Uncorrected	2.64	Sample	P	0 - 25

Reference Method: SM 9223 Quanti-Tray
Batch ID: P401718

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2263910	Escherichia Coli-Quanti-Tray	63.6	Sample	P	0 - 80
2263943	Escherichia Coli-Quanti-Tray	13.8	Sample	P	0 - 80

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	LCS	Precision SMP	MS
SM 10200 H (mod.)	Chlorophyll-a, Corrected	101			0.583	
	Chlorophyll-a, Corrected	94.6			3.91	
	Chlorophyll-a, Uncorrected				1.31	
	Chlorophyll-a, Uncorrected				2.64	
	Phaeophytin-a				8.05	
SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray				63.6	13.8

Reference Method Descriptions

Method	Description	Associated Samples
SM 10200 H (mod.)	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	2263932, 2263933, 2263934, 2263935

Reference Method Descriptions

Method	Description	<u>Associated Samples</u>
SM 9223 Quanti-Tray	Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems	2263936, 2263937, 2263938, 2263939, 2263940, 2263941, 2263942, 2263943

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
SM 10200 H (mod.)	07/21/2021	07/21/2021 14:38	Joel Wharton	07/29/2021 15:20	Jessica Fetgatter	2263932
	07/21/2021	07/21/2021 14:38	Joel Wharton	07/30/2021 08:46	Jessica Fetgatter	2263933, 2263934, 2263935
SM 9223 Quanti-Tray	07/21/2021	07/21/2021 16:34	Jessica Fetgatter	07/22/2021 10:48	Jessica Fetgatter	2263936, 2263937, 2263938, 2263939, 2263940, 2263941, 2263942, 2263943