

Date of Request: 14-DEC-2020
 Created By: MUSSON_C On: 14-DEC-2020
 Modified By: MUSSON_C On: 14-DEC-2020
 Customer: WAS-SECT
 Project: SMP
 Division:
 District:
 Event Description: SCI Kit #2

Send Coolers To:

Phone: 850-245-8453
 2600 Blair Stone Rd

 Tallahassee, FL 32399
 Attn: Curtis Musson
 Cooler Ship EMail: curtis.musson@dep.state.fl.us

Priority: 3
 Event Status: P
 Criminal Investigation: NO
 Chemistry Request Reviewed By:
 Biology Request Reviewed By:
 Sampling Kit Required: YES Ship on: 21-DEC-2020
 Sampling Kit Shipped:
 Sampling Kit Packed By:
 Preservatives Needed: NO
 Date to Receive Samples: 04-JAN-2021
 Logged In By:

Send Final Report To:

2600 Blair Stone Rd

 Tallahassee, FL 32399
 Attn: Curtis Musson
 Report Notification EMail: Curtis.Musson@dep.state.fl.us

Comments: Group A: Nutrients, CHLA, Metals, Tracers, Q-PSNP-TQ
 Group B: SCI, Algae_ID

 Packing Notes:
 No FedEx Labels
 No Trash Bag

Bottle Group A (Water) With 1 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
ALKALINITY Total Alkalinity	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO3/L
CHLSUITE-W Chlorophyll-a, Corrected Chlorophyll-a, Uncorrected Phaeophytin-a	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
ECOLI-18QT Escherichia Coli-Quanti-Tray	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems
TURBIDITY Turbidity	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC Chloride	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR Color (true)	Template: DEFAULT	(SM 2120 B-2011) True Color measured at 450 nm (not valid for NPDES monitoring)
W-E8321-DI *Acesulfame K *AMPA *Endothall *Glufosinate *Glyphosate *Sucralose	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Bottle Group A (Water) With 1 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
W-E8321-MS	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
*Acetaminophen		
*Acetamiprid		
*Afidopyropen		
*Benzovindiflupyr		
*Carbamazepine		
*Clothianidin		
*Dinotefuran		
*Fluridone		
*Hydrocodone		
*Ibuprofen		
*Imazapyr		
*Mandestrobin		
*Naproxen		
*Primidone		
*Pyraclostrobin		
*Thiamethoxam		
*Tolfenpyrad		
*Triclopyr		
2,4-D		
Bentazon		
Diuron		
Fenuron		
Imidacloprid		
Linuron		
MCP		
W-F	Template: DEFAULT	(SM 4500 F-C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
Fluoride		
W-HARD	Template: DEFAULT	(SM 2340B) Hardness by calculation, in aqueous matrices, reported as mg/L CaCO ₃
Hardness		
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Calcium		
Copper		
Iron		
Magnesium		
Potassium		
Sodium		
Strontium		
Tin		
Titanium		
Vanadium		
Zinc		
W-ICPMS	Template: DEFAULT	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
*Boron		
Aluminum		
Antimony		
Arsenic		
Barium		
Beryllium		
Cadmium		
Chromium		
Cobalt		
Copper		
Lead		
Manganese		
Molybdenum		
Nickel		

Bottle Group A (Water) With 1 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
W-ICPMS	Template: DEFAULT	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Selenium		
Silver		
Thallium		
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
Ammonia-N		
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
NO2NO3-N		
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
O-Phosphate-P		
W-PSNP-TQ	Template: DEFAULT	(EPA 8270E) Organonitrogen and phosphorus pesticides in water matrices by GC/MS/MS
*Azoxystrobin		
*Carfentrazone Ethyl		
*Difenoconazole		
*Dimethenamid		
*Dithiopyr		
*Fenbuconazole		
*Fipronil Desulfinyl		
*Fluazifop-P-butyl		
*Fludioxonil		
*Flumioxazin		
*Flutolanil		
*Fluxapyroxad		
*Imazalil		
*Iprodione		
*Myclobutanil		
*Naled		
*Oxyfluorfen		
*Prodiamine		
*Pronamide		
*Propiconazole		
*Pyriproxyfen		
*Sulfentrazone		
*Tebuconazole		
Acetochlor		
Alachlor		
Ametryn		
Atrazine		
Atrazine Desethyl		
Azinphos Methyl		
Bromacil		
Butylate		
Carbophenothion		
Chlorpyrifos Ethyl		
Chlorpyrifos Methyl		
Cyanazine		
Demeton		
Diazinon		
Disulfoton		
EPTC		
Ethion		
Ethoprop		
Fenamiphos		
Fipronil		
Fipronil Sulfide		
Fipronil Sulfone		
Fonofos		
Hexazinone		
Malathion		

Bottle Group A (Water) With 1 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
W-PSNP-TQ Metalaxyl Metolachlor Metribuzin Mevinphos Molinate Norflurazon Oxadiazon Parathion Ethyl Parathion Methyl Pendimethalin Phorate Prometon Prometryn Simazine Terbufos Terbutylazine	Template: DEFAULT	(EPA 8270E) Organonitrogen and phosphorus pesticides in water matrices by GC/MS/MS
W-S-A-TP Total-P	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-SO4-IC Sulfate	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS TDS	Template: DEFAULT	(SM 2540 C-2011) Total Dissolved Solids in aqueous matrices
W-TKN Kjeldahl Nitrogen	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC Organic Carbon	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices
W-TSS TSS	Template: DEFAULT	(SM 2540 D-2011) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample

Bottle Group B (Biological) With 1 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
ALGAL_ID *Dominant sample taxon	Template: DEFAULT	(SOP-AB05) Qualitative assessment of algal taxa present without counts
MI-FW-QLDC *Macroinvert-FW-Qual-DipnetX20-#Taxa-Rep2 *Stream Condition Index (SCI)	Template: DEFAULT	(SOP-IZ06) No. Taxa of FW macroinverts, qual samp, 20 dipnets.

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.