

Chemical Analysis Report

NE-DIST-2022-03-22-02

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Nassau Suwannee Lakes**
Request ID: **RQ-2022-03-14-21**
Customer: **NE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
8800 Baymeadows Way West
Suite 100
Jacksonville, FL 32256
Attn: Jeremy Parrish

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Kerry Tate, Ph.D., Environmental Administrator

Date Certified: 11-APR-2022 10:41

A handwritten signature in black ink that reads "Kerry Tate". The signature is written in a cursive, flowing style with a horizontal line above the first name.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Metals and Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Lake Sampson Center

Collection Date/Time: 03/21/2022 11:20

Field ID: G1NE0936

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2313566	DEP SOP: NU-094-1	Color (true)**	140		PCU	P411450	
	EPA 180.1 Rev. 2.0	Turbidity	5.2		NTU	P411421	
	EPA 300.0 Rev. 2.1	Chloride	12		mg Cl/L	P411617	
		Sulfate	10		mg SO4/L	P411619	
	SM 2320 B-2011	Total Alkalinity	15		mg CaCO3/L	P411602	
	SM 2540 C-2011	TDS	90		mg/L	P411623	
	SM 2540 D-2011	TSS	4	I	mg/L	P411585	
	SM 4500 F-C-2011	Fluoride	0.044	I	mg F/L	P411605	
2313567	EPA 350.1 Rev. 2.0	Ammonia-N	0.003	I	mg N/L	P411494	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.92		mg N/L	P411531	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P411482	
	EPA 365.1 Rev. 2.0	Total-P	0.058		mg P/L	P411512	
	SM 5310 B-2011	Organic Carbon	19		mg C/L	P411595	

Ref. Method and Comment:

SM 2540 D-2011: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: PALESTINE LAKE CENTER

Collection Date/Time: 03/21/2022 12:40

Field ID: 19010044

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2313562	DEP SOP: NU-094-1	Color (true)**	150		PCU	P411450	
	EPA 180.1 Rev. 2.0	Turbidity	5.2		NTU	P411421	
	EPA 300.0 Rev. 2.1	Chloride	6.0		mg Cl/L	P411617	
		Sulfate	2.2		mg SO4/L	P411619	
	SM 2320 B-2011	Total Alkalinity	0.65	U	mg CaCO3/L	P411602	
	SM 2540 C-2011	TDS	39		mg/L	P411622	
	SM 2540 D-2011	TSS	4	I	mg/L	P411584	
	SM 4500 F-C-2011	Fluoride	0.035	U	mg F/L	P411605	
2313564	EPA 350.1 Rev. 2.0	Ammonia-N	0.013		mg N/L	P411489	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.61		mg N/L	P411768	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.052		mg N/L	P411482	
	EPA 365.1 Rev. 2.0	Total-P	0.026		mg P/L	P411866	
	SM 5310 B-2011	Organic Carbon	15		mg C/L	P411595	
2313577	EPA 200.7 Rev. 4.4	Calcium	1.67		mg/L	P411510	
		Iron	440		ug/L	P411510	
		Magnesium	1.08		mg/L	P411510	
		Potassium	0.37	I	mg/L	P411510	
		Sodium	3.7		mg/L	P411510	
		Strontium	9.3		ug/L	P411510	
		Tin	3.0	U	ug/L	P411510	
		Titanium	1.9	I	ug/L	P411510	
	EPA 200.8 Rev. 5.4	Vanadium	2.0	U	ug/L	P411510	
		Zinc	5.0	U	ug/L	P411510	
		Aluminum	256		ug/L	P411510	
		Antimony	0.12	I	ug/L	P411510	
		Arsenic	0.33		ug/L	P411510	
		Barium	9.02		ug/L	P411510	
		Beryllium	0.013	I	ug/L	P411510	
		Boron**	18.3		ug/L	P411510	
		Cadmium	0.020	U	ug/L	P411510	
		Chromium	0.40	U	ug/L	P411680	
		Cobalt	0.111		ug/L	P411510	
		Copper	0.40	U	ug/L	P411510	
		Lead	0.67		ug/L	P411510	
		Manganese	19.6		ug/L	P411510	
		Molybdenum	0.15	U	ug/L	P411680	
		Nickel	0.50	U	ug/L	P411680	
		Selenium	0.20	U	ug/L	P411510	
		Silver	0.010	U	ug/L	P411510	
		Thallium	0.10	U	ug/L	P411510	
	SM 2340B	Hardness	8.6		mg/L	P411510	

Ref. Method and Comment:

EPA 200.8 Rev. 5.4: The lead result was confirmed in the undigested sample on 03/28/2022.

Sample Location: OCEAN POND CENTER

Collection Date/Time: 03/21/2022 13:45

Field ID: 21010011

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2313563	DEP SOP: NU-094-1	Color (true)**	210		PCU	P411450	
	EPA 180.1 Rev. 2.0	Turbidity	5.0		NTU	P411421	
	EPA 300.0 Rev. 2.1	Chloride	5.2		mg Cl/L	P411617	
		Sulfate	1.1		mg SO4/L	P411619	
	SM 2320 B-2011	Total Alkalinity	0.65	U	mg CaCO3/L	P411602	
	SM 2540 C-2011	TDS	41		mg/L	P411622	
	SM 2540 D-2011	TSS	3	I	mg/L	P411584	
2313565	SM 4500 F-C-2011	Fluoride	0.035	U	mg F/L	P411605	
	EPA 350.1 Rev. 2.0	Ammonia-N	0.008		mg N/L	P411489	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.44		mg N/L	P411769	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.045		mg N/L	P411482	
	EPA 365.1 Rev. 2.0	Total-P	0.034		mg P/L	P411512	
2313578	SM 5310 B-2011	Organic Carbon	14		mg C/L	P411595	
	EPA 200.7 Rev. 4.4	Calcium	1.42		mg/L	P411510	
		Iron	920		ug/L	P411510	
		Magnesium	0.63		mg/L	P411510	
		Potassium	0.30	U	mg/L	P411510	
		Sodium	3.2		mg/L	P411510	
		Strontium	7.0	I	ug/L	P411510	
		Tin	3.0	U	ug/L	P411510	
		Titanium	2.4	I	ug/L	P411510	
		Vanadium	2.0	U	ug/L	P411510	
		Zinc	5.0	U	ug/L	P411510	
	EPA 200.8 Rev. 5.4	Aluminum	428		ug/L	P411510	
		Antimony	0.076	I	ug/L	P411510	
		Arsenic	0.62		ug/L	P411510	
		Barium	7.26		ug/L	P411510	
		Beryllium	0.028	I	ug/L	P411510	
		Boron**	14.5		ug/L	P411510	
		Cadmium	0.020	U	ug/L	P411510	
		Chromium	0.45	I	ug/L	P411680	
		Cobalt	0.194		ug/L	P411510	
		Copper	0.45	I	ug/L	P411510	
		Lead	1.01		ug/L	P411510	
		Manganese	17.9		ug/L	P411510	
		Molybdenum	0.15	U	ug/L	P411680	
		Nickel	0.50	U	ug/L	P411680	
		Selenium	0.20	U	ug/L	P411510	
		Silver	0.010	U	ug/L	P411510	
		Thallium	0.10	U	ug/L	P411510	
	SM 2340B	Hardness	6.1		mg/L	P411510	

Ref. Method and Comment:

EPA 200.8 Rev. 5.4: The lead result was confirmed in the undigested sample on 03/28/2022.

Sample Location: FB_03212022

Collection Date/Time: 03/21/2022 13:50

Field ID: FB_03212022

Matrix: W-FIELD-BK

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2313568	DEP SOP: NU-094-1	Color (true)**	2.5	U	PCU	P411450	
	EPA 180.1 Rev. 2.0	Turbidity	0.10	U	NTU	P411421	
	EPA 300.0 Rev. 2.1	Chloride	0.20	U	mg Cl/L	P411617	
		Sulfate	0.20	U	mg SO4/L	P411619	
	SM 2320 B-2011	Total Alkalinity	0.65	U	mg CaCO3/L	P411602	
	SM 2540 C-2011	TDS	15	U	mg/L	P411622	
	SM 2540 D-2011	TSS	2	U	mg/L	P411584	
	SM 4500 F-C-2011	Fluoride	0.035	U	mg F/L	P411605	
2313569	EPA 350.1 Rev. 2.0	Ammonia-N	0.002	U	mg N/L	P411494	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P411482	
	EPA 365.1 Rev. 2.0	Total-P	0.002	U	mg P/L	P411512	
	SM 5310 B-2011	Organic Carbon	0.50	U	mg C/L	P411595	
2313579	EPA 200.7 Rev. 4.4	Calcium	0.075	U	mg/L	P411510	
		Iron	30	U	ug/L	P411510	
		Magnesium	0.040	U	mg/L	P411510	
		Potassium	0.30	U	mg/L	P411510	
		Sodium	0.50	U	mg/L	P411510	
		Strontium	2.0	U	ug/L	P411510	
		Tin	3.0	U	ug/L	P411510	
		Titanium	0.75	U	ug/L	P411510	
		Vanadium	2.0	U	ug/L	P411510	
		Zinc	5.0	U	ug/L	P411510	
	EPA 200.8 Rev. 5.4	Aluminum	5.0	U	ug/L	P411510	
		Antimony	0.050	U	ug/L	P411510	
		Arsenic	0.050	U	ug/L	P411510	
		Barium	0.20	U	ug/L	P411510	
		Beryllium	0.010	U	ug/L	P411510	
		Boron**	2.0	U	ug/L	P411510	
		Cadmium	0.020	U	ug/L	P411510	
		Chromium	0.40	U	ug/L	P411680	
		Cobalt	0.020	U	ug/L	P411510	
		Copper	0.40	U	ug/L	P411510	
		Lead	0.20	U	ug/L	P411510	
		Manganese	0.10	U	ug/L	P411510	
		Molybdenum	0.15	U	ug/L	P411680	
		Nickel	0.50	U	ug/L	P411680	
		Selenium	0.20	U	ug/L	P411510	
		Silver	0.010	U	ug/L	P411510	
		Thallium	0.10	U	ug/L	P411510	

Quality Assurance Report Method Blank Results

Reference Method: DEP SOP: NU-094-1
Batch ID: P411450

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P411421

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P411510

Component	Result	Code	Units
Calcium	0.075	U	mg/L
Iron	30	U	ug/L
Magnesium	0.040	U	mg/L
Potassium	0.30	U	mg/L
Sodium	0.50	U	mg/L
Strontium	2.0	U	ug/L
Tin	3.0	U	ug/L
Titanium	0.75	U	ug/L
Vanadium	2.0	U	ug/L
Zinc	5.0	U	ug/L

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P411510

Component	Result	Code	Units
Aluminum	5.0	U	ug/L
Antimony	0.050	U	ug/L
Arsenic	0.050	U	ug/L
Barium	0.20	U	ug/L
Beryllium	0.010	U	ug/L
Boron	2.0	U	ug/L
Cadmium	0.020	U	ug/L
Cobalt	0.020	U	ug/L
Copper	0.40	U	ug/L
Lead	0.20	U	ug/L
Manganese	0.10	U	ug/L
Selenium	0.20	U	ug/L
Silver	0.010	U	ug/L
Thallium	0.10	U	ug/L

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P411680

Component	Result	Code	Units
Chromium	0.40	U	ug/L
Molybdenum	0.15	U	ug/L
Nickel	0.50	U	ug/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P411617

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P411619

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P411489

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P411494

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P411531

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P411768

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P411769

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P411482

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P411512

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Quality Assurance Report

Method Blank Results

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P411866

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: SM 2320 B-2011
Batch ID: P411602

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO ₃ /L

Reference Method: SM 2540 C-2011
Batch ID: P411622

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 C-2011
Batch ID: P411623

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-2011
Batch ID: P411584

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 2540 D-2011
Batch ID: P411585

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-2011
Batch ID: P411605

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-2011
Batch ID: P411595

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: DEP SOP: NU-094-1
Batch ID: P411450

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	99.0		P	85 - 115

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P411421

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Turbidity	96.6		P	90 - 110

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P411510

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Calcium	105		P	85 - 115
Iron	107		P	85 - 115
Magnesium	108		P	85 - 115
Potassium	106		P	85 - 115
Sodium	107		P	85 - 115
Strontium	105		P	85 - 115
Tin	104		P	85 - 115
Titanium	103		P	85 - 115
Vanadium	96.6		P	85 - 115
Zinc	105		P	85 - 115

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P411510

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Aluminum	103		P	85 - 115
Antimony	101		P	85 - 115
Arsenic	100		P	85 - 115
Barium	102		P	85 - 115
Beryllium	100		P	85 - 115
Boron	106		P	85 - 115
Cadmium	100		P	85 - 115
Cobalt	101		P	85 - 115
Copper	99.7		P	85 - 115
Lead	97.9		P	85 - 115
Manganese	98.0		P	85 - 115
Selenium	101		P	85 - 115
Silver	99.8		P	85 - 115
Thallium	100		P	85 - 115

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P411680

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chromium	97.9		P	85 - 115
Molybdenum	97.7		P	85 - 115
Nickel	102		P	85 - 115

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P411617

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	97.5		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P411619

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	97.2		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P411489

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	96.2		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P411494

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	97.4		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P411531

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	102		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P411768

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	110		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P411769

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	94.2		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P411482

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	101		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P411512

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	98.0		P	90 - 110

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P411866

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	103		P	90 - 110

Reference Method: SM 2320 B-2011
Batch ID: P411602

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	98.4		P	94 - 106

Reference Method: SM 4500 F-C-2011
Batch ID: P411605

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	97.2		P	93 - 104

Reference Method: SM 5310 B-2011
Batch ID: P411595

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	95.6		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 200.7 Rev. 4.4

Batch ID: P411510

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2314047	Calcium	103		P	80 - 120
2314047	Iron	99.2	103	P/P	80 - 120
2314047	Magnesium	103	108	P/P	80 - 120
2314047	Potassium	96.9	102	P/P	80 - 120
2314047	Sodium	93.3	101	P/P	80 - 120
2314047	Strontium	100	104	P/P	80 - 120
2314047	Tin	101	104	P/P	80 - 120
2314047	Titanium	96.1	99.2	P/P	80 - 120
2314047	Vanadium	94.9	98.6	P/P	80 - 120
2314047	Zinc	100	104	P/P	80 - 120
2314048	Calcium	105		P	80 - 120
2314048	Iron	107		P	80 - 120
2314048	Magnesium	108		P	80 - 120
2314048	Potassium	103		P	80 - 120
2314048	Sodium	102		P	80 - 120
2314048	Strontium	104		P	80 - 120
2314048	Tin	102		P	80 - 120
2314048	Titanium	102		P	80 - 120
2314048	Vanadium	97.5		P	80 - 120
2314048	Zinc	102		P	80 - 120

Reference Method: EPA 200.8 Rev. 5.4

Batch ID: P411510

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2314047	Aluminum	103	104	P/P	80 - 120
2314047	Antimony	100	100	P/P	80 - 120
2314047	Arsenic	101	101	P/P	80 - 120
2314047	Barium	101	102	P/P	80 - 120
2314047	Beryllium	97.5	102	P/P	80 - 120
2314047	Boron	104	103	P/P	80 - 120
2314047	Cadmium	99.6	101	P/P	80 - 120
2314047	Cobalt	99.3	100	P/P	80 - 120
2314047	Copper	97.4	97.6	P/P	80 - 120
2314047	Lead	97.7	98.4	P/P	80 - 120
2314047	Manganese	90.9	93.2	P/P	80 - 120
2314047	Selenium	99.3	98.3	P/P	80 - 120
2314047	Silver	97.8	97.5	P/P	80 - 120
2314047	Thallium	103	104	P/P	80 - 120
2314048	Aluminum	107		P	80 - 120
2314048	Antimony	105		P	80 - 120
2314048	Arsenic	102		P	80 - 120
2314048	Barium	108		P	80 - 120
2314048	Beryllium	99.9		P	80 - 120
2314048	Boron	110		P	80 - 120
2314048	Cadmium	102		P	80 - 120
2314048	Cobalt	103		P	80 - 120
2314048	Copper	103		P	80 - 120
2314048	Lead	100		P	80 - 120
2314048	Manganese	104		P	80 - 120
2314048	Selenium	102		P	80 - 120
2314048	Silver	100		P	80 - 120

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P411510

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2314048	Thallium	105		P	80 - 120

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P411680

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2314860	Chromium	95.9		P	80 - 120
2314860	Molybdenum	98.5		P	80 - 120
2314860	Nickel	93.3		P	80 - 120
2314863	Chromium	98.3	97.7	P/P	80 - 120
2314863	Molybdenum	102	101	P/P	80 - 120
2314863	Nickel	99.8	99.4	P/P	80 - 120

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P411617

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2313417	Chloride	94.7		P	90 - 110
2313566	Chloride	97.8		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P411619

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2313417	Sulfate	96.0		P	90 - 110
2313566	Sulfate	97.4		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P411489

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2313422	Ammonia-N	96.2	97.4	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P411494

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2313614	Ammonia-N	100	102	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P411531

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2313422	Kjeldahl Nitrogen	94.0	109	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P411768

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2313275	Kjeldahl Nitrogen	97.7	96.1	P/P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P411769

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2313441	Kjeldahl Nitrogen	105	108	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P411482

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2313559	NO2NO3-N	104	104	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P411512

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2313612	Total-P	98.2	103	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P411866

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2313564	Total-P	106	103	P/P	90 - 110

Reference Method: SM 4500 F-C-2011
Batch ID: P411605

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2313867	Fluoride	96.0	94.1	P/P	92 - 107

Reference Method: SM 5310 B-2011
Batch ID: P411595

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2313461	Organic Carbon	99.0	99.6	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: DEP SOP: NU-094-1
Batch ID: P411450

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2313460	Color (true)	19.0	Sample	P	0 - 20

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P411421

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2313417	Turbidity	0.0	Sample	P	0 - 20

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P411510

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2314047	Calcium	5.21	Spike	P	0 - 20
2314047	Iron	3.46	Spike	P	0 - 20
2314047	Magnesium	3.79	Spike	P	0 - 20
2314047	Potassium	3.74	Spike	P	0 - 20
2314047	Sodium	4.07	Spike	P	0 - 20
2314047	Strontium	3.77	Spike	P	0 - 20
2314047	Tin	3.59	Spike	P	0 - 20
2314047	Titanium	2.96	Spike	P	0 - 20
2314047	Vanadium	3.82	Spike	P	0 - 20
2314047	Zinc	3.58	Spike	P	0 - 20

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P411510

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2314047	Aluminum	0.788	Spike	P	0 - 20
2314047	Antimony	0.0934	Spike	P	0 - 20
2314047	Arsenic	0.0465	Spike	P	0 - 20
2314047	Barium	0.856	Spike	P	0 - 20
2314047	Beryllium	4.02	Spike	P	0 - 20
2314047	Boron	0.719	Spike	P	0 - 20
2314047	Cadmium	1.61	Spike	P	0 - 20
2314047	Cobalt	1.19	Spike	P	0 - 20
2314047	Copper	0.235	Spike	P	0 - 20
2314047	Lead	0.724	Spike	P	0 - 20
2314047	Manganese	1.81	Spike	P	0 - 20
2314047	Selenium	1.07	Spike	P	0 - 20
2314047	Silver	0.320	Spike	P	0 - 20
2314047	Thallium	0.695	Spike	P	0 - 20

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P411680

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2314863	Chromium	0.609	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P411680

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2314863	Molybdenum	0.817	Spike	P	0 - 20
2314863	Nickel	0.372	Spike	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P411617

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2313417	Chloride	0.00200	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P411619

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2313417	Sulfate	0.521	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P411489

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2313422	Ammonia-N	0.987	Spike	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P411494

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2313614	Ammonia-N	1.58	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P411531

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2313422	Kjeldahl Nitrogen	11.9	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P411768

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2313275	Kjeldahl Nitrogen	1.41	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P411769

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2313441	Kjeldahl Nitrogen	2.40	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P411482

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2313559	NO2NO3-N	0.962	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P411512

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2313612	Total-P	4.12	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P411866

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2313564	Total-P	2.65	Spike	P	0 - 20

Reference Method: SM 2320 B-2011
Batch ID: P411602

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2313867	Total Alkalinity	0.862	Sample	P	0 - 5.2

Reference Method: SM 2540 C-2011
Batch ID: P411622

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2313265	TDS	5.04	Sample	P	0 - 10

Reference Method: SM 2540 C-2011
Batch ID: P411623

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2313610	TDS	9.78	Sample	P	0 - 10

Reference Method: SM 2540 D-2011
Batch ID: P411584

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2313265	TSS	6.06	Sample	P	0 - 10

Reference Method: SM 4500 F-C-2011
Batch ID: P411605

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2313867	Fluoride	0.973	Spike	P	0 - 2.1

Quality Assurance Report

Precision

Reference Method: SM 5310 B-2011
Batch ID: P411595

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2313461	Organic Carbon	0.350	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Calibration Verification

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A111070

Included Lab Sample IDs: 2313562, 2313563, 2313566, 2313568

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	97.8	98.3	P/P	90 - 110
Chloride	98.3	98.9	P/P	90 - 110
Sulfate	98.3	98.6	P/P	90 - 110
Sulfate	98.6	99.0	P/P	90 - 110

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A111088

Included Lab Sample IDs: 2313562, 2313563, 2313566, 2313568

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	100	100	P/P	95 - 105

Reference Method: DEP SOP: NU-094-1

Run ID: A111099

Included Lab Sample IDs: 2313562, 2313563, 2313566, 2313568

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	98.1	101	P/P	85 - 115
Color (true)	98.7	99.4	P/P	85 - 115

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A111105

Included Lab Sample IDs: 2313564, 2313565, 2313567, 2313569

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	102	102	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A111108

Included Lab Sample IDs: 2313564, 2313565

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	98.7	100	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A111115

Included Lab Sample IDs: 2313567, 2313569

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	99.5	98.9	P/P	90 - 110

Reference Method: SM 5310 B-2011

Run ID: A111155

Included Lab Sample IDs: 2313564, 2313565, 2313567, 2313569

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	95.2	96.9	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: SM 2320 B-2011

Run ID: A111156

Included Lab Sample IDs: 2313562, 2313563, 2313566, 2313568

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	98.1	97.3	P/P	90 - 110

Reference Method: SM 4500 F-C-2011

Run ID: A111156

Included Lab Sample IDs: 2313562, 2313563, 2313566, 2313568

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	100	101	P/P	90 - 110

Reference Method: EPA 200.7 Rev. 4.4

Run ID: A111171

Included Lab Sample IDs: 2313577, 2313578, 2313579

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Calcium	102	103	P/P	90 - 110
Calcium	97.8	102	P/P	95 - 105
Iron	102	103	P/P	90 - 110
Iron	98.0	102	P/P	95 - 105
Magnesium	102	103	P/P	90 - 110
Magnesium	97.8	102	P/P	95 - 105
Potassium	103	105	P/P	90 - 110
Potassium	99.8	103	P/P	95 - 105
Sodium	101	102	P/P	90 - 110
Sodium	97.5	101	P/P	95 - 105
Strontium	95.5	97.6	P/P	95 - 105
Strontium	97.6	97.7	P/P	90 - 110
Tin	96.1	97.7	P/P	95 - 105
Tin	97.7	98.0	P/P	90 - 110
Titanium	95.3	97.1	P/P	95 - 105
Titanium	97.1	97.4	P/P	90 - 110
Vanadium	95.3	97.3	P/P	95 - 105
Vanadium	97.3	97.3	P/P	90 - 110
Zinc	97.8	99.4	P/P	95 - 105
Zinc	99.4	101	P/P	90 - 110

Reference Method: EPA 200.8 Rev. 5.4

Run ID: A111172

Included Lab Sample IDs: 2313577, 2313578, 2313579

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Aluminum	100	101	P/P	90 - 110
Aluminum	101	100	P/P	90 - 110
Antimony	95.8	96.4	P/P	90 - 110
Antimony	96.4	97.2	P/P	90 - 110
Arsenic	101	98.9	P/P	90 - 110
Arsenic	98.9	98.0	P/P	90 - 110
Barium	98.5	99.1	P/P	90 - 110
Barium	99.1	99.3	P/P	90 - 110
Beryllium	99.3	97.6	P/P	90 - 110
Beryllium	99.6	99.3	P/P	90 - 110
Boron	100	100	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 200.8 Rev. 5.4

Run ID: A111172

Included Lab Sample IDs: 2313577, 2313578, 2313579

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Boron	99.7	100	P/P	90 - 110
Cadmium	98.6	98.9	P/P	90 - 110
Cadmium	98.9	98.4	P/P	90 - 110
Cobalt	100	97.9	P/P	90 - 110
Cobalt	100	100	P/P	90 - 110
Copper	100	98.2	P/P	90 - 110
Copper	102	100	P/P	90 - 110
Lead	96.1	94.4	P/P	90 - 110
Lead	96.4	96.1	P/P	90 - 110
Manganese	95.8	97.5	P/P	90 - 110
Manganese	97.5	98.5	P/P	90 - 110
Selenium	98.0	98.8	P/P	90 - 110
Selenium	98.8	98.0	P/P	90 - 110
Silver	95.7	96.0	P/P	90 - 110
Silver	96.0	95.0	P/P	90 - 110
Thallium	100	99.8	P/P	90 - 110
Thallium	99.8	98.0	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A111193

Included Lab Sample IDs: 2313567

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	102	100	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A111196

Included Lab Sample IDs: 2313567

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	95.0	104	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A111207

Included Lab Sample IDs: 2313565, 2313569

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	99.5	100	P/P	90 - 110

Reference Method: EPA 200.8 Rev. 5.4

Run ID: A111218

Included Lab Sample IDs: 2313577, 2313578, 2313579

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chromium	99.1	100	P/P	90 - 110
Chromium	99.9	99.1	P/P	90 - 110
Molybdenum	101	99.6	P/P	90 - 110
Molybdenum	99.6	101	P/P	90 - 110
Nickel	98.5	99.2	P/P	90 - 110
Nickel	99.2	98.5	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A111296

Included Lab Sample IDs: 2313564, 2313565

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	100	101	P/P	90 - 110
Kjeldahl Nitrogen	96.0	103	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A111316

Included Lab Sample IDs: 2313564

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	102	100	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery			Precision SMP	MS
			LCS				
DEP SOP: NU-094-1	Color (true)	99.0				19.0	
EPA 180.1 Rev. 2.0	Turbidity	96.6				0.0	
EPA 200.7 Rev. 4.4	Calcium	105	103	105			5.21
	Iron	107	99.2	103	107		3.46
	Magnesium	108	103	108	108		3.79
	Potassium	106	96.9	102	103		3.74
	Sodium	107	93.3	101	102		4.07
	Strontium	105	100	104	104		3.77
	Tin	104	101	104	102		3.59
	Titanium	103	96.1	99.2	102		2.96
	Vanadium	96.6	94.9	98.6	97.5		3.82
	Zinc	105	100	104	102		3.58
EPA 200.8 Rev. 5.4	Aluminum	103	103	104	107		0.788
	Antimony	101	100	100	105		0.0934
	Arsenic	100	101	101	102		0.0465
	Barium	102	101	102	108		0.856
	Beryllium	100	97.5	102	99.9		4.02
	Boron	106	104	103	110		0.719
	Cadmium	100	99.6	101	102		1.61
	Chromium	97.9	98.3	97.7	95.9		0.609
	Cobalt	101	99.3	100	103		1.19
	Copper	99.7	97.4	97.6	103		0.235
	Lead	97.9	97.7	98.4	100		0.724
	Manganese	98.0	90.9	93.2	104		1.81
	Molybdenum	97.7	102	101	98.5		0.817
	Nickel	102	99.8	99.4	93.3		0.372
	Selenium	101	99.3	98.3	102		1.07
	Silver	99.8	97.8	97.5	100		0.320
	Thallium	100	103	104	105		0.695
EPA 300.0 Rev. 2.1	Chloride	97.5	94.7	97.8		0.0020	
	Sulfate	97.2	96.0	97.4		0.521	
EPA 350.1 Rev. 2.0	Ammonia-N	96.2	96.2	97.4			0.987
	Ammonia-N	97.4	100	102			1.58
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	102	94.0	109			11.9
	Kjeldahl Nitrogen	110	97.7	96.1			1.41
	Kjeldahl Nitrogen	94.2	105	108			2.40
EPA 353.2 Rev. 2.0	NO2NO3-N	101	104	104			0.962
EPA 365.1 Rev. 2.0	Total-P	98.0	98.2	103			4.12
	Total-P	103	106	103			2.65
SM 2320 B-2011	Total Alkalinity	98.4				0.862	
SM 2540 C-2011	TDS					5.04	
	TDS					9.78	
SM 2540 D-2011	TSS					6.06	
SM 4500 F-C-2011	Fluoride	97.2	96.0	94.1			0.973
SM 5310 B-2011	Organic Carbon	95.6	99.0	99.6			0.350

Reference Method Descriptions

Method	Description	Associated Samples
DEP SOP: NU-094-1	True Color measured at 450 nm (not valid for NPDES monitoring)	2313562, 2313563, 2313566, 2313568
EPA 180.1 Rev. 2.0	Turbidity in aqueous matrices	2313562, 2313563, 2313566, 2313568
EPA 200.7 Rev. 4.4	Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects	2313577, 2313578, 2313579

Reference Method Descriptions

Method	Description	Associated Samples
EPA 200.8 Rev. 5.4	Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects	2313577, 2313578, 2313579
EPA 300.0 Rev. 2.1	Chloride in aqueous matrices	2313562, 2313563, 2313566, 2313568
EPA 300.0 Rev. 2.1	Sulfate in aqueous matrices	2313562, 2313563, 2313566, 2313568
EPA 350.1 Rev. 2.0	Ammonia in aqueous matrices as mg N/L	2313564, 2313565, 2313567, 2313569
EPA 351.2 Rev. 2.0	Total Kjeldahl Nitrogen in aqueous matrices	2313564, 2313565, 2313567
EPA 353.2 Rev. 2.0	Nitrite/Nitrate in aqueous matrices as mg N/L	2313564, 2313565, 2313567, 2313569
EPA 365.1 Rev. 2.0	Total Phosphorus in aqueous matrices as mg P/L	2313564, 2313565, 2313567, 2313569
SM 2320 B-2011	Alkalinity in aqueous matrices as mg CaCO ₃ /L	2313562, 2313563, 2313566, 2313568
SM 2340B	Hardness by calculation, in aqueous matrices, reported as mg/L CaCO ₃	2313577, 2313578
SM 2540 C-2011	Total Dissolved Solids in aqueous matrices	2313562, 2313563, 2313566, 2313568
SM 2540 D-2011	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2313562, 2313563, 2313566, 2313568
SM 4500 F-C-2011	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2313562, 2313563, 2313566, 2313568
SM 5310 B-2011	Nonpurgeable Organic Carbon in aqueous matrices	2313564, 2313565, 2313567, 2313569

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
DEP SOP: NU-094-1	03/22/2022			03/22/2022 15:04	Blanca Fach	2313566, 2313568
	03/22/2022			03/22/2022 15:21	Blanca Fach	2313562, 2313563
EPA 180.1 Rev. 2.0	03/22/2022			03/22/2022 15:29	Anna M. Plaviak	2313562
	03/22/2022			03/22/2022 15:30	Anna M. Plaviak	2313563
	03/22/2022			03/22/2022 15:32	Anna M. Plaviak	2313566
	03/22/2022			03/22/2022 15:33	Anna M. Plaviak	2313568
EPA 200.7 Rev. 4.4	03/22/2022	03/24/2022 10:37	Megan Whitefoot	03/25/2022 16:20	Josef B Mick	2313579
	03/22/2022	03/24/2022 10:37	Megan Whitefoot	03/25/2022 17:57	Josef B Mick	2313577
	03/22/2022	03/24/2022 10:37	Megan Whitefoot	03/25/2022 18:03	Josef B Mick	2313578
EPA 200.8 Rev. 5.4	03/22/2022	03/24/2022 10:37	Megan Whitefoot	03/25/2022 13:24	Alexander Thompson	2313579
	03/22/2022	03/24/2022 10:37	Megan Whitefoot	03/25/2022 15:58	Alexander Thompson	2313577
	03/22/2022	03/24/2022 10:37	Megan Whitefoot	03/25/2022 16:07	Alexander Thompson	2313578
	03/22/2022	03/29/2022 10:33	Megan Whitefoot	03/29/2022 16:47	Emily M Philpot	2313579
	03/22/2022	03/29/2022 10:33	Megan Whitefoot	03/29/2022 18:52	Emily M Philpot	2313577
EPA 300.0 Rev. 2.1	03/22/2022	03/29/2022 10:33	Megan Whitefoot	03/29/2022 19:02	Emily M Philpot	2313578
	03/22/2022			03/24/2022 12:03	James L Waggeberby	2313566
	03/22/2022			03/24/2022 14:28	James L Waggeberby	2313562
	03/22/2022			03/24/2022 14:40	James L Waggeberby	2313563
	03/22/2022			03/24/2022 14:53	James L Waggeberby	2313568
EPA 350.1 Rev. 2.0	03/22/2022			03/23/2022 12:41	Judith K. Clark	2313564
	03/22/2022			03/23/2022 12:42	Judith K. Clark	2313565
	03/22/2022			03/23/2022 12:42	Ping Hua	2313567
	03/22/2022			03/23/2022 12:46	Ping Hua	2313569
EPA 351.2 Rev. 2.0	03/22/2022	03/25/2022 10:06	Samantha L Bates	03/28/2022 14:46	Alexandra J Mattheus	2313567
	03/22/2022	03/31/2022 11:24	Samantha L Bates	04/04/2022 12:39	Alexandra J Mattheus	2313564
	03/22/2022	03/31/2022 11:24	Samantha L Bates	04/04/2022 14:09	Alexandra J Mattheus	2313565
EPA 353.2 Rev. 2.0	03/22/2022			03/23/2022 10:26	Beverly Y. Sanders	2313564
	03/22/2022			03/23/2022 10:27	Beverly Y. Sanders	2313565
	03/22/2022			03/23/2022 10:28	Beverly Y. Sanders	2313567
	03/22/2022			03/23/2022 10:30	Beverly Y. Sanders	2313569
EPA 365.1 Rev. 2.0	03/22/2022	03/25/2022 16:35	Simonne.V. Calhoun	03/28/2022 12:58	Sarah A Nixon	2313567
	03/22/2022	03/25/2022 16:35	Simonne.V. Calhoun	03/28/2022 16:08	James L Waggeberby	2313569
	03/22/2022	03/25/2022 16:35	Simonne.V. Calhoun	03/28/2022 16:14	James L Waggeberby	2313565
	03/22/2022	04/04/2022 17:10	Simonne.V. Calhoun	04/05/2022 14:38	James L Waggeberby	2313564
SM 2320 B-2011	03/22/2022			03/25/2022 01:02	Dale L. Simmons	2313562
	03/22/2022			03/25/2022 01:09	Dale L. Simmons	2313563
	03/22/2022			03/25/2022 01:21	Dale L. Simmons	2313566
	03/22/2022			03/25/2022 01:30	Dale L. Simmons	2313568
SM 2340B	03/22/2022			03/25/2022 17:57	Josef B Mick	2313577
	03/22/2022			03/25/2022 18:03	Josef B Mick	2313578

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
SM 2540 C-2011	03/22/2022			03/23/2022 14:22	Yijie Li	2313562, 2313563, 2313566, 2313568
SM 2540 D-2011	03/22/2022			03/23/2022 14:22	Yijie Li	2313562, 2313563, 2313566, 2313568
SM 4500 F-C-2011	03/22/2022			03/25/2022 01:02	Dale L. Simmons	2313562
	03/22/2022			03/25/2022 01:09	Dale L. Simmons	2313563
	03/22/2022			03/25/2022 01:21	Dale L. Simmons	2313566
	03/22/2022			03/25/2022 01:30	Dale L. Simmons	2313568
SM 5310 B-2011	03/22/2022			03/24/2022 17:51	Khloe J Berg	2313564
	03/22/2022			03/24/2022 18:06	Khloe J Berg	2313565
	03/22/2022			03/24/2022 18:21	Khloe J Berg	2313567
	03/22/2022			03/24/2022 18:36	Khloe J Berg	2313569