



DIVERSIFIED
ENVIRONMENTAL LABORATORIES, INC.

CHAIN OF CUSTODY RECORD

Project Number:
(Lab Use Only) 220407.01

3653 Regent Boulevard, Suite # 509
Jacksonville, FL 32224
P. (904) 807-9625 E. info@delillab.com
F. (904) 807-9627

Page 1 of 1

Company Name		Florida Department of Environmental Protection																					
Address		8800 Bynumanders Way West																					
City		Jax																					
State		FL																					
Zip		32256																					
Attn.		Rep-Overhaul Micro																					
Tel.		E-mail or Fax																					
Project Name		LSJ12 South Side																					
Project Number		2022-04-11-23																					
Project Location																							
Sampler Name/Signature		Jerevy Pamel / Jerevy Pamel																					
Transfer #	Sample # (Lab Use Only)	Sample Identification	Date Sampled	Time Sampled	Sample Matrix Code	Specific Cond. (Field)	Comp	Grab	E. Coli - Quantitray	Enterococci - Quantitray	Coliform, Fecal - MF 3 Dilutions	Parameters	Preservation Codes:	Sample Matrix Codes:	Sample Kit or Container Lot #								
	1	57890	20030593	4/7/22	900	NPW	423	X		X			0. None 5. Na2S2O3 1. H2SO4 6. Crushed Ice (4C) 2. HNO3 7. C6H8O6 3. HCl 8. NH4Cl 4. NaOH 9. Other (List)	A. Air P. Petroleum B. Bulk S. Soil/Sludge W. Wipe O. Other PW. Potable Water NPW. Non-Potable Water									
	2	57891	20030518	4/7/22	920	NPW	484	X		X													
	3	57892	20030594	4/7/22	935	NPW	357	X		X													
	4																						
	5																						
	6																						
	7																						
	8																						
	9																						
	0																						
Special Instructions:										Transfer Numbers						Relinquished By		Date / Time		Received By		Date / Time	
										1-3						Jerevy Pamel		4/7/22 1137		De Ve		04/07/22 1137	



Certification #E821059

Lab General Form 059, Rev. #1, Rev. Date: 02/07/22, Effective Date: 02/07/22.

Visit us online & order kits at: www.delillab.com

Project Login Form

DELI Project Number: 220407.01 Client Name: Florida Department of Environmental Protection

Date Received: 04/07/22 Received by: DJV PLF Completed by: DJV

Courier/Shipper Information:

☒ Client ☐ DEL, Inc. ☐ Other (describe) _____

Type & Number of Shipping Containers:

#	Shipping Container Description	Crushed Ice	Cooler/Ice Temp. (°C)	Sample Cont. Temp. (°C)
1	<u>Cooler</u> Box Other:	<u>(Yes)</u> No	<u>0.3</u>	<u>4.3</u>
2	Cooler Box Other:	Yes No		
3	Cooler Box Other:	Yes No		

Note: If thermal preservation was used/required, pick a sample container from each cooler and use the IR gun to measure the sample temperature.

Therm Inv. #: 0421 IR Gun Inv. #: 0332

Other Information Checklist:

	YES	NO	NA
1 Were custody seals used for shipping containers(s)?	☐	☒	☐
2 If Yes, were the custody seals intact? If no, see comments below.	☐	☐	☒
3 Were custody seals used for sample containers(s)?	☐	☒	☐
4 If Yes, were the custody seals intact? If no, see comments below.	☐	☐	☒
5 Did custody papers accompany samples? (such as COC, specifics, etc.)	☒	☐	☐
6 Were the custody papers properly filled out?	☒	☐	☐
7 Were the sample containers received in good condition? (If no, see comments)	☒	☐	☐
8 Were the sample container labels properly filled out? (date, time, preservation, etc.)	☒	☐	☐
9 Were the labels on the sample containers and custody papers consistent?	☒	☐	☐
10 Were the samples in the correct containers for analysis?	☒	☐	☐
11 Were the correct preservations used for each sample container according to analysis?	☒	☐	☐
12 Were the samples received within the appropriate holding times?	☒	☐	☐
13 Were pH preservation checks made?	☐	☐	☒
14 Were the sample containers provided by DEL, Inc.?	☐	☒	☐
15 Was this a sample kit provided by DEL, Inc.? If Yes, DEL, Inc. Kit #: <u>NA</u>	☐	☐	☒
16 Were the VOA vials free of headspace? (No bubbles present)	☐	☐	☒

Are the samples acceptable for analysis? Yes If yes, proceed with login. If no, notify client immediately and list rejection reasons in comments area below. Also, please take any needed further action for rejected sample(s).

Container Preservation Check:

Note: VOA vials will not be checked for pH at sample login. The testing laboratory will perform that check during analysis. The pH of microbiological samples will not be checked, due to the risk of contamination. The pH of Oil & Grease samples will not be checked during sample login, due to the potential loss of product. If adding a preservative to a sample after receiving it at the laboratory, the date and time the preservative was added must be documented below.

DELI Sample #	Parameters	Cooler/ Container #	pH upon receipt	Preservative added after pH check?	If Yes, which preservative was added? (Incl. Vol.)	Preservative Lot #	New pH value	Sample container size & type?
57690 - 57892	Enterococci	1	-	Yes / <u>NO</u>	-	-	-	250mLP
				Yes / No				
				Yes / No				
				Yes / No				
				Yes / No				
				Yes / No				
				Yes / No				
				Yes / No				
				Yes / No				

P = Plastic; G = Glass; AG = Amber Glass; TL = Teflon Lid; WM = Wide Mouth

☐ Sample preservation added upon receiving
Date: _____ Time: _____

Comments:



April 14, 2022

Florida Department of Environmental Protection
8800 Baymeadows Way West
Jacksonville, FL 32256

Re: DELI Project Number: **220407.01**
Client PO Number: **BABC4A**
Client Project Description: **LSJR Southside; 2022-04-11-23**

Enclosed is the report of laboratory analysis for the following sample(s):

Sample Number	Sample Description	Date/Time Collected	Date/Time Received
57890	20030593	04/07/2022 09:00	04/07/2022 11:37
57891	20030518	04/07/2022 09:20	04/07/2022 11:37
57892	20030594	04/07/2022 09:35	04/07/2022 11:37

If you have any questions or comments concerning this laboratory report, please do not hesitate to contact us.

Sincerely,

Franklin A. Risk, Jr.
Laboratory Director

Enclosures

This laboratory report consists of a cover page, case narrative page and report page. There may be multiple pages of each. The pages are numbered accordingly. The report may also contain chain of custody forms, project log in forms, QA/QC reports and client worksheets if applicable. The results herein relate only to the items tested or to the samples as received by the laboratory. The report shall not be reproduced except in full, without the written approval of the laboratory. All samples will be disposed of within 30 days of receipt, unless a written request to retain the samples longer is received. All samples referenced in this laboratory report are considered to be environmental samples. The case narrative will contain comments and or notes regarding the samples and analyses.

Cover Page 1 of 1

NELAP #E821059

Diversified Environmental Laboratories, Inc.
3653 Regent Boulevard
Suite 509
Jacksonville, FL 32224



Phone 904.807.9625
Fax 904.807.9627
Email info@delilab.com
Web www.delilab.com



Case Narrative

April 14, 2022

Florida Department of Environmental Protection

Re: DELI Project Number: 220407.01
Client Project Description: LSJR Southside; 2022-04-11-23

Enclosed is the case narrative for the above referenced project:

There is nothing to report in the case narrative section of this laboratory report.

Unless otherwise noted and where applicable:

These samples were received at the proper temperature and with the proper preservation. The samples were analyzed as received, unless otherwise noted. All results in the Quality Control section are labeled appropriately. All results meet the requirements of the NELAP standards, unless otherwise noted. Footnotes are given at the end of the report.

Narrative Page 1 of 1

NELAP #E821059

Diversified Environmental Laboratories, Inc.
3653 Regent Boulevard
Suite 509
Jacksonville, FL 32224



Phone 904.807.9625
Fax 904.807.9627
Email info@delilab.com
Web www.delilab.com



Report of Laboratory Analysis

Florida Department of Environmental
Protection

Project Description

LSJR Southside; 2022-04-11-23

DELI
Project Number

220407.01

Report Date: April 14, 2022

DELI Sample Number **57890**
Sample Description **20030593**

Matrix **Non Potable Water**
Date/Time Collected **04/07/2022 09:00**

Parameters	Method	Results	Footnote	Units	DF	MDL	PQL	Incubation In	Incubation Out	Analyst	Analysis Date/Time
Enterococci (Quanti-Tray)	Enterolert	2420		MPN/100ml	1	1	1	04/07/2022 13:34	04/08/2022 13:40	JMD	04/07/2022 13:25





Report of Laboratory Analysis

Florida Department of Environmental
Protection

Project Description

LSJR Southside; 2022-04-11-23

DELI
Project Number

220407.01

Report Date: April 14, 2022

DELI Sample Number 57891

Sample Description 20030518

Matrix

Non Potable Water

Date/Time Collected

04/07/2022 09:20

Parameters	Method	Results	Footnote	Units	DF	MDL	PQL	Incubation In	Incubation Out	Analyst	Analysis Date/Time
Enterococci (Quanti-Tray)	Enterolert	272		MPN/100ml	1	1	1	04/07/2022 13:34	04/08/2022 13:40	JMD	04/07/2022 13:25





Report of Laboratory Analysis

Florida Department of Environmental
Protection

Project Description

LSJR Southside; 2022-04-11-23

DELI
Project Number

220407.01

Report Date: April 14, 2022

DELI Sample Number **57892**
Sample Description **20030594**

Matrix **Non Potable Water**
Date/Time Collected **04/07/2022 09:35**

Parameters	Method	Results	Footnote	Units	DF	MDL	PQL	Incubation In	Incubation Out	Analyst	Analysis Date/Time
Enterococci (Quanti-Tray)	Enterolert	297		MPN/100ml	1	1	1	04/07/2022 13:34	04/08/2022 13:40	JMD	04/07/2022 13:25





Report of Laboratory Analysis

**Florida Department of Environmental
Protection**

Project Description

LSJR Southside; 2022-04-11-23

**DELI
Project Number**

220407.01

Report Date: April 14, 2022

Footnotes

DF	Dilution Factor
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MB	Method Blank
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
NA	Not Applicable
ND	Not Detected/None Detected
PQL	Practical Quantification Limit
RPD	Relative Percent Deviation





Quality Control Data

Date Printed: April 14, 2022

QC Data for Project Number: 220407.01

Page QC-1 of 1

Batch No: B23256

Associated Samples

TestCode: Micro: Enterococci (Quanti-Tray) - Enterolert

57890, 57891, 57892

Compound	Blank	LCS Spike	LCS %Rec	LCSD %Rec	RPD %	---QC Limits---		MS Spike	MS %Rec	MSD %Rec	RPD %	---QC Limits---		Sample Dup %RPD	--QC Limit-- %RPD	Qualifiers
Parent Sample Number														57892		
Enterococci	<1 U													32.3	80	

* Indicates value is outside control limits for %Recovery or greater than acceptance criteria for RPD

Footnotes

U Compound analyzed for, but not detected.

NELAP #E821059

Diversified Environmental Laboratories, Inc.
3653 Regent Boulevard
Suite 509
Jacksonville, FL 32224



Phone 904.807.9625
Fax 904.807.9627
Email info@delilab.com
Web www.delilab.com