

Date of Request: 06-APR-2022
 Created By: PARRISH_J On: 06-APR-2022
 Modified By: PARRISH_J On: 06-APR-2022
 Customer: NE-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Northeast District
 Event Description: LSJR South West 2022

Send Coolers To:

Phone: 904-256-1700
 8800 Baymeadows Way West
 Suite 100
 Jacksonville, FL 32256
 Attn: Jeremy Parrish
 Cooler Ship EMail: Jeremy.M.Parrish@dep.state.fl.us

Priority: 3
 Event Status: P
 Criminal Investigation: NO
 Chemistry Request Reviewed By:
 Biology Request Reviewed By:
 Sampling Kit Required: YES Ship on: 18-APR-2022
 Sampling Kit Shipped:
 Sampling Kit Packed By:
 Preservatives Needed: NO
 Date to Receive Samples: 02-MAY-2022
 Logged In By:

Send Final Report To:

8800 Baymeadows Way West
 Suite 100
 Jacksonville, FL 32256
 Attn: Jeremy Parrish
 Report Notification EMail: Jeremy.M.Parrish@dep.state.fl.us

Comments: Group A: (Surf.Fresh) Nutrient, Bacteria
 Group B:(Surf.Fresh) Metals, Bacteria
 Group C:(Surf.fresh) CTCLR,PCLTQR,PCBTQR Bacteria
 Group D:(Surf.Fresh)Bacteria,Tracer, PCR
 Group E:(Surf.fresh)Bacteria
 Group F:(Blank)CTCLR,PCLTQR,PCBTQR,Tracer

NE-DIV-ECQ
 Packing Notes:

Bottle Group A (Water) With 1 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
ALKALINITY Total Alkalinity	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO ₃ /L
CHLSUITE-W Chlorophyll-a, Corrected Chlorophyll-a, Uncorrected Phaeophytin-a	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
NE-DIV-ECQ Escherichia Coli-Quanti-Tray	Template: DEFAULT	(SM 9223 B Quanti-Tray) E. coli by Colilert/QT by Diversified Environmental Laboratories in Jacksonville
TURBIDITY Turbidity	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC Chloride	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR *Color (true)	Template: DEFAULT	(DEP SOP: NU-094-1) True Color measured at 450 nm (not valid for NPDES monitoring)
W-F Fluoride	Template: DEFAULT	(SM 4500-F- C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)

Bottle Group A (Water) With 1 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
W-NH3 Ammonia-N	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3 NO2NO3-N	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP Total-P	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-SO4-IC Sulfate	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS TDS	Template: DEFAULT	(SM 2540 C-2011) Total Dissolved Solids in aqueous matrices
W-TKN Kjeldahl Nitrogen	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC Organic Carbon	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices
W-TSS TSS	Template: DEFAULT	(SM 2540 D-2011) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample

Bottle Group B (Water) With 1 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
NE-DIV-ECQ Escherichia Coli-Quanti-Tray	Template: DEFAULT	(SM 9223 B Quanti-Tray) E. coli by Colilert/QT by Diversified Environmental Laboratories in Jacksonville
W-HARD Hardness	Template: DEFAULT	(SM 2340 B-2011) Hardness by calculation, in aqueous matrices, reported as mg/L CaCO3
W-ICP Calcium Iron Magnesium Potassium Sodium Strontium Tin Titanium Vanadium Zinc	Template: SMP-FRESH	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
W-ICPMS *Boron Aluminum Antimony Arsenic Barium Beryllium Cadmium Chromium Cobalt Copper Lead Manganese Molybdenum Nickel Selenium Silver Thallium	Template: DEFAULT	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects

Bottle Group C (Water) With 2 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
NE-DIV-ECQ Escherichia Coli-Quanti-Tray	Template: DEFAULT	(SM 9223 B Quanti-Tray) E. coli by Colilert/QT by Diversified Environmental Laboratories in Jacksonville

Bottle Group C (Water) With 2 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
W-CT-CI-R	Template: DEFAULT	(EPA 8276) Organochlorine pesticides in water matrices by GC/MS with Negative Chemical Ionization
Chlordane		
Toxaphene		
W-PCB-TQ-R	Template: DEFAULT	(EPA 8270E) PCBs in water matrices by GC/MS/MS
PCB-1016		
PCB-1221		
PCB-1232		
PCB-1242		
PCB-1248		
PCB-1254		
PCB-1260		
W-PCL-TQ-R	Template: DEFAULT	(EPA 8270E) Organochlorine pesticides, pyrethroids and tracers in water matrices by GC/MS/MS
*Beta-Cyfluthrin		
*Bifenthrin		
*Cis-Nonachlor		
*Dacthal		
*Deltamethrin		
*Dichlobenil		
*Esfenvalerate		
*Ethalfuralin		
*Fenpropathrin		
*Kepone		
*Lambda-Cyhalothrin		
*Methoprene		
*MGK-264		
*Oxychlordane		
*Phenothrin		
*Piperonyl Butoxide		
*Prallethrin		
*Tau-Fluvalinate		
*Tetramethrin		
*Trans-Nonachlor		
*Triclosan Methyl		
Aldrin		
Alpha-BHC		
Alpha-Chlordane		
Beta-BHC		
Carbophenothion		
Chlorothalonil		
Cypermethrin		
DDD-p,p'		
DDE-p,p'		
DDT-p,p'		
Delta-BHC		
Dicofol		
Dieldrin		
Endosulfan I		
Endosulfan II		
Endosulfan Sulfate		
Endrin		
Endrin Aldehyde		
Endrin Ketone		
Gamma-BHC		
Gamma-Chlordane		
Heptachlor		
Heptachlor Epoxide		
Hexachlorobenzene		
Methoxychlor		
Mirex		

Bottle Group C (Water) With 2 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
W-PCL-TQ-R Permethrin Trifluralin	Template: DEFAULT	(EPA 8270E) Organochlorine pesticides, pyrethroids and tracers in water matrices by GC/MS/MS

Bottle Group D (Water) With 1 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
NE-DIV-ECQ Escherichia Coli-Quanti-Tray	Template: DEFAULT	(SM 9223 B Quanti-Tray) E. coli by Collert/QT by Diversified Environmental Laboratories in Jacksonville
PCR-BACR *BacR-qPCR	Template: DEFAULT	(SOP-PCR-1.4) Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction
PCR-DG3 *DG3-qPCR	Template: DEFAULT	(SOP-PCR-1.5) Detection and quantification of canine-specific DG3 Bacteroides genetic marker with quantitative polymerase chain reaction
PCR-HF183 *HF183-qPCR	Template: DEFAULT	(SOP-PCR-1.0) Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction
W-E8321-DI Acesulfame K AMPA Endothall Glufosinate Glyphosate Sucralose	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS 2,4-D 2,4,5-T Acetaminophen Acetamiprid Afidopyropen Bentazon Benzovindiflupyr Carbamazepine Clothianidin Dinotefuran Diuron Fenuron Fluridone Hydrocodone Ibuprofen Imazapyr Imidacloprid Linuron Mandestrobin MCP Naproxen Primidone Pyraclostrobin Silvex Thiamethoxam Tolfenpyrad Triclopyr	Template: SMP	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Bottle Group E (Water) With 1 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
NE-DIV-ECQ Escherichia Coli-Quanti-Tray	Template: DEFAULT	(SM 9223 B Quanti-Tray) E. coli by Collert/QT by Diversified Environmental Laboratories in Jacksonville

Bottle Group F (Water) With 1 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
--------------	--------------------	-----------------

Bottle Group F (Water) With 1 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
W-CT-CI-R	Template: DEFAULT	(EPA 8276) Organochlorine pesticides in water matrices by GC/MS with Negative Chemical Ionization
Chlordane		
Toxaphene		
W-E8321-DI	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
Acesulfame K		
AMPA		
Endothall		
Glufosinate		
Glyphosate		
Sucralose		
W-E8321-MS	Template: SMP	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
2,4-D		
2,4,5-T		
Acetaminophen		
Acetamiprid		
Afidopyropen		
Bentazon		
Benzovindiflupyr		
Carbamazepine		
Clothianidin		
Dinotefuran		
Diuron		
Fenuron		
Fluridone		
Hydrocodone		
Ibuprofen		
Imazapyr		
Imidacloprid		
Linuron		
Mandestrobin		
MCPP		
Naproxen		
Primidone		
Pyraclostrobin		
Silvex		
Thiamethoxam		
Tolfenpyrad		
Triclopyr		
W-PCB-TQ-R	Template: DEFAULT	(EPA 8270E) PCBs in water matrices by GC/MS/MS
PCB-1016		
PCB-1221		
PCB-1232		
PCB-1242		
PCB-1248		
PCB-1254		
PCB-1260		
W-PCL-TQ-R	Template: DEFAULT	(EPA 8270E) Organochlorine pesticides, pyrethroids and tracers in water matrices by GC/MS/MS
*Beta-Cyfluthrin		
*Bifenthrin		
*Cis-Nonachlor		
*Dacthal		
*Deltamethrin		
*Dichlobenil		
*Esfenvalerate		
*Ethalfuralin		
*Fenpropathrin		
*Kepone		
*Lambda-Cyhalothrin		
*Methoprene		

Bottle Group F (Water) With 1 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
W-PCL-TQ-R	Template: DEFAULT	(EPA 8270E) Organochlorine pesticides, pyrethroids and tracers in water matrices by GC/MS/MS
*MGK-264		
*Oxychlordane		
*Phenothrin		
*Piperonyl Butoxide		
*Prallethrin		
*Tau-Fluvalinate		
*Tetramethrin		
*Trans-Nonachlor		
*Triclosan Methyl		
Aldrin		
Alpha-BHC		
Alpha-Chlordane		
Beta-BHC		
Carbophenothion		
Chlorothalonil		
Cypermethrin		
DDD-p,p'		
DDE-p,p'		
DDT-p,p'		
Delta-BHC		
Dicofol		
Dieldrin		
Endosulfan I		
Endosulfan II		
Endosulfan Sulfate		
Endrin		
Endrin Aldehyde		
Endrin Ketone		
Gamma-BHC		
Gamma-Chlordane		
Heptachlor		
Heptachlor Epoxide		
Hexachlorobenzene		
Methoxychlor		
Mirex		
Permethrin		
Trifluralin		

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.