

Chemical Analysis Report

NE-DIST-2022-06-07-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Callahan Boat**
Request ID: **RQ-2022-05-23-08**
Customer: **NE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
8800 Baymeadows Way West
Suite 100
Jacksonville, FL 32256
Attn: Jeremy Parrish

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Colin Wright, Program Administrator

Date Certified: 29-JUN-2022 11:46

A handwritten signature in black ink, appearing to read "Colin Wright", is displayed on a light gray rectangular background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Metals and Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Thomas Creek 7 miles Down from Ethel

Collection Date/Time: 06/06/2022 10:35

Field ID: G4NE0299

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2332629	EPA 180.1 Rev. 2.0	Turbidity	5.0		NTU	P414848	
	SM 2320 B-2011	Total Alkalinity	30		mg CaCO3/L	P415387	
	SM 2540 D-2011	TSS	7	I	mg/L	P415247	
	SM 4500-F- C-2011	Fluoride	0.23		mg F/L	P415392	
2332630	EPA 350.1 Rev. 2.0	Ammonia-N	0.026		mg N/L	P415076	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.85		mg N/L	P414826	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.021		mg N/L	P415635	
	EPA 365.1 Rev. 2.0	Total-P	0.062		mg P/L	P414905	
	SM 5310 B-2011	Organic Carbon	18		mg C/L	P414935	

Ref. Method and Comment:

SM 2540 D-2011: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: Alligator CR at CR200

Collection Date/Time: 06/06/2022 12:20

Field ID: 19021007

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2332633	DEP SOP: NU-094-1	Color (true)**	120		PCU	P414838	
	EPA 180.1 Rev. 2.0	Turbidity	1.7		NTU	P414848	
	EPA 300.0 Rev. 2.1	Chloride	45		mg Cl/L	P415044	
		Sulfate	70		mg SO4/L	P415047	
	SM 2320 B-2011	Total Alkalinity	79		mg CaCO3/L	P415388	
	SM 2540 C-2011	TDS	273		mg/L	P415243	
	SM 2540 D-2011	TSS	2	I	mg/L	P415246	
	SM 4500-F- C-2011	Fluoride	0.25		mg F/L	P415393	
2332634	EPA 350.1 Rev. 2.0	Ammonia-N	0.083		mg N/L	P415426	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.68		mg N/L	P414870	MS
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.097		mg N/L	P415348	
	EPA 365.1 Rev. 2.0	Total-P	0.17		mg P/L	P415013	
	SM 5310 B-2011	Organic Carbon	14		mg C/L	P414935	

Ref. Method and Comment:

SM 2540 D-2011: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 350.1 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Sample Location: CUSHING CR @ STRATTON RD.

Collection Date/Time: 06/06/2022 12:05

Field ID: NE400002

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2332631	DEP SOP: NU-094-1	Color (true)**	250		PCU	P414837	
	EPA 180.1 Rev. 2.0	Turbidity	2.4		NTU	P414848	
	EPA 300.0 Rev. 2.1	Chloride	23		mg Cl/L	P415544	
		Sulfate	24		mg SO4/L	P415547	
	SM 2320 B-2011	Total Alkalinity	68		mg CaCO3/L	P415387	
	SM 2540 C-2011	TDS	181		mg/L	P415243	
	SM 2540 D-2011	TSS	3	I	mg/L	P415246	
	SM 4500-F- C-2011	Fluoride	0.19		mg F/L	P415392	
2332632	EPA 350.1 Rev. 2.0	Ammonia-N	0.089		mg N/L	P415426	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.88		mg N/L	P414870	MS
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.026		mg N/L	P415348	
	EPA 365.1 Rev. 2.0	Total-P	0.14		mg P/L	P415013	
	SM 5310 B-2011	Organic Carbon	21		mg C/L	P414935	
2332641	EPA 200.7 Rev. 4.4	Calcium	26.1		mg/L	P415009	
		Iron	770		ug/L	P415009	
		Magnesium	8.87		mg/L	P415009	
		Potassium	5.0		mg/L	P415009	
		Sodium	15.3		mg/L	P415009	
		Strontium	152		ug/L	P415009	
		Tin	3.0	U	ug/L	P415009	
		Titanium	1.9	I	ug/L	P415009	
	EPA 200.8 Rev. 5.4	Vanadium	2.0	U	ug/L	P415009	
		Zinc	5.0	U	ug/L	P415009	
		Aluminum	105		ug/L	P415208	
		Antimony	0.066	I	ug/L	P415009	
		Arsenic	0.81		ug/L	P415009	
		Barium	32.5		ug/L	P415009	
		Beryllium	0.024	I	ug/L	P415009	
		Boron**	32.6		ug/L	P415009	
		Cadmium	0.020	U	ug/L	P415009	
		Chromium	0.42	I	ug/L	P415009	
		Cobalt	0.326		ug/L	P415009	
		Copper	0.40	U	ug/L	P415009	
		Lead	0.23	I	ug/L	P415009	
		Manganese	95.3		ug/L	P415009	
		Molybdenum	0.16	I	ug/L	P415009	
		Nickel	0.50	U	ug/L	P415009	
		Selenium	0.20	U	ug/L	P415009	
		Silver	0.010	U	ug/L	P415009	
		Thallium	0.10	U	ug/L	P415009	
	SM 2340 B-2011	Hardness	102		mg/L	P415009	

Field ID: NE400002

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
-----------	-------------	-----------	--------	------	-------	----------	----------

Ref. Method and Comment:
SM 2540 D-2011: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.
EPA 350.1 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.
EPA 200.8 Rev. 5.4: Batch matrix spike recoveries for manganese are unavailable for one of two spiked samples because of high analyte concentration in the QC sample.

Quality Assurance Report

Method Blank Results

Reference Method: DEP SOP: NU-094-1
Batch ID: P414837

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: DEP SOP: NU-094-1
Batch ID: P414838

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P414848

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P415009

Component	Result	Code	Units
Calcium	0.075	U	mg/L
Iron	30	U	ug/L
Magnesium	0.040	U	mg/L
Potassium	0.30	U	mg/L
Sodium	0.50	U	mg/L
Strontium	2.0	U	ug/L
Tin	3.0	U	ug/L
Titanium	0.75	U	ug/L
Vanadium	2.0	U	ug/L
Zinc	5.0	U	ug/L

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P415009

Component	Result	Code	Units
Antimony	0.050	U	ug/L
Arsenic	0.050	U	ug/L
Barium	0.20	U	ug/L
Beryllium	0.010	U	ug/L
Boron	2.0	U	ug/L
Cadmium	0.020	U	ug/L
Chromium	0.40	U	ug/L
Cobalt	0.020	U	ug/L
Copper	0.40	U	ug/L
Lead	0.20	U	ug/L
Manganese	0.10	U	ug/L
Molybdenum	0.15	U	ug/L
Nickel	0.50	U	ug/L
Selenium	0.20	U	ug/L
Silver	0.010	U	ug/L
Thallium	0.10	U	ug/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P415208

Component	Result	Code	Units
Aluminum	5.0	U	ug/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P415044

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P415047

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P415544

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P415547

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P415076

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P415426

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P414826

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P414870

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P415348

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P415635

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P414905

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P415013

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: SM 2320 B-2011
Batch ID: P415387

Component	Result	Code	Units
Total Alkalinity	1.0	U	mg CaCO3/L

Reference Method: SM 2320 B-2011
Batch ID: P415388

Component	Result	Code	Units
Total Alkalinity	1.0	U	mg CaCO3/L

Reference Method: SM 2540 C-2011
Batch ID: P415243

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-2011
Batch ID: P415246

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 2540 D-2011
Batch ID: P415247

Component	Result	Code	Units
TSS	2	U	mg/L

Quality Assurance Report

Method Blank Results

Reference Method: SM 4500-F- C-2011
Batch ID: P415392

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 4500-F- C-2011
Batch ID: P415393

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-2011
Batch ID: P414935

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: DEP SOP: NU-094-1
Batch ID: P414837

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	103		P	90 - 110

Reference Method: DEP SOP: NU-094-1
Batch ID: P414838

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	102		P	90 - 110

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P414848

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Turbidity	96.7		P	90 - 110

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P415009

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Calcium	103		P	85 - 115
Iron	103		P	85 - 115
Magnesium	104		P	85 - 115
Potassium	106		P	85 - 115
Sodium	102		P	85 - 115
Strontium	103		P	85 - 115
Tin	100		P	85 - 115
Titanium	100		P	85 - 115
Vanadium	94.3		P	85 - 115
Zinc	99.2		P	85 - 115

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P415009

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Antimony	99.7		P	85 - 115
Arsenic	101		P	85 - 115
Barium	103		P	85 - 115
Beryllium	96.5		P	85 - 115
Boron	106		P	85 - 115
Cadmium	97.8		P	85 - 115
Chromium	95.9		P	85 - 115
Cobalt	99.1		P	85 - 115
Copper	99.1		P	85 - 115
Lead	101		P	85 - 115
Manganese	96.6		P	85 - 115
Molybdenum	99.2		P	85 - 115
Nickel	100		P	85 - 115
Selenium	98.6		P	85 - 115
Silver	99.4		P	85 - 115
Thallium	102		P	85 - 115

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P415208

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Aluminum	102		P	85 - 115

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P415044

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	100		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P415047

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	100		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P415544

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	97.5		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P415547

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	97.5		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P415076

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	98.8		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P415426

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	100		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P414826

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	106		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P414870

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	107		P	90 - 110

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P415348

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	102		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P415635

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	102		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P414905

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	102		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P415013

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	104		P	90 - 110

Reference Method: SM 2320 B-2011
Batch ID: P415387

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	103		P	94 - 106

Reference Method: SM 2320 B-2011
Batch ID: P415388

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	103		P	94 - 106

Reference Method: SM 4500-F- C-2011
Batch ID: P415392

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	100		P	96 - 104

Reference Method: SM 4500-F- C-2011
Batch ID: P415393

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	102		P	96 - 104

Reference Method: SM 5310 B-2011
Batch ID: P414935

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	94.1		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 200.7 Rev. 4.4

Batch ID: P415009

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2332350	Calcium	101		P	80 - 120
2332350	Iron	102	105	P/P	80 - 120
2332350	Magnesium	101	102	P/P	80 - 120
2332350	Potassium	103	104	P/P	80 - 120
2332350	Sodium	101		P	80 - 120
2332350	Strontium	104	104	P/P	80 - 120
2332350	Tin	97.9	99.3	P/P	80 - 120
2332350	Titanium	104	113	P/P	80 - 120
2332350	Vanadium	96.1	96.5	P/P	80 - 120
2332350	Zinc	98.1	98.9	P/P	80 - 120
2332352	Calcium	98.8		P	80 - 120
2332352	Iron	103		P	80 - 120
2332352	Magnesium	104		P	80 - 120
2332352	Potassium	111		P	80 - 120
2332352	Sodium	102		P	80 - 120
2332352	Strontium	105		P	80 - 120
2332352	Tin	103		P	80 - 120
2332352	Titanium	101		P	80 - 120
2332352	Vanadium	97.5		P	80 - 120
2332352	Zinc	102		P	80 - 120

Reference Method: EPA 200.8 Rev. 5.4

Batch ID: P415009

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2332350	Antimony	97.7	100	P/P	80 - 120
2332350	Arsenic	98.9	101	P/P	80 - 120
2332350	Barium	101	104	P/P	80 - 120
2332350	Beryllium	96.6	98.6	P/P	80 - 120
2332350	Boron	107	108	P/P	80 - 120
2332350	Cadmium	98.1	101	P/P	80 - 120
2332350	Chromium	99.2	100	P/P	80 - 120
2332350	Cobalt	98.1	99.3	P/P	80 - 120
2332350	Copper	97.7	99.0	P/P	80 - 120
2332350	Lead	100	102	P/P	80 - 120
2332350	Molybdenum	99.7	101	P/P	80 - 120
2332350	Nickel	100	102	P/P	80 - 120
2332350	Selenium	96.7	97.7	P/P	80 - 120
2332350	Silver	98.5	99.2	P/P	80 - 120
2332350	Thallium	102	105	P/P	80 - 120
2332352	Antimony	101		P	80 - 120
2332352	Arsenic	100		P	80 - 120
2332352	Barium	104		P	80 - 120
2332352	Beryllium	95.3		P	80 - 120
2332352	Boron	105		P	80 - 120
2332352	Cadmium	101		P	80 - 120
2332352	Chromium	97.4		P	80 - 120
2332352	Cobalt	99.4		P	80 - 120
2332352	Copper	100		P	80 - 120
2332352	Lead	102		P	80 - 120
2332352	Manganese	99.7		P	80 - 120
2332352	Molybdenum	101		P	80 - 120

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 200.8 Rev. 5.4

Batch ID: P415009

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2332352	Nickel	102		P	80 - 120
2332352	Selenium	98.4		P	80 - 120
2332352	Silver	100		P	80 - 120
2332352	Thallium	104		P	80 - 120

Reference Method: EPA 200.8 Rev. 5.4

Batch ID: P415208

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2332374	Aluminum	102	99.5	P/P	80 - 120
2333022	Aluminum	109		P	80 - 120

Reference Method: EPA 300.0 Rev. 2.1

Batch ID: P415044

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2332651	Chloride	95.1		P	90 - 110
2332652	Chloride	98.8		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1

Batch ID: P415047

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2332651	Sulfate	96.0		P	90 - 110
2332652	Sulfate	98.3		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1

Batch ID: P415544

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2333771	Chloride	96.5		P	90 - 110
2334322	Chloride	98.3		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1

Batch ID: P415547

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2333771	Sulfate	95.6		P	90 - 110
2334322	Sulfate	98.2		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Batch ID: P415076

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2329993	Ammonia-N	97.8	98.0	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Batch ID: P414826

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2332483	Kjeldahl Nitrogen	103	109	P/P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P414870

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2332282	Kjeldahl Nitrogen	112	100	F/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P415348

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2332340	NO2NO3-N	100	99.4	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P415635

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2332584	NO2NO3-N	101	101	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P414905

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2332582	Total-P	104	102	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P415013

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2332685	Total-P	103	102	P/P	90 - 110

Reference Method: SM 4500-F- C-2011
Batch ID: P415392

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2333399	Fluoride	99.7	99.7	P/P	94 - 104

Reference Method: SM 4500-F- C-2011
Batch ID: P415393

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2333178	Fluoride	103	103	P/P	94 - 104

Reference Method: SM 5310 B-2011
Batch ID: P414935

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2332514	Organic Carbon	94.2	94.4	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: DEP SOP: NU-094-1
Batch ID: P414837

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2332571	Color (true)	12.0	Sample	P	0 - 20

Reference Method: DEP SOP: NU-094-1
Batch ID: P414838

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2332651	Color (true)	1.45	Sample	P	0 - 20

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P414848

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2332331	Turbidity	1.74	Sample	P	0 - 20

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P415009

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2332350	Calcium	2.31	Spike	P	0 - 20
2332350	Iron	2.61	Spike	P	0 - 20
2332350	Magnesium	1.02	Spike	P	0 - 20
2332350	Potassium	0.864	Spike	P	0 - 20
2332350	Sodium	1.16	Spike	P	0 - 20
2332350	Strontium	0.0407	Spike	P	0 - 20
2332350	Tin	1.39	Spike	P	0 - 20
2332350	Titanium	7.49	Spike	P	0 - 20
2332350	Vanadium	0.405	Spike	P	0 - 20
2332350	Zinc	0.759	Spike	P	0 - 20

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P415009

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2332350	Antimony	2.59	Spike	P	0 - 20
2332350	Arsenic	2.27	Spike	P	0 - 20
2332350	Barium	2.05	Spike	P	0 - 20
2332350	Beryllium	1.81	Spike	P	0 - 20
2332350	Boron	1.45	Spike	P	0 - 20
2332350	Cadmium	3.11	Spike	P	0 - 20
2332350	Chromium	1.31	Spike	P	0 - 20
2332350	Cobalt	1.23	Spike	P	0 - 20
2332350	Copper	1.23	Spike	P	0 - 20
2332350	Lead	1.43	Spike	P	0 - 20
2332350	Manganese	1.35	Spike	P	0 - 20
2332350	Molybdenum	0.894	Spike	P	0 - 20
2332350	Nickel	1.17	Spike	P	0 - 20
2332350	Selenium	1.05	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P415009

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2332350	Silver	0.742	Spike	P	0 - 20
2332350	Thallium	2.48	Spike	P	0 - 20

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P415208

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2332374	Aluminum	2.15	Spike	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P415044

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2332651	Chloride	0.00975	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P415047

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2332651	Sulfate	0.256	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P415544

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2333771	Chloride	0.210	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P415547

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2333771	Sulfate	0.649	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P415076

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2329993	Ammonia-N	0.152	Spike	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P415426

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2332333	Ammonia-N	1.28	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P414826

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2332483	Kjeldahl Nitrogen	5.01	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P414870

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2332282	Kjeldahl Nitrogen	9.15	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P415348

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2332340	NO2NO3-N	0.866	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P415635

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2332584	NO2NO3-N	0.0	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P414905

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2332582	Total-P	1.26	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P415013

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2332685	Total-P	0.644	Spike	P	0 - 20

Reference Method: SM 2320 B-2011
Batch ID: P415387

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2333399	Total Alkalinity	0.0128	Sample	P	0 - 3.8

Reference Method: SM 2320 B-2011
Batch ID: P415388

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2333178	Total Alkalinity	0.100	Sample	P	0 - 3.8

Quality Assurance Report Precision

Reference Method: SM 2540 C-2011
Batch ID: P415243

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2332513	TDS	7.00	Sample	P	0 - 10

Reference Method: SM 4500-F- C-2011
Batch ID: P415392

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2333399	Fluoride	0.0	Spike	P	0 - 1.6

Reference Method: SM 4500-F- C-2011
Batch ID: P415393

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2333178	Fluoride	0.0	Spike	P	0 - 1.6

Reference Method: SM 5310 B-2011
Batch ID: P414935

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2332514	Organic Carbon	0.112	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Calibration Verification

Reference Method: DEP SOP: NU-094-1

Run ID: A112651

Included Lab Sample IDs: 2332633

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	102	102	P/P	85 - 115

Reference Method: DEP SOP: NU-094-1

Run ID: A112653

Included Lab Sample IDs: 2332631

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	102	101	P/P	85 - 115

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A112655

Included Lab Sample IDs: 2332629, 2332631, 2332633

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	100	100	P/P	95 - 105

Reference Method: SM 5310 B-2011

Run ID: A112691

Included Lab Sample IDs: 2332630, 2332632, 2332634

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	96.8	97.2	P/P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A112707

Included Lab Sample IDs: 2332633

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	101	101	P/P	90 - 110
Sulfate	101	101	P/P	90 - 110

Reference Method: EPA 200.7 Rev. 4.4

Run ID: A112753

Included Lab Sample IDs: 2332641

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Calcium	99.4	98.9	P/P	90 - 110
Iron	101	101	P/P	90 - 110
Magnesium	101	101	P/P	90 - 110
Potassium	102	102	P/P	90 - 110
Sodium	100	99.2	P/P	90 - 110
Strontium	101	103	P/P	90 - 110
Tin	101	100	P/P	90 - 110
Titanium	98.0	98.6	P/P	90 - 110
Vanadium	99.5	100	P/P	90 - 110
Zinc	99.6	101	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A112754

Included Lab Sample IDs: 2332630

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	97.8	97.6	P/P	90 - 110

Reference Method: EPA 200.8 Rev. 5.4

Run ID: A112755

Included Lab Sample IDs: 2332641

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Antimony	98.0	98.2	P/P	90 - 110
Arsenic	100	99.1	P/P	90 - 110
Barium	98.7	98.3	P/P	90 - 110
Beryllium	94.9	94.2	P/P	90 - 110
Boron	100	98.5	P/P	90 - 110
Cadmium	98.3	97.2	P/P	90 - 110
Chromium	97.1	95.5	P/P	90 - 110
Cobalt	98.3	97.2	P/P	90 - 110
Copper	100	98.7	P/P	90 - 110
Lead	98.6	98.7	P/P	90 - 110
Manganese	97.0	96.8	P/P	90 - 110
Molybdenum	98.7	98.1	P/P	90 - 110
Nickel	99.7	98.0	P/P	90 - 110
Selenium	97.7	96.8	P/P	90 - 110
Silver	100	99.2	P/P	90 - 110
Thallium	98.5	98.6	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A112798

Included Lab Sample IDs: 2332632, 2332634

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	101	102	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A112804

Included Lab Sample IDs: 2332630

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	101	102	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A112843

Included Lab Sample IDs: 2332632, 2332634

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	100	101	P/P	90 - 110

Reference Method: EPA 200.8 Rev. 5.4

Run ID: A112854

Included Lab Sample IDs: 2332641

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Aluminum	105	104	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A112855

Included Lab Sample IDs: 2332630

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	96.7	105	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A112894

Included Lab Sample IDs: 2332632, 2332634

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	103	104	P/P	90 - 110

Reference Method: SM 2320 B-2011

Run ID: A112906

Included Lab Sample IDs: 2332629, 2332631, 2332633

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	100	102	P/P	90 - 110

Reference Method: SM 4500-F- C-2011

Run ID: A112906

Included Lab Sample IDs: 2332629, 2332631, 2332633

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	103	101	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A112931

Included Lab Sample IDs: 2332632, 2332634

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	95.9	94.9	P/P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A112976

Included Lab Sample IDs: 2332631

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	99.1	99.9	P/P	90 - 110
Sulfate	99.8	100	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A113006

Included Lab Sample IDs: 2332630

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	102	102	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.
Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery			Precision SMP	MS
			LCS				
DEP SOP: NU-094-1	Color (true)	103				12.0	
	Color (true)	102				1.45	
EPA 180.1 Rev. 2.0	Turbidity	96.7				1.74	
EPA 200.7 Rev. 4.4	Calcium	103	98.8	101			2.31
	Iron	103	102	105	103		2.61
	Magnesium	104	101	102	104		1.02
	Potassium	106	103	104	111		0.864
	Sodium	102	101	102			1.16
	Strontium	103	104	104	105		0.0407
	Tin	100	97.9	99.3	103		1.39
	Titanium	100	104	113	101		7.49
	Vanadium	94.3	96.1	96.5	97.5		0.405
	Zinc	99.2	98.1	98.9	102		0.759
EPA 200.8 Rev. 5.4	Aluminum	102	102	99.5	109		2.15
	Antimony	99.7	97.7	100	101		2.59
	Arsenic	101	98.9	101	100		2.27
	Barium	103	104	101	104		2.05
	Beryllium	96.5	96.6	98.6	95.3		1.81
	Boron	106	107	108	105		1.45
	Cadmium	97.8	98.1	101	101		3.11
	Chromium	95.9	99.2	100	97.4		1.31
	Cobalt	99.1	98.1	99.3	99.4		1.23
	Copper	99.1	97.7	99.0	100		1.23
	Lead	101	100	102	102		1.43
	Manganese	96.6	99.7				1.35
	Molybdenum	99.2	99.7	101	101		0.894
	Nickel	100	100	102	102		1.17
	Selenium	98.6	96.7	97.7	98.4		1.05
	Silver	99.4	98.5	99.2	100		0.742
	Thallium	102	102	105	104		2.48
EPA 300.0 Rev. 2.1	Chloride	100	95.1	98.8		0.0097	
	Chloride	97.5	96.5	98.3		0.210	
	Sulfate	100	96.0	98.3		0.256	
	Sulfate	97.5	95.6	98.2		0.649	
EPA 350.1 Rev. 2.0	Ammonia-N	98.8	97.8	98.0			0.152
	Ammonia-N	100					1.28
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	106	109	103			5.01
	Kjeldahl Nitrogen	107	112	100			9.15
EPA 353.2 Rev. 2.0	NO2NO3-N	102	100	99.4			0.866
	NO2NO3-N	102	101	101			0.0
EPA 365.1 Rev. 2.0	Total-P	102	104	102			1.26
	Total-P	104	103	102			0.644
SM 2320 B-2011	Total Alkalinity	103				0.0128	
	Total Alkalinity	103				0.100	
SM 2540 C-2011	TDS					7.00	
SM 4500-F- C-2011	Fluoride	100	99.7	99.7			0.0
	Fluoride	102	103	103			0.0
SM 5310 B-2011	Organic Carbon	94.1	94.2	94.4			0.112

Reference Method Descriptions

Method	Description	Associated Samples
DEP SOP: NU-094-1	True Color measured at 450 nm (not valid for NPDES monitoring)	2332631, 2332633

Reference Method Descriptions

Method	Description	Associated Samples
EPA 180.1 Rev. 2.0	Turbidity in aqueous matrices	2332629, 2332631, 2332633
EPA 200.7 Rev. 4.4	Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects	2332641
EPA 200.8 Rev. 5.4	Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects	2332641
EPA 300.0 Rev. 2.1	Chloride in aqueous matrices	2332631, 2332633
EPA 300.0 Rev. 2.1	Sulfate in aqueous matrices	2332631, 2332633
EPA 350.1 Rev. 2.0	Ammonia in aqueous matrices as mg N/L	2332630, 2332632, 2332634
EPA 351.2 Rev. 2.0	Total Kjeldahl Nitrogen in aqueous matrices	2332630, 2332632, 2332634
EPA 353.2 Rev. 2.0	Nitrite/Nitrate in aqueous matrices as mg N/L	2332630, 2332632, 2332634
EPA 365.1 Rev. 2.0	Total Phosphorus in aqueous matrices as mg P/L	2332630, 2332632, 2332634
SM 2320 B-2011	Alkalinity in aqueous matrices as mg CaCO ₃ /L	2332629, 2332631, 2332633
SM 2340 B-2011	Hardness by calculation, in aqueous matrices, reported as mg/L CaCO ₃	2332641
SM 2540 C-2011	Total Dissolved Solids in aqueous matrices	2332631, 2332633
SM 2540 D-2011	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2332629, 2332631, 2332633
SM 4500-F- C-2011	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2332629, 2332631, 2332633
SM 5310 B-2011	Nonpurgeable Organic Carbon in aqueous matrices	2332630, 2332632, 2332634

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
DEP SOP: NU-094-1	06/07/2022			06/07/2022 15:06	Samantha L Bates	2332633
	06/07/2022			06/07/2022 15:48	Samantha L Bates	2332631
	06/07/2022			06/07/2022 15:26	Khloe J Berg	2332629
EPA 180.1 Rev. 2.0	06/07/2022			06/07/2022 15:28	Khloe J Berg	2332631
	06/07/2022			06/07/2022 15:30	Khloe J Berg	2332633
	06/07/2022	06/10/2022 10:12	Megan Whitefoot	06/11/2022 14:31	Betina Topolski	2332641
EPA 200.7 Rev. 4.4	06/07/2022	06/10/2022 10:12	Megan Whitefoot	06/10/2022 19:33	Alexander Thompson	2332641
EPA 200.8 Rev. 5.4	06/07/2022	06/15/2022 09:35	Megan Whitefoot	06/15/2022 15:46	Alexander Thompson	2332641
EPA 300.0 Rev. 2.1	06/07/2022			06/10/2022 08:01	Anna M. Plaviak	2332633
	06/07/2022			06/21/2022 16:46	Anna M. Plaviak	2332631
EPA 350.1 Rev. 2.0	06/07/2022			06/10/2022 14:28	Ping Hua	2332630
	06/07/2022			06/20/2022 13:01	Judith K. Clark	2332632
	06/07/2022			06/20/2022 13:02	Judith K. Clark	2332634
EPA 351.2 Rev. 2.0	06/07/2022	06/09/2022 16:19	Samantha L Bates	06/13/2022 16:55	Alexandra J Mattheus	2332632
	06/07/2022	06/09/2022 16:19	Samantha L Bates	06/13/2022 16:57	Alexandra J Mattheus	2332634
	06/07/2022	06/13/2022 14:27	Samantha L Bates	06/15/2022 15:25	Alexandra J Mattheus	2332630
EPA 353.2 Rev. 2.0	06/07/2022			06/15/2022 19:28	Touraj Touran	2332632
	06/07/2022			06/15/2022 19:29	Touraj Touran	2332634
	06/07/2022			06/21/2022 17:46	Touraj Touran	2332630
EPA 365.1 Rev. 2.0	06/07/2022	06/09/2022 15:30	Simonne.V. Calhoun	06/10/2022 14:45	James L Waggeberby	2332630
	06/07/2022	06/10/2022 14:40	Simonne.V. Calhoun	06/13/2022 11:51	James L Waggeberby	2332632
	06/07/2022	06/10/2022 14:40	Simonne.V. Calhoun	06/13/2022 11:52	James L Waggeberby	2332634
SM 2320 B-2011	06/07/2022			06/16/2022 19:20	Dale L. Simmons	2332631
	06/07/2022			06/16/2022 19:33	Dale L. Simmons	2332629
	06/07/2022			06/16/2022 21:11	Dale L. Simmons	2332633
SM 2340 B-2011	06/07/2022			06/11/2022 14:31	Betina Topolski	2332641
SM 2540 C-2011	06/07/2022			06/10/2022 14:26	Yijie Li	2332631, 2332633
SM 2540 D-2011	06/07/2022			06/10/2022 14:26	Yijie Li	2332629, 2332631, 2332633
SM 4500-F- C-2011	06/07/2022			06/16/2022 19:20	Dale L. Simmons	2332631
	06/07/2022			06/16/2022 19:33	Dale L. Simmons	2332629
	06/07/2022			06/16/2022 21:11	Dale L. Simmons	2332633
SM 5310 B-2011	06/07/2022			06/09/2022 01:22	Khloe J Berg	2332630
	06/07/2022			06/09/2022 01:45	Khloe J Berg	2332632
	06/07/2022			06/09/2022 02:01	Khloe J Berg	2332634