

Biological Analysis Report

NE-DIST-2022-06-28-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
Diversified Environmental Laboratories, Inc.
3653 Regent Boulevard
Suite 509
Jacksonville, FL 32224
DOH Accreditation E821059


Event Description: **LSJR North 2022**
Request ID: **RQ-2022-06-20-14**
Customer: **NE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
8800 Baymeadows Way West
Suite 100
Jacksonville, FL 32256
Attn: Jeremy Parrish

For additional information please contact
Cheryl Swanson - Administrator
Sarah Menz, Ph.D. - Bench Biology & Aquatic
Toxicity
Puja Jasrotia, Ph.D. - Molecular Biology & Taxonomy
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Cheryl A. Swanson, Program Administrator

Date Certified: 09-AUG-2022 16:50



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD, Molecular and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Blockhouse at Broward Rd.

Collection Date/Time: 06/27/2022 11:40

Field ID: G2NE1180

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2337661	Enterolert/QT	Enterococci-Quanti-Tray	84		MPN/100 mL		

Sample Location: Blockhouse CR @ Leonid Rd

Collection Date/Time: 06/27/2022 12:10

Field ID: 20030027FLA

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2337662	Enterolert/QT	Enterococci-Quanti-Tray	249		MPN/100 mL		

Sample Location: BLOCKHOUSE CR @ DUVAL RD

Collection Date/Time: 06/27/2022 12:35

Field ID: 20030746

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2337663	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	345		MPN/100 mL		

Sample Location: Tributary to Trout at Capper Rd.

Collection Date/Time: 06/27/2022 12:55

Field ID: G2NE1208

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2337659	SM 10200 H (mod.)	Chlorophyll-a, Corrected	4.0	I	ug/L	P416301	
		Phaeophytin-a	1.6	U	ug/L	P416301	
		Chlorophyll-a, Uncorrected	3.8		ug/L	P416301	
2337664	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	2420	J	MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

SM 9223 B Quanti-Tray: All Quanti-Tray wells were positive. Result may be higher than reported.

Sample Location: WEST BR AT CAPPER

Collection Date/Time: 06/27/2022 13:10

Field ID: 20030748

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2337665	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	3243		MPN/100 mL		
2337667	SOP-PCR-1.0	HF183-qPCR**	3.3E+03	U	TSC/100 mL	P415559	
	SOP-PCR-1.2	GULL2-qPCR**	5.2E+03	I	TSC/100 mL	P415559	
	SOP-PCR-1.3	GFD-qPCR**	720	U	TSC/100 mL	P415559	
	SOP-PCR-1.4	BacR-qPCR**	3.0E+03	U	TSC/100 mL	P415559	
	SOP-PCR-1.5	DG3-qPCR**	2.6E+03	U	TSC/100 mL	P415559	

Sample Location: Tributary to Trout at Bessent Rd

Collection Date/Time: 06/27/2022 13:25

Field ID: G2NE1207

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2337658	SM 10200 H (mod.)	Chlorophyll-a, Corrected	31		ug/L	P416301	
		Phaeophytin-a	4.0	I	ug/L	P416301	
		Chlorophyll-a, Uncorrected	35		ug/L	P416301	
2337660	Enterolert/QT	Enterococci-Quanti-Tray	399		MPN/100 mL		
2337666	SOP-PCR-1.0	HF183-qPCR**	2.2E+03	U	TSC/100 mL	P415559	

Field ID: G2NE1207

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2337666	SOP-PCR-1.2	GULL2-qPCR**	2.4E+03	U	TSC/100 mL	P415559	
	SOP-PCR-1.3	GFD-qPCR**	1.1E+03	I	TSC/100 mL	P415559	
	SOP-PCR-1.4	BacR-qPCR**	2.0E+03	U	TSC/100 mL	P417511	
	SOP-PCR-1.5	DG3-qPCR**	1.7E+03	U	TSC/100 mL	P415559	

Ref. Method and Comment:
SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.
SOP-PCR-1.4: Precision data unavailable for BacR-qPCR component.

Quality Assurance Report

Method Blank Results

Reference Method: SM 10200 H (mod.)
Batch ID: P416301

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.82	U	ug/L
Chlorophyll-a, Uncorrected	0.60	U	ug/L
Phaeophytin-a	0.90	U	ug/L

Reference Method: SOP-PCR-1.0
Batch ID: P415559

Component	Result	Code	Units
HF183-qPCR	3.3E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.2
Batch ID: P415559

Component	Result	Code	Units
GULL2-qPCR	3.6E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.3
Batch ID: P415559

Component	Result	Code	Units
GFD-qPCR	720	U	TSC/100 mL

Reference Method: SOP-PCR-1.4
Batch ID: P415559

Component	Result	Code	Units
BacR-qPCR	3.0E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.4
Batch ID: P417511

Component	Result	Code	Units
BacR-qPCR	3.0E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.5
Batch ID: P415559

Component	Result	Code	Units
DG3-qPCR	2.6E+03	U	TSC/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)
Batch ID: P416301

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	89.6		P	84 - 116

Reference Method: SOP-PCR-1.0
Batch ID: P415559

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	105	75.9	P/P	50 - 175

Reference Method: SOP-PCR-1.2
Batch ID: P415559

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GULL2-qPCR	79.7	77.5	P/P	50 - 300

Reference Method: SOP-PCR-1.3
Batch ID: P415559

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GFD-qPCR	63.2	67.4	P/P	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P415559

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
BacR-qPCR	106	83.9	P/P	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P417511

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
BacR-qPCR	95.1	86.0	P/P	50 - 175

Reference Method: SOP-PCR-1.5
Batch ID: P415559

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
DG3-qPCR	94.4	75.9	P/P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0
Batch ID: P415559

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2336411	HF183-qPCR	91.3	92.6	P/P	50 - 175
2336412	HF183-qPCR	87.2		P	50 - 175
2336878	HF183-qPCR	93.9		P	50 - 175
2336879	HF183-qPCR	90.7		P	50 - 175
2337579	HF183-qPCR	96.7		P	50 - 175
2337628	HF183-qPCR	96.5		P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0

Batch ID: P415559

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2337649	HF183-qPCR	104		P	50 - 175
2337666	HF183-qPCR	89.0		P	50 - 175
2337667	HF183-qPCR	87.2		P	50 - 175
2337896	HF183-qPCR	83.8		P	50 - 175
2338283	HF183-qPCR	85.8		P	50 - 175
2338285	HF183-qPCR	85.8		P	50 - 175

Reference Method: SOP-PCR-1.2

Batch ID: P415559

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2336411	GULL2-qPCR	88.7	91.7	P/P	50 - 300
2336412	GULL2-qPCR	77.3		P	50 - 300
2337579	GULL2-qPCR	65.6		P	50 - 300
2337628	GULL2-qPCR	71.4		P	50 - 300
2337649	GULL2-qPCR	87.0		P	50 - 300
2337666	GULL2-qPCR	51.7		P	50 - 300
2337667	GULL2-qPCR	73.1		P	50 - 300
2337896	GULL2-qPCR	93.7		P	50 - 300
2338283	GULL2-qPCR	66.5		P	50 - 300

Reference Method: SOP-PCR-1.3

Batch ID: P415559

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2336411	GFD-qPCR	91.4	92.0	P/P	50 - 175
2336412	GFD-qPCR	92.7		P	50 - 175
2337579	GFD-qPCR	93.1		P	50 - 175
2337628	GFD-qPCR	91.0		P	50 - 175
2337649	GFD-qPCR	95.3		P	50 - 175
2337666	GFD-qPCR	88.2		P	50 - 175
2337667	GFD-qPCR	86.0		P	50 - 175
2337896	GFD-qPCR	84.5		P	50 - 175
2338283	GFD-qPCR	83.1		P	50 - 175

Reference Method: SOP-PCR-1.4

Batch ID: P415559

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2336411	BacR-qPCR	78.4	78.1	P/P	50 - 175
2336412	BacR-qPCR	66.5		P	50 - 175
2336878	BacR-qPCR	65.6		P	50 - 175
2336879	BacR-qPCR	56.8		P	50 - 175
2337628	BacR-qPCR	66.4		P	50 - 175
2337649	BacR-qPCR	76.2		P	50 - 175
2337667	BacR-qPCR	55.1		P	50 - 175
2337896	BacR-qPCR	82.9		P	50 - 175
2338283	BacR-qPCR	76.3		P	50 - 175
2338285	BacR-qPCR	81.3		P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.4
Batch ID: P417511

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2337579	BacR-qPCR	84.0		P	50 - 175
2337666	BacR-qPCR	79.4		P	50 - 175

Reference Method: SOP-PCR-1.5
Batch ID: P415559

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2336411	DG3-qPCR	85.6	84.1	P/P	50 - 175
2336412	DG3-qPCR	98.7		P	50 - 175
2336878	DG3-qPCR	81.8		P	50 - 175
2336879	DG3-qPCR	83.3		P	50 - 175
2337579	DG3-qPCR	68.2		P	50 - 175
2337628	DG3-qPCR	83.8		P	50 - 175
2337649	DG3-qPCR	87.1		P	50 - 175
2337666	DG3-qPCR	79.1		P	50 - 175
2337667	DG3-qPCR	77.9		P	50 - 175
2337896	DG3-qPCR	80.6		P	50 - 175
2338283	DG3-qPCR	75.2		P	50 - 175
2338285	DG3-qPCR	84.8		P	50 - 175

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)
Batch ID: P416301

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2337763	Chlorophyll-a, Corrected	2.58	Sample	P	0 - 25
2337763	Chlorophyll-a, Uncorrected	0.329	Sample	P	0 - 25

Reference Method: SOP-PCR-1.0
Batch ID: P415559

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2336411	HF183-qPCR	1.39	Spike	P	0 - 25

Reference Method: SOP-PCR-1.2
Batch ID: P415559

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2336411	GULL2-qPCR	3.23	Spike	P	0 - 25

Reference Method: SOP-PCR-1.3
Batch ID: P415559

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2336411	GFD-qPCR	0.615	Spike	P	0 - 25

Quality Assurance Report Precision

Reference Method: SOP-PCR-1.4
Batch ID: P415559

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2336411	BacR-qPCR	0.355	Spike	P	0 - 25

Reference Method: SOP-PCR-1.5
Batch ID: P415559

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2336411	DG3-qPCR	1.78	Spike	P	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Surrogates

Lab Sample ID: 2337666
Field Sample ID: G2NE1207

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	82.7	P	50 - 300
SOP-PCR-1.2	SKETA-qPCR	101	P	50 - 300
SOP-PCR-1.3	SKETA-qPCR	85.6	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	114	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	79.9	P	50 - 300

Lab Sample ID: 2337667
Field Sample ID: 20030748

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	96.2	P	50 - 300
SOP-PCR-1.2	SKETA-qPCR	110	P	50 - 300
SOP-PCR-1.3	SKETA-qPCR	102	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	99.9	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	100	P	50 - 300

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery			LCS	Precision SMP	MS
SM 10200 H (mod.)	Chlorophyll-a, Corrected	89.6						2.58	
	Chlorophyll-a, Uncorrected							0.329	
SOP-PCR-1.0	HF183-qPCR	75.9	105	91.3	92.6	87.2			1.39
				93.9					
SOP-PCR-1.2	GULL2-qPCR	77.5	79.7	88.7	91.7	77.3			3.23
				65.6					
SOP-PCR-1.3	GFD-qPCR	67.4	63.2	91.4	92.0	92.7			0.615
				93.1					
SOP-PCR-1.4	BacR-qPCR	83.9	106	78.4	78.1	66.5			0.355
				65.6					
	BacR-qPCR	86.0	95.1	84.0	79.4				

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery			Precision SMP	MS
SOP-PCR-1.5	DG3-qPCR	75.9	94.4	85.6	84.1	98.7		1.78
				81.8				

Reference Method Descriptions

Method	Description	<u>Associated Samples</u>
Enterolert/QT	Enterococci by Enterolert/QT by Diversified Environmental Laboratories in Jacksonville	2337660, 2337661, 2337662
SM 10200 H (mod.)	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	2337658, 2337659
SM 9223 B Quanti-Tray	E. coli by Colilert/QT by Diversified Environmental Laboratories in Jacksonville	2337663, 2337664, 2337665
SOP-PCR-1.0	Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	2337666, 2337667
SOP-PCR-1.2	Detection and quantification of coastal bird specific Catellicoccus marimammalium Gull2 genetic marker with quantitative polymerase chain reaction	2337666, 2337667
SOP-PCR-1.3	Detection and quantification of bird specific Helicobacter GFD genetic marker with quantitative polymerase chain reaction	2337666, 2337667
SOP-PCR-1.4	Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction	2337666, 2337667
SOP-PCR-1.5	Detection and quantification of canine-specific DG3 Bacteroides genetic marker with quantitative polymerase chain reaction	2337666, 2337667

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
Enterolert/QT	06/27/2022	06/27/2022 16:28	Carina A. Tull	06/28/2022 16:28	Diversified-Jacksonville	2337660, 2337661, 2337662
SM 10200 H (mod.)	06/28/2022	06/28/2022 15:45		07/05/2022 13:58	Jillian G Hanley	2337658, 2337659
SM 9223 B Quanti-Tray	06/27/2022	06/27/2022 16:03		06/28/2022 10:03	Diversified-Jacksonville	2337665
	06/27/2022	06/27/2022 16:12		06/28/2022 16:12	Diversified-Jacksonville	2337663, 2337664
SOP-PCR-1.0	06/28/2022	06/28/2022 13:20	Claudia Castro	07/26/2022 09:08	DeAsia Armster	2337666, 2337667
SOP-PCR-1.2	06/28/2022	06/28/2022 13:20	Claudia Castro	07/28/2022 09:24	DeAsia Armster	2337666, 2337667
SOP-PCR-1.3	06/28/2022	06/28/2022 13:20	Claudia Castro	07/28/2022 13:58	DeAsia Armster	2337666, 2337667
SOP-PCR-1.4	06/28/2022	06/28/2022 13:20	Claudia Castro	07/27/2022 10:43	DeAsia Armster	2337667
SOP-PCR-1.5	06/28/2022	06/28/2022 13:20	Claudia Castro	08/02/2022 12:10	DeAsia Armster	2337666
	06/28/2022	06/28/2022 13:20	Claudia Castro	07/27/2022 15:05	Roberta Tatti	2337666, 2337667