

Date of Request: 21-JUN-2022
 Created By: PARRISH_J On: 21-JUN-2022
 Modified By: PARRISH_J On: 21-JUN-2022
 Customer: NE-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Northeast District
 Event Description: Palm Valley Boat 2022

Send Coolers To:

Phone: 904-256-1693
 8800 Baymeadows Way West
 Suite 100
 Jacksonville, FL 32256
 Attn: Jeremy Parrish
 Cooler Ship EMail: Jeremy.M.Parrish@floridadep.gov

Priority: 3
 Event Status: P
 Criminal Investigation: NO
 Chemistry Request Reviewed By:
 Biology Request Reviewed By:
 Sampling Kit Required: YES Ship on: 11-JUL-2022
 Sampling Kit Shipped:
 Sampling Kit Packed By:
 Preservatives Needed: NO
 Date to Receive Samples: 25-JUL-2022
 Logged In By:

Send Final Report To:

8800 Baymeadows Way West
 Suite 100
 Jacksonville, FL 32256
 Attn: Jeremy Parrish
 Report Notification EMail: Jeremy.M.Parrish@floridadep.gov

Comments:
 Group A: (Surf.-Salt) Nutrients, Bacteria
 Group B: (Surf.-Salt) Bacteria

Packing Notes:**Bottle Group A (Water) With 4 Samples:**

Bottle Type:	Number of Bottles:	Preserved With:
ALKALINITY Template: DEFAULT	(SM 2320 B-2011)	Alkalinity in aqueous matrices as mg CaCO ₃ /L
Total Alkalinity		
CHLSUITE-W Template: DEFAULT	(SM 10200 H (mod.))	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Chlorophyll-a, Corrected		
Chlorophyll-a, Uncorrected		
Phaeophytin-a		
NE-DIV-ENQ Template: DEFAULT	(Enterolert/QT)	Enterococci by Enterolert/QT by Diversified Environmental Laboratories in Jacksonville
Enterococci-Quanti-Tray		
NE-DIV-FC Template: DEFAULT	(SM 9222 D)	Fecal coliforms by MF by Diversified Environmental Laboratories in Jacksonville
Fecal Coliforms-Membrane Filter		
TURBIDITY Template: DEFAULT	(EPA 180.1 Rev. 2.0)	Turbidity in aqueous matrices
Turbidity		
W-F Template: DEFAULT	(SM 4500-F- C-2011)	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
Fluoride		
W-NH3 Template: DEFAULT	(EPA 350.1 Rev. 2.0)	Ammonia in aqueous matrices as mg N/L
Ammonia-N		
W-NO2NO3 Template: DEFAULT	(EPA 353.2 Rev. 2.0)	Nitrite/Nitrate in aqueous matrices as mg N/L
NO2NO3-N		
W-S-A-TP Template: DEFAULT	(EPA 365.1 Rev. 2.0)	Total Phosphorus in aqueous matrices as mg P/L

Bottle Group A (Water) With 4 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
W-S-A-TP Total-P	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN Kjeldahl Nitrogen	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC Organic Carbon	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices
W-TSS TSS	Template: DEFAULT	(SM 2540 D-2011) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample

Bottle Group B (Water) With 2 Samples:

Bottle Type:	Number of Bottles:	Preserved With:
NE-DIV-ENQ Enterococci-Quanti-Tray	Template: DEFAULT	(Enterolert/QT) Enterococci by Enterolert/QT by Diversified Environmental Laboratories in Jacksonville
NE-DIV-FC Fecal Coliforms-Membrane Filter	Template: DEFAULT	(SM 9222 D) Fecal coliforms by MF by Diversified Environmental Laboratories in Jacksonville

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.