

Date of Request: 11-JUL-2022
 Created By: PARRISH_J On: 11-JUL-2022
 Modified By: JASROTIA_P On: 24-AUG-2022
 Customer: NE-DIST
 Project: SMP
 Division: Office of Coastal and Aquatic Managed Areas
 District:
 Event Description: GTM NERR-Guana River SMP-7 site&blank

Send Coolers To:

Phone: 904-823-4500
 GTM NERR
 505 Guana River Rd.
 Ponte Vedra Beach, FL 32082
 Attn: Nikki Dix
 Cooler Ship EMail: nikki.dix@floridadep.gov

Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: AYRES_J On: 23-AUG-2022
 Biology Request Reviewed By: JASROTIA_P On: 24-AUG-2022
 Sampling Kit Required: YES Ship on: 29-AUG-2022
 Sampling Kit Shipped: YES On: 29-AUG-2022
 Sampling Kit Packed By: ROBERTS_Z
 Preservatives Needed: YES
 Date to Receive Samples: 05-SEP-2022
 Logged In By: GIVENS_G On: 08-SEP-2022

Send Final Report To:

505 Guana River Rd.

 Ponte Vedra Beach, FL 32082
 Attn: Nikki Dix
 Report Notification EMail:
 nikki.dix@floridadep.gov;jeremy.m.parrish@floridadep.gov

Comments: Group A=7 samples(Surf.Salt) Nutrients, Bacteria

preserves:
 add vials of H2SO4 acids for preserving
 add 2L of Di Water

Bottle Group A (Water) With 7 Samples:

Bottle Type: P-1L	Number of Bottles: 7	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO3/L
Total Alkalinity		
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
Turbidity		
W-F	Template: DEFAULT	(SM 4500-F- C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
Fluoride		
W-TSS	Template: DEFAULT	(SM 2540 D-2015) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
TSS		
Bottle Type: BP-1L	Number of Bottles: 7	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Chlorophyll-a, Corrected		
Chlorophyll-a, Uncorrected		
Phaeophytin-a		
Bottle Type: P-250ML-WO-THI	Number of Bottles: 7	Preserved With: ICE
ENT-24-QT	Template: DEFAULT	(Enterolert/QT) Enterococci by Enterolert Quanti-Tray method - non-chlorinated water systems
Enterococci-Quanti-Tray		
Bottle Type: P-250ML-WO-THI	Number of Bottles: 7	Preserved With: ICE
FCOLI-MF	Template: DEFAULT	(SM 9222 D) Fecal coliforms by membrane filter method - non-chlorinated water systems
Fecal Coliforms-Membrane Filter		
Bottle Type: P-250ML	Number of Bottles: 7	Preserved With: FILTER-H2SO4-ICE
W-NH3-F	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia, dissolved, in filtered, aqueous matrices as mg N/L

Bottle Group A (Water) With 7 Samples:

Bottle Type: P-250ML	Number of Bottles: 7	Preserved With: FILTER-H2SO4-ICE
W-NH3-F Ammonia-N	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia, dissolved, in filtered, aqueous matrices as mg N/L
W-NO2NO3-F NO2NO3-N	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate, dissolved, in filtered, aqueous matrices as mg N/L
W-TKN-F Kjeldahl Nitrogen	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen, dissolved, in filtered, aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 7	Preserved With: FILTER-ICE
W-PO4-F O-Phosphate-P	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
Bottle Type: P-500ML	Number of Bottles: 7	Preserved With: ICE And H2SO4
W-S-A-TP Total-P	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN Kjeldahl Nitrogen	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC Organic Carbon	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices

Bottle Group B (Water) With 1 Samples:

Bottle Type: P-250ML	Number of Bottles: 1	Preserved With: FILTER-H2SO4-ICE
W-NH3-F Ammonia-N	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia, dissolved, in filtered, aqueous matrices as mg N/L
W-NO2NO3-F NO2NO3-N	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate, dissolved, in filtered, aqueous matrices as mg N/L
W-TKN-F Kjeldahl Nitrogen	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen, dissolved, in filtered, aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO4-F O-Phosphate-P	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY Total Alkalinity	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY Turbidity	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-F Fluoride	Template: DEFAULT	(SM 4500-F- C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TSS TSS	Template: DEFAULT	(SM 2540 D-2015) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3 Ammonia-N	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3 NO2NO3-N	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP Total-P	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN Kjeldahl Nitrogen	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC Organic Carbon	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices