

Biological Analysis Report

NE-DIST-2022-09-13-02

Florida DEP Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
Diversified Environmental Laboratories, Inc.
3653 Regent Boulevard
Suite 509
Jacksonville, FL 32224
DOH Accreditation E821059

Event Description: **Pellicer Creek Tribs**
Request ID: **RQ-2022-09-12-22**
Customer: **NE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
8800 Baymeadows Way West
Suite 100
Jacksonville, FL 32256
Attn: Jeremy Parrish

For additional information please contact
Cheryl Swanson - Administrator
Sarah Menz, Ph.D. - Bench Biology & Aquatic
Toxicity
Puja Jasrotia, Ph.D. - Molecular Biology & Taxonomy
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Sarah Menz, Environmental Administrator

Date Certified: 20-OCT-2022 12:47

A handwritten signature in black ink, appearing to be 'Sarah Menz', written in a cursive style.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD, Molecular and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Pringle Aprox. 100m Abv RR Tracks

Collection Date/Time: 09/12/2022 10:30

Field ID: 27010974

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2356000	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	1119.9		MPN/100 mL		

Sample Location: Pellicer Creek Above Schoolhouse Br.

Collection Date/Time: 09/12/2022 10:40

Field ID: G5NE0598

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2355992	SM 10200 H (mod.)	Chlorophyll-a, Corrected	1.0	I	ug/L	P420193	
		Phaeophytin-a	0.90	U	ug/L	P420193	
		Chlorophyll-a, Uncorrected	0.73	I	ug/L	P420193	
2355997	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	658.6		MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: SchoolHouse Branch at RR Tracks

Collection Date/Time: 09/12/2022 10:55

Field ID: G5NE0599

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2355991	SM 10200 H (mod.)	Chlorophyll-a, Corrected	1.8	U	ug/L	P419952	
		Phaeophytin-a	2.0	U	ug/L	P419952	
		Chlorophyll-a, Uncorrected	1.3	U	ug/L	P419952	
2355996	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	454.1		MPN/100 mL		
2356005	SOP-PCR-1.0	HF183-qPCR**	2.2E+03	U	TSC/100 mL	P420939	
	SOP-PCR-1.2	GULL2-qPCR**	2.4E+03	U	TSC/100 mL	P419056	
	SOP-PCR-1.3	GFD-qPCR**	480	U	TSC/100 mL	P419056	
	SOP-PCR-1.4	BacR-qPCR**	2.0E+03	U	TSC/100 mL	P419056	
	SOP-PCR-1.5	DG3-qPCR**	1.7E+03	U	TSC/100 mL	P419056	

Ref. Method and Comment:

SM 10200 H (mod.): Lab dup result is 1.8 U for Chl-a Corrected, 1.3 U for Chl-a Uncorrected, and 2.0 U for Phaeophytin-a. Precision data is unavailable due to the small amount of analyte in the QC sample.

SOP-PCR-1.0: Precision data unavailable for HF183-qPCR component.

Sample Location: Pellicer Creek Downstream of RR Tracks

Collection Date/Time: 09/12/2022 11:20

Field ID: G5NE0590

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2356001	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	755.6		MPN/100 mL		

Sample Location: Stevens Branch East Branch at CR204

Collection Date/Time: 09/12/2022 11:40

Field ID: G5NE0600

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2355999	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	770.1		MPN/100 mL		
2356017	SOP-PCR-1.0	HF183-qPCR**	3.3E+03	U	TSC/100 mL	P419488	
	SOP-PCR-1.2	GULL2-qPCR**	3.6E+03	U	TSC/100 mL	P419488	
	SOP-PCR-1.3	GFD-qPCR**	1.2E+03	I	TSC/100 mL	P419488	
	SOP-PCR-1.4	BacR-qPCR**	3.0E+03	U	TSC/100 mL	P419488	

Field ID: G5NE0600

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2356017	SOP-PCR-1.5	DG3-qPCR**	1.3E+03	U	TSC/100 mL	P419488	

Sample Location: Stevens BR @ CR 204 Collection Date/Time: 09/12/2022 11:50

Field ID: 27010062

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2355993	SM 10200 H (mod.)	Chlorophyll-a, Corrected	1.3	I	ug/L	P420193	
		Phaeophytin-a	1.0	U	ug/L	P420193	
		Chlorophyll-a, Uncorrected	0.94	I	ug/L	P420193	
2355998	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	104.6		MPN/100 mL		

Ref. Method and Comment:
 SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Pringle BR Unnamed Dirt Rd. 0.5mi S Dave BR Collection Date/Time: 09/12/2022 12:15

Field ID: 27010203

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2355990	SM 10200 H (mod.)	Chlorophyll-a, Corrected	2.1	U	ug/L	P419952	
		Phaeophytin-a	2.2	U	ug/L	P419952	
		Chlorophyll-a, Uncorrected	1.5	U	ug/L	P419952	
2355995	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	452.2		MPN/100 mL		

Ref. Method and Comment:
 SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)
 Batch ID: P419952

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.82	U	ug/L
Chlorophyll-a, Uncorrected	0.60	U	ug/L
Phaeophytin-a	0.90	U	ug/L

Reference Method: SM 10200 H (mod.)
 Batch ID: P420193

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.82	U	ug/L
Chlorophyll-a, Uncorrected	0.60	U	ug/L
Phaeophytin-a	0.90	U	ug/L

Reference Method: SOP-PCR-1.0
 Batch ID: P419488

Component	Result	Code	Units
HF183-qPCR	3.3E+03	U	TSC/100 mL

Quality Assurance Report Method Blank Results

Reference Method: SOP-PCR-1.0
Batch ID: P420939

Component	Result	Code	Units
HF183-qPCR	3.3E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.2
Batch ID: P419056

Component	Result	Code	Units
GULL2-qPCR	3.6E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.2
Batch ID: P419488

Component	Result	Code	Units
GULL2-qPCR	3.6E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.3
Batch ID: P419056

Component	Result	Code	Units
GFD-qPCR	720	U	TSC/100 mL

Reference Method: SOP-PCR-1.3
Batch ID: P419488

Component	Result	Code	Units
GFD-qPCR	720	U	TSC/100 mL

Reference Method: SOP-PCR-1.4
Batch ID: P419056

Component	Result	Code	Units
BacR-qPCR	3.0E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.4
Batch ID: P419488

Component	Result	Code	Units
BacR-qPCR	3.0E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.5
Batch ID: P419056

Component	Result	Code	Units
DG3-qPCR	2.6E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.5
Batch ID: P419488

Component	Result	Code	Units
DG3-qPCR	2.6E+03	U	TSC/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)
Batch ID: P419952

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	89.7		P	84 - 116

Reference Method: SM 10200 H (mod.)
Batch ID: P420193

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	93.6		P	84 - 116

Reference Method: SOP-PCR-1.0
Batch ID: P419488

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	90.4	87.1	P/P	50 - 175

Reference Method: SOP-PCR-1.0
Batch ID: P420939

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	95.9	92.3	P/P	50 - 175

Reference Method: SOP-PCR-1.2
Batch ID: P419056

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GULL2-qPCR	91.2	97.0	P/P	50 - 300

Reference Method: SOP-PCR-1.2
Batch ID: P419488

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GULL2-qPCR	156	132	P/P	50 - 300

Reference Method: SOP-PCR-1.3
Batch ID: P419056

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GFD-qPCR	95.5	92.3	P/P	50 - 175

Reference Method: SOP-PCR-1.3
Batch ID: P419488

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GFD-qPCR	95.7	87.2	P/P	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P419056

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
BacR-qPCR	119	83.8	P/P	50 - 175

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SOP-PCR-1.4
Batch ID: P419488

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
BacR-qPCR	103	76.9	P/P	50 - 175

Reference Method: SOP-PCR-1.5
Batch ID: P419056

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
DG3-qPCR	106	91.1	P/P	50 - 175

Reference Method: SOP-PCR-1.5
Batch ID: P419488

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
DG3-qPCR	91.3	78.1	P/P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0
Batch ID: P419488

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2356017	HF183-qPCR	93.9	91.2	P/P	50 - 175
2356147	HF183-qPCR	82.0		P	50 - 175
2356445	HF183-qPCR	86.6		P	50 - 175
2356571	HF183-qPCR	77.9		P	50 - 175

Reference Method: SOP-PCR-1.0
Batch ID: P420939

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2356005	HF183-qPCR	86.4		P	50 - 175

Reference Method: SOP-PCR-1.2
Batch ID: P419056

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2354060	GULL2-qPCR	55.6	44.8	P/F	50 - 300
2355661	GULL2-qPCR	33.4		F	50 - 300
2355662	GULL2-qPCR	83.0		P	50 - 300
2355663	GULL2-qPCR	84.4		P	50 - 300
2356005	GULL2-qPCR	80.6		P	50 - 300

Reference Method: SOP-PCR-1.2
Batch ID: P419488

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2356017	GULL2-qPCR	147	147	P/P	50 - 300
2356147	GULL2-qPCR	87.9		P	50 - 300
2356445	GULL2-qPCR	113		P	50 - 300
2356523	GULL2-qPCR	152		P	50 - 300
2356524	GULL2-qPCR	134		P	50 - 300

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.2

Batch ID: P419488

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2356525	GULL2-qPCR	119		P	50 - 300
2356526	GULL2-qPCR	153		P	50 - 300
2356527	GULL2-qPCR	114		P	50 - 300
2356528	GULL2-qPCR	51.6		P	50 - 300
2356529	GULL2-qPCR	117		P	50 - 300
2356530	GULL2-qPCR	143		P	50 - 300
2356531	GULL2-qPCR	124		P	50 - 300
2356571	GULL2-qPCR	143		P	50 - 300

Reference Method: SOP-PCR-1.3

Batch ID: P419056

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2354060	GFD-qPCR	94.3	105	P/P	50 - 175
2355661	GFD-qPCR	107		P	50 - 175
2355662	GFD-qPCR	92.2		P	50 - 175
2355663	GFD-qPCR	97.7		P	50 - 175
2356005	GFD-qPCR	97.6		P	50 - 175

Reference Method: SOP-PCR-1.3

Batch ID: P419488

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2356017	GFD-qPCR	105	108	P/P	50 - 175
2356147	GFD-qPCR	92.9		P	50 - 175
2356445	GFD-qPCR	120		P	50 - 175
2356523	GFD-qPCR	106		P	50 - 175
2356524	GFD-qPCR	99.7		P	50 - 175
2356525	GFD-qPCR	108		P	50 - 175
2356526	GFD-qPCR	101		P	50 - 175
2356527	GFD-qPCR	91.9		P	50 - 175
2356528	GFD-qPCR	110		P	50 - 175
2356529	GFD-qPCR	85.5		P	50 - 175
2356530	GFD-qPCR	108		P	50 - 175
2356531	GFD-qPCR	97.2		P	50 - 175
2356571	GFD-qPCR	95.0		P	50 - 175

Reference Method: SOP-PCR-1.4

Batch ID: P419056

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2354060	BacR-qPCR	80.7	76.9	P/P	50 - 175
2354154	BacR-qPCR	93.5		P	50 - 175
2354155	BacR-qPCR	76.8		P	50 - 175
2354276	BacR-qPCR	67.3		P	50 - 175
2354277	BacR-qPCR	72.3		P	50 - 175
2355043	BacR-qPCR	77.8		P	50 - 175
2355661	BacR-qPCR	63.5		P	50 - 175
2355662	BacR-qPCR	75.6		P	50 - 175
2355663	BacR-qPCR	83.4		P	50 - 175
2355948	BacR-qPCR	71.1		P	50 - 175
2355949	BacR-qPCR	67.1		P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.4
Batch ID: P419056

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2356005	BacR-qPCR	85.5		P	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P419488

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2356017	BacR-qPCR	86.1	82.6	P/P	50 - 175
2356147	BacR-qPCR	57.1		P	50 - 175
2356445	BacR-qPCR	90.6		P	50 - 175

Reference Method: SOP-PCR-1.5
Batch ID: P419056

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2354060	DG3-qPCR	97.5	91.6	P/P	50 - 175
2354154	DG3-qPCR	98.2		P	50 - 175
2354155	DG3-qPCR	97.7		P	50 - 175
2354276	DG3-qPCR	76.0		P	50 - 175
2354277	DG3-qPCR	90.2		P	50 - 175
2355043	DG3-qPCR	99.9		P	50 - 175
2355662	DG3-qPCR	91.4		P	50 - 175
2355663	DG3-qPCR	98.1		P	50 - 175
2355948	DG3-qPCR	87.1		P	50 - 175
2355949	DG3-qPCR	83.1		P	50 - 175
2356005	DG3-qPCR	91.7		P	50 - 175

Reference Method: SOP-PCR-1.5
Batch ID: P419488

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2356017	DG3-qPCR	80.3	75.0	P/P	50 - 175
2356147	DG3-qPCR	70.3		P	50 - 175
2356445	DG3-qPCR	84.5		P	50 - 175
2356523	DG3-qPCR	93.5		P	50 - 175
2356524	DG3-qPCR	89.5		P	50 - 175
2356525	DG3-qPCR	77.7		P	50 - 175
2356526	DG3-qPCR	94.3		P	50 - 175
2356527	DG3-qPCR	95.0		P	50 - 175
2356528	DG3-qPCR	62.3		P	50 - 175
2356529	DG3-qPCR	85.8		P	50 - 175
2356530	DG3-qPCR	107		P	50 - 175
2356531	DG3-qPCR	86.6		P	50 - 175
2356571	DG3-qPCR	94.8		P	50 - 175

Quality Assurance Report Precision

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)
Batch ID: P420193

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2356203	Chlorophyll-a, Corrected	6.43	Sample	P	0 - 25
2356203	Chlorophyll-a, Uncorrected	5.94	Sample	P	0 - 25

Reference Method: SOP-PCR-1.0
Batch ID: P419488

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2356017	HF183-qPCR	2.87	Spike	P	0 - 25

Reference Method: SOP-PCR-1.2
Batch ID: P419056

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2354060	GULL2-qPCR	21.7	Spike	P	0 - 25

Reference Method: SOP-PCR-1.2
Batch ID: P419488

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2356017	GULL2-qPCR	0.368	Spike	P	0 - 25

Reference Method: SOP-PCR-1.3
Batch ID: P419056

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2354060	GFD-qPCR	11.2	Spike	P	0 - 25

Reference Method: SOP-PCR-1.3
Batch ID: P419488

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2356017	GFD-qPCR	2.92	Spike	P	0 - 25

Reference Method: SOP-PCR-1.4
Batch ID: P419056

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2354060	BacR-qPCR	4.77	Spike	P	0 - 25

Reference Method: SOP-PCR-1.4
Batch ID: P419488

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2356017	BacR-qPCR	4.14	Spike	P	0 - 25

Quality Assurance Report Precision

Reference Method: SOP-PCR-1.5
Batch ID: P419056

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2354060	DG3-qPCR	6.18	Spike	P	0 - 25

Reference Method: SOP-PCR-1.5
Batch ID: P419488

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2356017	DG3-qPCR	6.80	Spike	P	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Surrogates

Lab Sample ID: 2356005
Field Sample ID: G5NE0599

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	85.7	P	50 - 300
SOP-PCR-1.2	SKETA-qPCR	113	P	50 - 300
SOP-PCR-1.3	SKETA-qPCR	102	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	103	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	81.0	P	50 - 300

Lab Sample ID: 2356017
Field Sample ID: G5NE0600

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	96.3	P	50 - 300
SOP-PCR-1.0	SKETA-qPCR	97.7	P	50 - 300
SOP-PCR-1.2	SKETA-qPCR	146	P	50 - 300
SOP-PCR-1.2	SKETA-qPCR	149	P	50 - 300
SOP-PCR-1.3	SKETA-qPCR	122	P	50 - 300
SOP-PCR-1.3	SKETA-qPCR	125	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	112	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	119	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	80.2	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	81.8	P	50 - 300

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery			Precision		
							LCS	SMP	MS
SM 10200 H (mod.)	Chlorophyll-a, Corrected	89.7							
	Chlorophyll-a, Corrected	93.6						6.43	
	Chlorophyll-a, Uncorrected							5.94	
SOP-PCR-1.0	HF183-qPCR	87.1	90.4	93.9	91.2	82.0			2.87
				86.6					

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery			LCS	Precision SMP	MS
SOP-PCR-1.0	HF183-qPCR	92.3	95.9	86.4					
SOP-PCR-1.2	GULL2-qPCR	97.0	91.2	55.6	44.8	33.4			21.7
	GULL2-qPCR	132	156	147	147	87.9			0.368
SOP-PCR-1.3	GFD-qPCR	92.3	95.5	97.6	94.3	105			11.2
	GFD-qPCR	87.2	95.7	105	108	92.9			2.92
SOP-PCR-1.4	BacR-qPCR	119	83.8	80.7	76.9	93.5			4.77
	BacR-qPCR	103	76.9	86.1	82.6	57.1			4.14
SOP-PCR-1.5	DG3-qPCR	91.1	106	97.7	76.0	90.2			6.18
	DG3-qPCR	78.1	91.3	80.3	75.0	70.3			6.80

Reference Method Descriptions

Method	Description	Associated Samples
SM 10200 H (mod.)	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	2355990, 2355991, 2355992, 2355993
SM 9223 B Quanti-Tray	E. coli by Colilert/QT by Diversified Environmental Laboratories in Jacksonville	2355995, 2355996, 2355997, 2355998, 2355999, 2356000, 2356001
SOP-PCR-1.0	Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	2356005, 2356017
SOP-PCR-1.2	Detection and quantification of coastal bird specific Catellicoccus marimammalium Gull2 genetic marker with quantitative polymerase chain reaction	2356005, 2356017
SOP-PCR-1.3	Detection and quantification of bird specific Helicobacter GFD genetic marker with quantitative polymerase chain reaction	2356005, 2356017
SOP-PCR-1.4	Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction	2356005, 2356017
SOP-PCR-1.5	Detection and quantification of canine-specific DG3 Bacteroides genetic marker with quantitative polymerase chain reaction	2356005, 2356017

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
SM 10200 H (mod.)	09/13/2022	09/13/2022 13:33	Megan Higbee	09/20/2022 16:04	Tynan A Branch	2355990, 2355991
	09/13/2022	09/13/2022 13:33	Megan Higbee	09/26/2022 16:46	Carina A. Tull	2355992, 2355993
SM 9223 B Quanti-Tray	09/12/2022	09/12/2022 14:45		09/13/2022 14:53	Diversified-Jacksonville	2355995, 2355996, 2355997, 2355998, 2355999, 2356000, 2356001
SOP-PCR-1.0	09/13/2022	09/13/2022 14:10	Claudia Castro	09/29/2022 11:29	Roberta Tatti	2356017
	09/13/2022	09/13/2022 14:10	Claudia Castro	10/06/2022 13:46	Roberta Tatti	2356005
SOP-PCR-1.2	09/13/2022	09/13/2022 14:10	Claudia Castro	09/28/2022 09:14	DeAsia Armster	2356017
	09/13/2022	09/13/2022 14:10	Claudia Castro	10/05/2022 12:14	Roberta Tatti	2356005
SOP-PCR-1.3	09/13/2022	09/13/2022 14:10	Claudia Castro	09/28/2022 12:45	Roberta Tatti	2356017
	09/13/2022	09/13/2022 14:10	Claudia Castro	10/07/2022 13:49	Roberta Tatti	2356005
SOP-PCR-1.4	09/13/2022	09/13/2022 14:10	Claudia Castro	10/03/2022 12:13	DeAsia Armster	2356017
	09/13/2022	09/13/2022 14:10	Claudia Castro	10/04/2022 13:22	Roberta Tatti	2356005
SOP-PCR-1.5	09/13/2022	09/13/2022 14:10	Claudia Castro	09/21/2022 09:18	DeAsia Armster	2356017
	09/13/2022	09/13/2022 14:10	Claudia Castro	10/04/2022 14:48	Roberta Tatti	2356005