

Biological Analysis Report

NE-DIST-2022-11-08-01

Florida DEP Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **unnamed run boat**
Request ID: **RQ-2022-11-07-20**
Customer: **NE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
8800 Baymeadows Way West
Suite 100
Jacksonville, FL 32256
Attn: Jeremy Parrish

For additional information please contact
Cheryl Swanson - Administrator
Sarah Menz, Ph.D. - Bench Biology & Aquatic
Toxicity
Puja Jasrotia, Ph.D. - Molecular Biology & Taxonomy
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Puja Jasrotia, Environmental Administrator

Date Certified: 19-DEC-2022 11:39

A handwritten signature in black ink, appearing to be 'Puja Jasrotia', with a horizontal line underneath it.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD, Microbiology and Molecular.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: MOSES CR AT US 1

Collection Date/Time: 11/07/2022 10:20

Field ID: 27010050

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2368146	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	248.1	Q	MPN/100 mL	P422210	

Ref. Method and Comment:

SM 9223 B Quanti-Tray: Precision data is unavailable for E. coli due to the small amount of analyte in the QC sample for the batch.

Sample Location: Unnamed Drain 10M N Eagles Nest Rd. Aprox. 0.5MI E US1

Collection Date/Time: 11/07/2022 11:10

Field ID: 27010078

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2368143	SM 10200 H (mod.)	Chlorophyll-a, Corrected	0.82	U	ug/L	P422290	
		Phaeophytin-a	0.90	U	ug/L	P422290	
		Chlorophyll-a, Uncorrected	0.60	U	ug/L	P422290	
2368144	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	37.3	Q	MPN/100 mL	P422210	
2368147	SOP-PCR-1.0	HF183-qPCR**	2.2E+03	UJ	TSC/100 mL	P421615	SUR
	SOP-PCR-1.2	GULL2-qPCR**	2.4E+03	U	TSC/100 mL	P421615	
	SOP-PCR-1.3	GFD-qPCR**	750	I	TSC/100 mL	P421615	
	SOP-PCR-1.4	BacR-qPCR**	2.0E+03	U	TSC/100 mL	P421615	
	SOP-PCR-1.5	DG3-qPCR**	1.7E+03	U	TSC/100 mL	P421615	

Ref. Method and Comment:

SM 9223 B Quanti-Tray: Precision data is unavailable for E. coli due to the small amount of analyte in the QC sample for the batch.

SOP-PCR-1.0: Refer to the Lab Analysis Report for an explanation of QC Codes.

Sample Location: Unnamed Drain @ Eagles Nest Rd

Collection Date/Time: 11/07/2022 11:25

Field ID: 27010079

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2368145	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	248.1	Q	MPN/100 mL	P422210	
2368148	SOP-PCR-1.0	HF183-qPCR**	3.3E+03	U	TSC/100 mL	P421615	
	SOP-PCR-1.2	GULL2-qPCR**	3.6E+03	U	TSC/100 mL	P421615	
	SOP-PCR-1.3	GFD-qPCR**	1.7E+03	I	TSC/100 mL	P421615	
	SOP-PCR-1.4	BacR-qPCR**	3.0E+03	U	TSC/100 mL	P421615	
	SOP-PCR-1.5	DG3-qPCR**	2.6E+03	U	TSC/100 mL	P421615	

Ref. Method and Comment:

SM 9223 B Quanti-Tray: Precision data is unavailable for E. coli due to the small amount of analyte in the QC sample for the batch.

Quality Assurance Report

Method Blank Results

Reference Method: SM 10200 H (mod.)

Batch ID: P422290

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.89	I	ug/L
Chlorophyll-a, Uncorrected	0.90	I	ug/L
Phaeophytin-a	0.90	U	ug/L

Quality Assurance Report Method Blank Results

Reference Method: SM 9223 B Quanti-Tray
Batch ID: P422210

Component	Result	Code	Units
Escherichia Coli-Quanti-Tray	1.0	U	MPN/100 mL

Reference Method: SOP-PCR-1.0
Batch ID: P421615

Component	Result	Code	Units
HF183-qPCR	3.3E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.2
Batch ID: P421615

Component	Result	Code	Units
GULL2-qPCR	3.6E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.3
Batch ID: P421615

Component	Result	Code	Units
GFD-qPCR	720	U	TSC/100 mL

Reference Method: SOP-PCR-1.4
Batch ID: P421615

Component	Result	Code	Units
BacR-qPCR	3.0E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.5
Batch ID: P421615

Component	Result	Code	Units
DG3-qPCR	2.6E+03	U	TSC/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)
Batch ID: P422290

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	102		P	84 - 116

Reference Method: SOP-PCR-1.0
Batch ID: P421615

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	102	91.5	P/P	50 - 175

Reference Method: SOP-PCR-1.2
Batch ID: P421615

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
-----------	---------	---------	-----------	----------------

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SOP-PCR-1.2
Batch ID: P421615

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GULL2-qPCR	97.7	95.0	P/P	50 - 300

Reference Method: SOP-PCR-1.3
Batch ID: P421615

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GFD-qPCR	88.7	96.2	P/P	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P421615

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
BacR-qPCR	104	88.2	P/P	50 - 175

Reference Method: SOP-PCR-1.5
Batch ID: P421615

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
DG3-qPCR	94.1	74.3	P/P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0
Batch ID: P421615

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2365259	HF183-qPCR	98.5		P	50 - 175
2366029	HF183-qPCR	78.0	87.6	P/P	50 - 175
2366100	HF183-qPCR	98.3		P	50 - 175
2366125	HF183-qPCR	99.1		P	50 - 175
2366369	HF183-qPCR	92.3		P	50 - 175
2367217	HF183-qPCR	97.6		P	50 - 175
2367218	HF183-qPCR	89.5		P	50 - 175
2368034	HF183-qPCR	84.8		P	50 - 175
2368054	HF183-qPCR	86.6		P	50 - 175
2368147	HF183-qPCR	99.5		P	50 - 175
2368148	HF183-qPCR	95.3		P	50 - 175
2368559	HF183-qPCR	88.2		P	50 - 175
2368797	HF183-qPCR	85.0		P	50 - 175

Reference Method: SOP-PCR-1.2
Batch ID: P421615

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2365259	GULL2-qPCR	101		P	50 - 300
2366029	GULL2-qPCR	94.5	98.4	P/P	50 - 300
2366100	GULL2-qPCR	79.1		P	50 - 300
2366369	GULL2-qPCR	92.2		P	50 - 300
2367217	GULL2-qPCR	88.9		P	50 - 300
2367218	GULL2-qPCR	90.4		P	50 - 300

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.2

Batch ID: P421615

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2368034	GULL2-qPCR	94.6		P	50 - 300
2368147	GULL2-qPCR	60.5		P	50 - 300
2368148	GULL2-qPCR	74.9		P	50 - 300
2368559	GULL2-qPCR	99.9		P	50 - 300
2368797	GULL2-qPCR	94.4		P	50 - 300

Reference Method: SOP-PCR-1.3

Batch ID: P421615

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2365259	GFD-qPCR	94.9		P	50 - 175
2366029	GFD-qPCR	91.0	88.2	P/P	50 - 175
2366100	GFD-qPCR	111		P	50 - 175
2366369	GFD-qPCR	103		P	50 - 175
2367217	GFD-qPCR	111		P	50 - 175
2367218	GFD-qPCR	94.5		P	50 - 175
2368034	GFD-qPCR	89.5		P	50 - 175
2368147	GFD-qPCR	111		P	50 - 175
2368148	GFD-qPCR	109		P	50 - 175
2368559	GFD-qPCR	88.6		P	50 - 175
2368797	GFD-qPCR	100		P	50 - 175

Reference Method: SOP-PCR-1.4

Batch ID: P421615

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2365259	BacR-qPCR	102		P	50 - 175
2366029	BacR-qPCR	88.2	95.2	P/P	50 - 175
2366100	BacR-qPCR	88.4		P	50 - 175
2366125	BacR-qPCR	78.7		P	50 - 175
2366369	BacR-qPCR	80.3		P	50 - 175
2367217	BacR-qPCR	84.9		P	50 - 175
2367218	BacR-qPCR	93.3		P	50 - 175
2368034	BacR-qPCR	87.0		P	50 - 175
2368054	BacR-qPCR	102		P	50 - 175
2368147	BacR-qPCR	86.3		P	50 - 175
2368148	BacR-qPCR	86.3		P	50 - 175
2368559	BacR-qPCR	86.0		P	50 - 175
2368797	BacR-qPCR	84.8		P	50 - 175

Reference Method: SOP-PCR-1.5

Batch ID: P421615

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2365259	DG3-qPCR	103		P	50 - 175
2366029	DG3-qPCR	97.9	98.5	P/P	50 - 175
2366100	DG3-qPCR	87.7		P	50 - 175
2366125	DG3-qPCR	85.7		P	50 - 175
2366369	DG3-qPCR	95.4		P	50 - 175
2367217	DG3-qPCR	94.0		P	50 - 175
2367218	DG3-qPCR	99.8		P	50 - 175
2368034	DG3-qPCR	99.0		P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.5
Batch ID: P421615

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2368054	DG3-qPCR	96.9		P	50 - 175
2368147	DG3-qPCR	79.0		P	50 - 175
2368148	DG3-qPCR	85.0		P	50 - 175
2368559	DG3-qPCR	99.8		P	50 - 175
2368797	DG3-qPCR	103		P	50 - 175

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)
Batch ID: P422290

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2368190	Chlorophyll-a, Corrected	2.11	Sample	P	0 - 25
2368190	Chlorophyll-a, Uncorrected	2.28	Sample	P	0 - 25
2368190	Phaeophytin-a	3.10	Sample	P	0 - 25

Reference Method: SOP-PCR-1.0
Batch ID: P421615

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2366029	HF183-qPCR	11.7	Spike	P	0 - 25

Reference Method: SOP-PCR-1.2
Batch ID: P421615

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2366029	GULL2-qPCR	4.01	Spike	P	0 - 25

Reference Method: SOP-PCR-1.3
Batch ID: P421615

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2366029	GFD-qPCR	3.03	Spike	P	0 - 25

Reference Method: SOP-PCR-1.4
Batch ID: P421615

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2366029	BacR-qPCR	7.58	Spike	P	0 - 25

Reference Method: SOP-PCR-1.5
Batch ID: P421615

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
--------------------------	-----------	-----------	-------------------	-----------	----------------

Quality Assurance Report Precision

Reference Method: SOP-PCR-1.5
Batch ID: P421615

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2366029	DG3-qPCR	0.632	Spike	P	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Surrogates

Lab Sample ID: 2368147
Field Sample ID: 27010078

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	46.0	F	50 - 300
SOP-PCR-1.2	SKETA-qPCR	96.9	P	50 - 300
SOP-PCR-1.3	SKETA-qPCR	91.9	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	90.4	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	56.1	P	50 - 300

Lab Sample ID: 2368148
Field Sample ID: 27010079

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	60.5	P	50 - 300
SOP-PCR-1.2	SKETA-qPCR	101	P	50 - 300
SOP-PCR-1.3	SKETA-qPCR	101	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	98.7	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	59.5	P	50 - 300

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery			LCS	Precision	MS
								SMP	
SM 10200 H (mod.)	Chlorophyll-a, Corrected	102						2.11	
	Chlorophyll-a, Uncorrected							2.28	
	Phaeophytin-a							3.10	
SOP-PCR-1.0	HF183-qPCR	91.5	102	78.0	87.6	98.3			11.7
SOP-PCR-1.2	GULL2-qPCR	95.0	97.7	94.5	98.4	79.1			4.01
				101					
SOP-PCR-1.3	GFD-qPCR	96.2	88.7	94.9	103	111			3.03
SOP-PCR-1.4	BacR-qPCR	88.2	104	88.4	78.7	102			7.58
				80.3					
SOP-PCR-1.5	DG3-qPCR	74.3	94.1	97.9	98.5	87.7			0.632
				85.7					

Reference Method Descriptions

Method	Description	Associated Samples
--------	-------------	--------------------

Reference Method Descriptions

Method	Description	<u>Associated Samples</u>
SM 10200 H (mod.)	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	2368143
SM 9223 B Quanti-Tray	Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems	2368144, 2368145, 2368146
SOP-PCR-1.0	Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	2368147, 2368148
SOP-PCR-1.2	Detection and quantification of coastal bird specific Catellicoccus marimammalium Gull2 genetic marker with quantitative polymerase chain reaction	2368147, 2368148
SOP-PCR-1.3	Detection and quantification of bird specific Helicobacter GFD genetic marker with quantitative polymerase chain reaction	2368147, 2368148
SOP-PCR-1.4	Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction	2368147, 2368148
SOP-PCR-1.5	Detection and quantification of canine-specific DG3 Bacteroides genetic marker with quantitative polymerase chain reaction	2368147, 2368148

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
SM 10200 H (mod.)	11/08/2022	11/08/2022 15:06	Carina A. Tull	11/10/2022 09:38	Megan Higbee	2368143
SM 9223 B Quanti-Tray	11/08/2022	11/08/2022 16:46	Tynan A Branch	11/09/2022 11:57	Tynan A Branch	2368144, 2368145, 2368146
SOP-PCR-1.0	11/08/2022	11/08/2022 13:30	Claudia Castro	11/28/2022 09:56	Roberta Tatti	2368147, 2368148
SOP-PCR-1.2	11/08/2022	11/08/2022 13:30	Claudia Castro	11/29/2022 10:20	Roberta Tatti	2368147, 2368148
SOP-PCR-1.3	11/08/2022	11/08/2022 13:30	Claudia Castro	11/29/2022 13:43	Roberta Tatti	2368147, 2368148
SOP-PCR-1.4	11/08/2022	11/08/2022 13:30	Claudia Castro	11/28/2022 12:51	DeAsia Armster	2368147, 2368148
SOP-PCR-1.5	11/08/2022	11/08/2022 13:30	Claudia Castro	11/29/2022 08:33	DeAsia Armster	2368147, 2368148