

Login Checklist

RQ- 2022 - 12 - 19 - 29

Login Station ID: # 2

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 12/21/2022 / 10:17

*Cooler Temperature	Samples Frozen?	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
					Present?		*Intact?		
	YES	HNO ₃	Formalin		Yes	No	Yes	No	
2.8C				7		x			5859 4731 6492
1.8C				10		X			5859 4731 5670

COOLER CHECK

*All samples received on ice unless otherwise noted. HNO3 and Formalin preserved samples do NOT have a temperature requirement.

- If the temperature of a cooler exceeds 6.0 oC (above 10.0 oC for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. NCR# _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. NCR# _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. NCR# _____
- If coolers or samples are received late; identify the affected samples in an NCR. NCR# _____

Chain of Custody/ Field Sheet(s) Included?

Yes x No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included?

Yes ✓ No x ABP

CONTAINER CHECK

Evidence Tape on Bottles?

Yes _____ No _____ NA x Evidence Tape intact? Yes _____ No _____

If Criminal, photographs taken?

Yes _____ No _____

Containers intact? Yes x No _____

Caps on tight?

Yes x No _____

Sufficient Sample Volume:

Yes x No _____

If **NO** is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes x No _____ Init: ABS /

Chlorine detected? (One container checked per Field ID)

Yes _____ No x Init: ABS /

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH< 2.0?

Yes x No _____ NA _____ Init: ABS /

**W-1-4-DIOX (Green dot on container) preserved to pH< 4.0?

Yes _____ No _____ NA x Init: ABS /

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: ABS /

Date: 12/21/2022

Event contains NCRs (Y/N)? N

EventID: NE - DIST- 2022 - 12 - 21 - 0

Login Checklist

Login Preservation Equipment

Lot # & Exp: Date

Additional Comments:

Infrared Thermometer ID:	IRTG # 2 EXP:10/17/2023
pH Test Strips 0 – 6	LOT#223819AV EXP:8/30/23
pH Paper 0 – 3	N/A
pH Paper 0 – 13	LOT#207621 EXP:3/15/2024
Chlorine Test Strips	0070 / 2023 / 02

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ Init: ABS

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
CHAIN OF CUSTODY FORM

Date: 12/20/2022 **Collected By:** Jeremy Parrish, Katherine Halbert
Customer: NE-DIST **Sampling Agency:** FDEP
RQ: RQ-2022-12-19-29 **Project ID:** SMP

PLEASE RETURN THE ORIGINAL OF THIS FORM WITH SAMPLE SUBMITTAL
FORMS AND THE COOLER PACKING WORKSHEET TO THE LAB

Number of Coolers Shipped: 2

Delivery Method: FedEx

FIELD ID (Labels) submitted under this RQ for this collection date.

Site Location	Field ID/WIN ID
Unnamed Ditch 250m upstream of Deep Cr.	 G2NE1211
Unnamed Ditch at Cowpen Branch Rd.	 G2NE1222

RELINQUISHED BY(SIGNATURE):



DATE/TIME: 12/20/2022
1630 EST

THIS SECTION TO BE COMPLETED BY LABORATORY

Rec'd/Inspected By: A.SHAIK

Rec'd/Inspected 12/21/2022 / 10:17
Date:



RQ-2022-12-19-29	Collected By: Jeremy Parrish, Katherine Halbert
Customer: FDEP	Field Report Prepared by: Jeremy Parrish, Katherine Halbert
Project ID: SMP	Sampling Agency: FDEP

WIN ID/Field ID: 	Comments: Microbiology sample(s) submitted to contract laboratory.
WIN ID/Field ID: G2NE1211	

Location: Unnamed Ditch 250m upstream of Deep Cr.

Matrix: Fresh

(Check One)

☒ Grab☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPT)						
12/20/2022 1145	9.8	97.7	15	7.44	0.143	0.289	0.289	1785	0.91						
Parameter Suite		Parameter Methods				Preservation		pH Check		# Bottles sent to Lab	Bottle Group				
Preserved Nutrients (P-500ML)	X	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP				X	Ice	X	H2SO4*	X	<2	1	C		
		Lot #		SA2145160		Exp:	06/02/23								
Metals (P-500ML)		W-ICPMS		W-ICP			W-HARD		Ice		HNO3*		<2		
		Lot #			Exp:										
Filtered Nutrients (P125ML)		W-PO4-F		Field Filtered 0.45 µm Filter				Ice							
		Filter Lot #	Syringe Lot #												
BOD (BP-1L)		OV-BODUNIN					Ice								
Chlorophyll (BP-1L)	X	CHLSUITE-W				X	Ice								
Physical/Aggregate (Fresh) (P-1L)	X	Alkalinity / W-F / W-TSS / TURBIDITY / W-CL-IC / W-COLOR / W-SO4-IC / W-TDS				X	Ice								
Physical/Aggregate (Marine) (P-1L)		Alkalinity / W-F / W-TSS / TURBIDITY					Ice								
Macroinvertebrates (PJ-2L)		MI-FW-QLDC	Formalin Lot #					Formalin							
Periphyton (PT-50ML)		ALGAE-ID					Ice								
Microbiology (Contract Lab Bottle)	X	E Coli		F Coli			Enterococci	X							Ice
	X	Contract Lab													
Molecular (QPCR-P-500ML)		PCR-HF183		PCR-BacR			PCR-DG3		Ice						
		PCR-GULL2		PCR-GFD											
Tracers (BG-500ML)	X	W-E8321-DI		X	W-E8321-MS			X	Ice		1	C			
Pesticides (BG-500ML) (BG-1L)		W-E8321-DI	W-E8321-MS		W-PSNP-TQ		Ice	MCAA Exp.	MCAA Lot#						
		W-PCL-TQ-R	W-CARB-AA (5 ml of MCAA Buffer Solution)		W-CT-CL-R										
		W-TR-SQ-R	W-PCB-TQ-R												
Phytoplankton		DTY-QN-C		PKD-QN-BV			Ice								
DOC		W-DOC	Field Filtered 0.45 µm Filter				Ice		H2SO 4*		<2				
	Acid Preservative Expiration Date														
	Acid Preservative Lot Number														



RQ-2022-12-19-29

Customer: FDEP

Project ID: SMP

Collected By: Jeremy Parrish, Katherine Halbert

Field Report Prepared by: Jeremy Parrish,
Katherine Halbert

Sampling Agency: FDEP

WIN ID/Field ID:



WIN ID/Field ID: G2NE1222

Comments: Microbiology sample(s) submitted to contract laboratory.

Location: Unnamed Ditch at Cowpen Branch Rd.

Matrix: Fresh

(Check One)

☒ Grab☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos/cm)	Salinity (PPT)
12/20/2022 1100	5.95	59.6	15.2	7.09	0.3	0.533	0.533	1753	0.89

Parameter Suite	Parameter Methods				Preservation		pH Check		# Bottles sent to Lab	Bottle Group		
Preserved Nutrients (P-500ML)	X	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP			X	Ice	X	H2SO4*	X	<2	1	A
		Lot # SA2229010		Exp:	08/30/23							
Metals (P-500ML)		W-ICPMS		W-ICP	W-HARD	Ice	HNO3*		<2			
		Lot #		Exp:								
Filtered Nutrients (P125ML)		W-PO4-F		Field Filtered 0.45 µm Filter			Ice					
		Filter Lot #	Syringe Lot #									
BOD (BP-1L)		OV-BODUNIN				Ice						
Chlorophyll (BP-1L)	X	CHLSUITE-W			X	Ice				1	A	
Physical/Aggregate (Fresh) (P-1L)	X	Alkalinity / W-F / W-TSS / TURBIDITY / W-CH-C / W-COLOR / W-SO4-IC / W-TDS			X	Ice				1	A	
Physical/Aggregate (Marine) (P-1L)		Alkalinity / W-F / W-TSS / TURBIDITY				Ice						
Macroinvertebrates (PJ-2L)		MI-FW-QLDC	Formalin Lot #			Formalin						
Periphyton (PT-50ML)		ALGAE-ID				Ice						
Microbiology (Contract Lab Bottle)	X	E Coli		F Coli		Enterococci	X	Ice		1	A	
	X	Contract Lab										
Molecular (QPCR-P-500ML)		PCR-HF183		PCR-BacR	PCR-DG3		Ice					
		PCR-GULL2		PCR-GFD								
Tracers (BG-500ML)		W-E8321-DI		W-E8321-MS			Ice					
Pesticides (BG-500ML) (BG-1L)	X	W-E8321-DI	X	W-E8321-MS	X	W-PSNP-TQ	X	Ice	MCAA Exp. 02/04/2023	MCAA Lot# 128343	10	A
	X	W-PCL-TQ-R	X	W-CARB-AA (5 ml of MCAA Buffer Solution)	X	W-CT-CL-R						
	X	W-TR-SQ-R	X	W-PCB-TQ-R								
Phytoplankton		DTY-QN-C		PKD-QN-BV			Ice					
DOC		W-DOC	Field Filtered 0.45 µm Filter			Ice		H2SO4*		<2		
	Acid Preservative Expiration Date											
	Acid Preservative Lot Number											



DIVERSIFIED

ENVIRONMENTAL LABORATORIES, INC.

CHAIN OF CUSTODY RECORD

Project Number:
(Lab Use Only)

3653 Regent Boulevard, Suite # 509
Jacksonville, FL 32224
P. (904) 807-9625 E. info@delilab.com
F. (904) 807-9627

Page 1 of 1

Company Name <u>FDEP</u>									Container Information (Qty, Size, & Type)				Sample Matrix Codes:			
Address <u>8800 Baymeadows Way</u>													A Air P. Petroleum			
City <u>Jax</u> State <u>FL</u> Zip <u>32256</u>													B Bulk S. Soil/Sludge			
Attn.													W. Wipe O. Other			
Tel. E-mail or Fax													PW Potable Water			
Project Name <u>LSJR PALATKA</u>													NPW Non-Potable Water			
Project Number <u>RQ-2022-12-19-29</u>									Container Preservation Codes				Sample Kit or Container Lot #			
Project Location																
Sampler Name/Signature <u>Katherine Halbert</u>									Parameters				Preservation Codes:			
													0. None 5. Na2S2O3			
													1. H2SO4 6. Crushed Ice (4C)			
													2. HNO3 7. C6H8O6			
													3. HCl 8. NH4Cl			
													4. NaOH 9. Other (List)			
													Thermal Preservation:			
													In Crushed Ice? Yes / No			
													Cooler Temp: <u>0.6</u> °C			
													Sample Cont. Temp: <u>2.2</u> °C			
													Turnaround Requested:			
													<u>Standard</u> (10 Business Days)			
													<u>Semi-Rush</u> (3-5 Business Days)			
													<u>Rush</u> (1-2 Business Days)			
													Turnaround times are estimated & subject to change. Surcharges apply for all Rush samples			
													Billing Information:			
													<u>Invoice with Report</u>			
													<u>Invoice to Accounting</u>			
													Req #			
													P O #			

Transfer #	Sample # (Lab Use Only)	Sample Identification	Date Sampled	Time Sampled	Sample Matrix Code	Specific Cond. (Field)	Comp	Grab	Ecology
1		G2NE1222	12/20/22	1100	NPW	1753		✓	✓
2		G2NE1211	12/20/22	1145	NPW	1785		✓	✓
3									
4									
5									
6									
7									
8									
9									
0									

Special Instructions:		Transfer Numbers	Relinquished By	Date / Time	Received By	Date / Time
			Katherine Halbert	12/20/22/1358	Megan Rise	12/20/22 13:58



Certification #E821059

Date of Request: 08-DEC-2022
 Created By: PARRISH_J On: 08-DEC-2022
 Modified By: AYRES_J On: 16-DEC-2022
 Customer: NE-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Northeast District
 Event Description: LSJR Palatka make up

Send Coolers To:

Phone: 904-256-1700
 8800 Baymeadows Way West
 Suite 100
 Jacksonville, FL 32256
 Attn: Jeremy Parrish
 Cooler Ship EMail: Jeremy.M.Parrish@dep.state.fl.us

Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: AYRES_J On: 16-DEC-2022
 Biology Request Reviewed By: AYRES_J On: 16-DEC-2022
 Sampling Kit Required: NO Ship on:
 Sampling Kit Shipped: YES On: 14-DEC-2022
 Sampling Kit Packed By: KREUCH_B
 Preservatives Needed: NO
 Date to Receive Samples: 19-DEC-2022
 Logged In By: SHAIK_A On: 21-DEC-2022

Send Final Report To:

8800 Baymeadows Way West
 Suite 100
 Jacksonville, FL 32256
 Attn: Jeremy Parrish
 Report Notification EMail: Jeremy.M.Parrish@dep.state.fl.us

Comments:

Group A:(Surf.-Fresh)Nutrient, Bacteria, Pesticides
 site (G2NE0001)
 Group B:(Surfl.Fresh)Bacteria
 sites(G2NE0001)
 Group C:(Fresh) Nutrient ecoli, tracer
 site (G2NE1211)

Packing Notes:

#####

Buffer Solution for W-CARB-AA Bottle Needed

#####

W-TR-SQ-R (sunscreen)

Wash your hands thoroughly and wear gloves. Refrain from using sunscreens on the day of sample collection.

#####

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(DEP SOP: NU-094-1) True Color measured at 450 nm (not valid for NPDES monitoring)
Color (true)		
W-F	Template: DEFAULT	(SM 4500-F- C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-2015) Total Dissolved Solids in aqueous matrices

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-1L W-TSS	Template: DEFAULT	Number of Bottles: 1 (SM 2540 D-2015)	Preserved With: ICE Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L CHLSUITE-W	Template: DEFAULT	Number of Bottles: 1 (SM 10200 H (mod.))	Preserved With: ICE Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-250ML-WO-THI ECOLI-18QT	Template: DEFAULT	Number of Bottles: 1 (SM 9223 B Quanti-Tray)	Preserved With: ICE Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems
Bottle Type: BG-500ML W-CARB-AA	Template: DEFAULT	Number of Bottles: 1 (EPA 8321B)	Preserved With: CH ₂ CICOOH and Ice Carbamates in water matrices by HPLC/MS/MS
Bottle Type: BG-500ML FILL TO W-CT-CI-R	Template: DEFAULT	Number of Bottles: 4 (EPA 8276)	Preserved With: ICE Organochlorine pesticides in water matrices by GC/MS with Negative Chemical Ionization
W-PCB-TQ-R	Template: DEFAULT	(EPA 8270E)	PCBs in water matrices by GC/MS/MS
W-PCL-TQ-R	Template:	(EPA 8270E)	Organochlorine pesticides, pyrethroids and tracers in water matrices by GC/MS/MS
Bottle Type: BG-500ML W-E8321-DI	Template: DEFAULT	Number of Bottles: 1 (EPA 8321B)	Preserved With: ICE Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: SMP	(EPA 8321B)	Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: P-500ML W-NH ₃	Template: DEFAULT	Number of Bottles: 1 (EPA 350.1 Rev. 2.0)	Preserved With: ICE And H ₂ SO ₄ Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0)	Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0)	Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0)	Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-2011)	Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: BG-1L W-PSNP-TQ	Template: DEFAULT	Number of Bottles: 4 (EPA 8270E)	Preserved With: ICE Organonitrogen and phosphorus pesticides in water matrices by GC/MS/MS
W-TR-SQ-R	Template: DEFAULT	(EPA 8270E)	Analysis of Sunscreen Compounds and Flame Retardants in Water by GC/MS-SIM

Bottle Group B (Water) With 3 Samples:

Bottle Type: P-250ML-WO-THI ECOLI-18QT	Template: DEFAULT	Number of Bottles: 3 (SM 9223 B Quanti-Tray)	Preserved With: ICE Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems
---	-------------------	---	---

Bottle Group C (Water) With 1 Samples:

Bottle Type: P-1L ALKALINITY	Template: DEFAULT	Number of Bottles: 1 (SM 2320 B-2011)	Preserved With: ICE Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0)	Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1)	Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(DEP SOP: NU-094-1)	True Color measured at 450 nm (not valid for NPDES monitoring)
Color (true)			
W-F	Template: DEFAULT	(SM 4500-F- C-2011)	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1)	Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-2015)	Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-2015)	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L CHLSUITE-W	Template: DEFAULT	Number of Bottles: 1 (SM 10200 H (mod.))	Preserved With: ICE Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-250ML-WO-THI ECOLI-18QT	Template: DEFAULT	Number of Bottles: 1 (SM 9223 B Quanti-Tray)	Preserved With: ICE Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems
Bottle Type: BG-500ML W-E8321-DI	Template: DEFAULT	Number of Bottles: 1 (EPA 8321B)	Preserved With: ICE Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: SMP	(EPA 8321B)	Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: P-500ML W-NH ₃	Template: DEFAULT	Number of Bottles: 1 (EPA 350.1 Rev. 2.0)	Preserved With: ICE And H ₂ SO ₄ Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0)	Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0)	Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0)	Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-2011)	Nonpurgeable Organic Carbon in aqueous matrices

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

