

Klug, Kyle

From: March, Kathryn W
Sent: Friday, July 15, 2022 11:55 AM
To: Klug, Kyle
Subject: RE: RQ-2022-07-04-46

Hi Kyle,

I forwarded this to Matt to see why he approved the wrong station but I don't think he ever got back to you about it.

G4CE0153 is the correct station, not G4CE0215 which is what's in LIMS and what I erroneously chose on Field Maps while sampling. The two stations are close together, one is ours and one is for when the city samples for us.

I just opened the DMT to enter field readings and see that it still shows G4CE0215.

Kathryn March
Environmental Specialist II
Watershed Management and Monitoring
Florida Dept. of Environmental Protection
Tel: (407) 897-4174

From: Klug, Kyle <Kyle.Klug@FloridaDEP.gov>
Sent: Friday, July 8, 2022 4:04 PM
To: March, Kathryn W <Kathryn.W.March@FloridaDEP.gov>; Bearden, Matthew <Matthew.Bearden@dep.state.fl.us>
Cc: Cobb, Devan R. <Devan.R.Cobb@dep.state.fl.us>
Subject: RE: RQ-2022-07-04-46

Katie,

I was looking at the attached paperwork packet from this morning and Zac wrote a note on page 3 saying he confirmed the G4CE0215 field ID with Matt. Would you please talk to Matt and confirm which ID is correct?

Thank you,
Kyle

From: March, Kathryn W <Kathryn.W.March@FloridaDEP.gov>
Sent: Friday, July 8, 2022 3:07 PM
To: Klug, Kyle <Kyle.Klug@FloridaDEP.gov>
Cc: Cobb, Devan R. <Devan.R.Cobb@dep.state.fl.us>
Subject: RE: RQ-2022-07-04-46

Everything is correct, I just chose the wrong station off of Field Maps since there are two that are super close to one another.

From: Klug, Kyle <Kyle.Klug@FloridaDEP.gov>
Sent: Friday, July 8, 2022 3:05 PM

To: March, Kathryn W <Kathryn.W.March@FloridaDEP.gov>
Cc: Cobb, Devan R. <Devan.R.Cobb@dep.state.fl.us>
Subject: RE: RQ-2022-07-04-46

Are the field parameters (temperature, pH, etc) for that site all correct or will that need to be updated as well? If the information on the new form is correct, then that is all we need!

From: March, Kathryn W <Kathryn.W.March@FloridaDEP.gov>
Sent: Friday, July 8, 2022 2:58 PM
To: Klug, Kyle <Kyle.Klug@FloridaDEP.gov>
Cc: Cobb, Devan R. <Devan.R.Cobb@dep.state.fl.us>
Subject: RE: RQ-2022-07-04-46

Here's the submittal form and our field sheet. Is this all of the information you need?

So sorry about this, this was entirely my mistake while sampling and filling out the tablet.

From: Klug, Kyle <Kyle.Klug@FloridaDEP.gov>
Sent: Friday, July 8, 2022 2:52 PM
To: March, Kathryn W <Kathryn.W.March@FloridaDEP.gov>
Cc: Cobb, Devan R. <Devan.R.Cobb@dep.state.fl.us>
Subject: RE: RQ-2022-07-04-46

Katie,

I would say it is easier to send us an updated field sheet and change the information in LIMS than it would be to relog the samples in and transfer any existing data to the new LIMS ID numbers.

Thank you,
Kyle

From: March, Kathryn W <Kathryn.W.March@FloridaDEP.gov>
Sent: Friday, July 8, 2022 2:48 PM
To: Klug, Kyle <Kyle.Klug@FloridaDEP.gov>
Cc: Cobb, Devan R. <Devan.R.Cobb@dep.state.fl.us>
Subject: RE: RQ-2022-07-04-46

Kyle,
Thank you, that was my presumption so I would safely assume that they would all be G4CE0153 if that one is.

Devan,
Would it be easier to change the number on the bottles or the number on the submittal form that was logged into LIMS. The station ID on the bottles is technically the correct one, but as I mentioned below the stations are 20 meters apart so they would both work.

-Katie

From: Klug, Kyle <Kyle.Klug@FloridaDEP.gov>
Sent: Friday, July 8, 2022 1:45 PM

To: March, Kathryn W <Kathryn.W.March@FloridaDEP.gov>

Subject: RE: RQ-2022-07-04-46

Importance: High

Kathryn,

I found the phytoplankton sample container and unfortunately the station ID on the bottle is G4CE0153, not G4CE0215. Do you know if all of the other containers would also be from G4CE0153? I can find the rest of the containers to confirm though that might take some time.

Thank you,
Kyle

From: March, Kathryn W <Kathryn.W.March@FloridaDEP.gov>

Sent: Friday, July 8, 2022 12:43 PM

To: Klug, Kyle <Kyle.Klug@FloridaDEP.gov>

Subject: RQ-2022-07-04-46

Hi Kyle-

For this RQ, does the station ID of G4CE0215 on the submittal for Lake Terrace match the bottles? We are worried we may have mixed up the bottles and the station on the tablet since there are two stations 20 meters apart in this lake.

Kathryn March
Environmental Specialist II
Watershed Management and Monitoring
Florida Dept. of Environmental Protection
Tel: (407) 897-4174

Login Checklist

RQ- 2022-07-04-46

Login Station ID: #4

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 07/7/22 @ 9:25

*Cooler Temperature	Samples Frozen?	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
					Present?		*Intact?		
	YES	HNO ₃	Formalin	Yes	No	Yes	No		
2.0				11		X			5225 5548 5487
3.4				5		X			5225 5548 0257

COOLER CHECK

*All samples received on ice unless otherwise noted. HNO3 and Formalin preserved samples do NOT have a temperature requirement.

- If the temperature of a cooler exceeds 6.0 oC (above 10.0 oC for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. NCR# _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. NCR# _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. NCR# _____
- If coolers or samples are received late; identify the affected samples in an NCR. NCR# _____

Chain of Custody/ Field Sheet(s) Included?

Yes ✓ No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included?

Yes _____ No X

CONTAINER CHECK

Evidence Tape on Bottles?

Yes _____ No _____ NA X

Evidence Tape intact? Yes _____ No _____

If Criminal, photographs taken?

Yes _____ No _____

Containers intact? Yes ✓ No _____

Caps on tight?

Yes ✓ No _____

Sufficient Sample Volume:

Yes ✓ No _____

If NO is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes _____ No X Init: RL

Chlorine detected? (One container checked per Field ID)

Yes _____ No _____ Init: _____

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH < 2.0?

Yes ✓ No _____ NA _____ Init: RL

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?

Yes _____ No _____ NA X Init: RL

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: RL

Date: 07/7/22

Event contains NCRs (Y/N)? N

Event ID: Terrace, Lucerne, Giles - DEP Samples

CEN-DIST-2022-07-01 (SMP)

Date Received: 07-11-2022 00:25

Login Checklist

Login Preservation Equipment

Lot # & Exp: Date

Infrared Thermometer ID:	#4 Temp Gun EXP:10/19/2022
pH Test Strips 0 – 6	223819AV EXP:08/30/2023
pH Paper 0 – 3	N/A
pH Paper 0 – 13	207621 EXP:03/15/2024
Chlorine Test Strips	0070 EXP:02/2023

Additional Comments:

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ Init: _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check(W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
CHAIN OF CUSTODY FORM

Date: 7/6/2022 **Collected By:** Leif Boman, Katie March
Customer: CEN-DIST **Sampling Agency:** FDEP
RQ: RQ-2022-07-04-46 **Project ID:** SMP

PLEASE RETURN THE ORIGINAL OF THIS FORM WITH SAMPLE SUBMITTAL
FORMS AND THE COOLER PACKING WORKSHEET TO THE LAB

Number of Coolers Shipped: 2 **Delivery Method:** FedEx

FIELD ID (Labels) submitted under this RQ for this collection date.

Site Location	Field ID/WIN ID
Lake Lucerne SW	 G4CE0202
Lake Terrace SW of Center	 G4CE0215 G4CE0153 KK 7/18/22
Lake Giles @ Center	 G4CE0193

RELINQUISHED BY(SIGNATURE):

K March

DATE/TIME: 7/6/2022 1600
EST

THIS SECTION TO BE COMPLETED BY LABORATORY

Rec'd/Inspected By:

IM / R

Rec'd/Inspected

Date:

7/7/22 9:25



G4CE0215 bottles received with incorrect
field IDs, confirmed via email
phone call with
Matt Bearden - R 7-7-2022



RQ-2022-07-04-46

Collected By: Leif Boman, Katie March

Customer: FDEP

Field Report Prepared by: Leif Boman, Katie March

Project ID: SMP

Sampling Agency: FDEP

 WIN ID/Field ID: 
 WIN ID/Field ID: G4CE0202

Comments: Please log in PKD-QN-BV & DTY-QN-C under a separate event with priority 12, Bottle Group - C. |

Location:

Location: Lake Lucerne SW

Matrix: Fresh

(Check One) ☒ Grab ☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPT)
7/6/2022 1213	10.68	143.1	30.6	8.56	0.3	0.8	4	236.5	0.11

Parameter Suite	Parameter Methods				Preservation		pH Check		# Bottles sent to Lab	Bottle Group		
Preserved Nutrients (P-500ML)	X	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP			X	Ice	X	H2SO4*	X	<2	1	B
		Lot #		130873	Exp:	11/17/22						
Metals (P-500ML)		W-ICPMS		W-ICP	W-HARD		Ice	HNO3*		<2		
		Lot #			Exp:							
Filtered Nutrients (P125ML)	X	W-PO4-F		X	Field Filtered 0.45 µm Filter		X	Ice		1	B	
		Filter Lot #	17413308	Syringe Lot #	1335260							
BOD (BP-1L)		OV-BODUNIN					Ice					
Chlorophyll (BP-1L)	X	CHLSUITE-W				X	Ice			1	B	
Physical/Aggregate (Fresh) (P-1L)	X	Alkalinity / W-F / W-TSS / TURBIDITY / W-CH-IC / W-COLOR / W-SO4-IC / W-TDS				X	Ice			1	B	
Physical/Aggregate (Marine) (P-1L)		Alkalinity / W-F / W-TSS / TURBIDITY					Ice					
Macroinvertebrates (PJ-2L)		MI-FW-QLDC	Formalin Lot #			Formalin						
Periphyton (PT-50ML)		ALGAE-ID					Ice					
Microbiology (Contract Lab Bottle)		E Coli		F Coli	Enterococci			Ice				
		Contract Lab										
Molecular (QPCR-P-500ML)		PCR-HF183		PCR-BacR	PCR-BG3			Ice				
		PCR-GULL2		PCR-GFD								
Tracers (BG-500ML)		W-E8321-DI		W-E8321-MS			Ice					
Pesticides (BG-500ML) (BG-1L)		W-E8321-DI	W-E8321-MS		W-PSNP-TQ			Ice	MCAA Exp.	MCAA Lot#		
		W-PCL-TQ-R	W-CARB-AA (5 ml of MCAA Buffer Solution)		W-CT-CL-R							
		W-TR-SQ-R	W-PCB-TQ-R									
Phytoplankton	X	DTY-QN-C		X	PKD-QN-BV		X	Ice		1	C	



RQ-2022-07-04-46	Collected By: Leif Boman, Katie March
Customer: FDEP	Field Report Prepared by: Leif Boman, Katie March
Project ID: SMP	Sampling Agency: FDEP
WIN ID/Field ID:  WIN ID/Field ID: G4CE0215 G4CE0153 KK 7/18/22	Comments: Please log in PKD-QN-BV & DTY-QN-C under a separate event with priority 12, Bottle Group - C.

Location:

Location: Lake Terrace SW of Center

Matrix: Fresh

(Check One)

☒ Grab☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. ©	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPT)
7/6/2022 1134	9.93	134.2	31.3	8.87	0.3	0.7	6.8	208.8	0.1

Parameter Suite	Parameter Methods				Preservation		pH Check	# Bottles sent to Lab	Bottle Group					
Preserved Nutrients (P-500ML)	X	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP			X	Ice	X	H2SO4*	X	<2	1	A		
		Lot #		130873	Exp:	11/17/22								
Metals (P-500ML)	X	W-ICPMS		X	W-ICP	W-HARD	X	Ice	X	HNO3*	X	<2	1	A
		Lot #		NA1286110	Exp:	11/16/22								
Filtered Nutrients (P125ML)	X	W-PO4-F		X	Field Filtered 0.45 µm Filter			X	Ice		1	A		
		Filter Lot #	17413308	Syringe Lot #	1335260									
BOD (BP-1L)		OV-BODUNIN					Ice							
Chlorophyll (BP-1L)	X	CHLSUITE-W				X	Ice			1	A			
Physical/Aggregate (Fresh) (P-1L)	X	Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W- TDS				X	Ice			1	A			
Physical/Aggregate (Marine) (P-1L)		Alkalinity / W-F / W-TSS / TURBIDITY					Ice							
Macroinvertebrates (PJ-2L)		MI-FW-QLDC	Formalin Lot #			Formalin								
Periphyton (PT-50ML)		ALGAE-ID					Ice							
Microbiology (Contract Lab Bottle)		E Coli		F Coli		Enterococci		Ice						
		Contract Lab												
Molecular (QPCR-P-500ML)		PCR-HF183		PCR-BacR		PCR-DG3		Ice						
		PCR-GULL2		PCR-GFD										
Tracers (BG-500ML)		W-E8321-DI		W-E8321-MS			Ice							
Pesticides (BG-500ML) (BG-1L)		W-E8321-DI	W-E8321-MS		W-PSNP-TQ		X	Ice	MCAA Exp.	MCAA Lot#				
		W-PCL-TQ-R	W-CARB-AA (5 ml of MCAA Buffer Solution)		W-CT-CL-R									
		W-TR-SQ-R	W-PCB-TQ-R											
Phytoplankton	X	DTY-QN-C		X	PKD-QN-BV		X	Ice			1	C		



RQ-2022-07-04-46

Collected By: Leif Boman, Katie March

Customer: FDEP

Field Report Prepared by: Leif Boman, Katie March

Project ID: SMP

Sampling Agency: FDEP

WIN ID/Field ID:



WIN ID/Field ID: G4CE0193

Comments: Please log in PKD-QN-BV & DTY-QN-C under a separate event with priority 12, Bottle Group - C. |

Location:

Location: Lake Giles @ Center

Matrix: Fresh

(Check One)

✓ Grab

□ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. ©	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPT _h					
7/6/2022 1016	7.71	103.2	30.7	6.98	0.3	3	8.6	156.2	0.07					
Parameter Suite		Parameter Methods				Preservation		pH Check		# Bottles sent to Lab	Bottle Group			
Preserved Nutrients (P-500ML)		X	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP			X	Ice	X	H2SO4*		X	<2	1	B
		Lot #		130873		Exp:		11/17/22						
Metals (P-500ML)			W-ICPMS		W-ICP	W-HARD	Ice	HNO3*			<2			
		Lot #				Exp:								
Filtered Nutrients (P125ML)		X	W-PO4-F		X	Field Filtered 0.45 µm Filter		X	Ice			1	B	
		Filter Lot #		17413308		Syringe Lot #		1335260						
BOD (BP-1L)			OV-BODUNIN					Ice						
Chlorophyll (BP-1L)		X	CHLSUITE-W				X	Ice				1	B	
Physical/Aggregate (Fresh) (P-1L)		X	Alkalinity / W-F / W-TSS / TURBIDITY / W-CHC / W-COLOR / W-SO4-IC / W-TDS				X	Ice				1	B	
Physical/Aggregate (Marine) (P-1L)			Alkalinity / W-F / W-TSS / TURBIDITY					Ice						
Macroinvertebrates (PJ-2L)			MI-FW-QLDC		Formalin Lot #			Formalin						
Periphyton (PT-50ML)			ALGAE-ID					Ice						
Microbiology (Contract Lab Bottle)		E Coli		F Coli		Enterococci			Ice					
		Contract Lab												
Molecular (QPCR-P-500ML)		PCR-HF183		PCR-BacR		PCR-DG3			Ice					
		PCR-GULL2		PCR-GFD										
Tracers (BG-500ML)		W-E8321-DI		W-E8321-MS					Ice					
Pesticides (BG-500ML) (BG-1L)		W-E8321-DI		W-E8321-MS		W-PSNP-TQ		Ice	MCAA Exp.	MCAA Lot#				
		W-PCL-TQ-R		W-CARB-AA (5 ml of MCAA Buffer Solution)		W-CT-CL-R								
		W-TR-SQ-R		W-PCB-TQ-R										
Phytoplankton		X	DTY-QN-C		X	PKD-QN-BV		X	Ice		1	C		

Date of Request: 13-JUN-2022
 Created By: BEARDEN_M On: 13-JUN-2022
 Modified By: AYRES_J On: 06-JUL-2022
 Customer: CEN-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Central District
 Event Description: Terrace, Lucerne, Giles - DEP Samples

Send Coolers To:

Phone: 407-897-4123
 FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Matthew Bearden
 Cooler Ship EMail: matthew.bearden@floridadep.gov

Priority: 3
 Event Status: P
 Criminal Investigation: NO
 Chemistry Request Reviewed By: AYRES_J On: 06-JUL-2022
 Biology Request Reviewed By:
 Sampling Kit Required: NO Ship on:
 Sampling Kit Shipped: YES On: 27-JUN-2022
 Sampling Kit Packed By: MCCOY_I
 Preservatives Needed: NO
 Date to Receive Samples: 04-JUL-2022
 Logged In By:

Send Final Report To:

FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Matthew Bearden
 Report Notification EMail:
 matthew.bearden@floridadep.gov; victoria.schwartz@floridadep.gov

Comments: Please log in PKD-QN-BV & DTY-QN-C under a separate event with priority 12, Bottle Group - C

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(DEP SOP: NU-094-1) True Color measured at 450 nm (not valid for NPDES monitoring)
*Color (true)		
W-F	Template: DEFAULT	(SM 4500-F- C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-2011) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-2011) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO ₃
W-HARD	Template: DEFAULT	(SM 2340 B-2011) Hardness by calculation, in aqueous matrices, reported as mg/L CaCO ₃
Hardness		
W-ICP	Template: SMP-FRESH	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Calcium		
Iron		
Magnesium		
Potassium		
Sodium		
Strontium		
Tin		
Titanium		
Vanadium		
Zinc		

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO3
W-ICPMS	Template: DEFAULT	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects

*Boron
Aluminum
Antimony
Arsenic
Barium
Beryllium
Cadmium
Chromium
Cobalt
Copper
Lead
Manganese
Molybdenum
Nickel
Selenium
Silver
Thallium

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 2 Samples:

Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(DEP SOP: NU-094-1) True Color measured at 450 nm (not valid for NPDES monitoring)
*Color (true)		
W-F	Template: DEFAULT	(SM 4500-F- C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-2011) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-2011) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample

Bottle Type: BP-1L	Number of Bottles: 2	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 2	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group C (Water) With 3 Samples:

Bottle Type: BP-1L	Number of Bottles: 3	Preserved With: Lugols
DTY-QN-C	Template: DEFAULT	(SOP-AB05_1) No. of diatom taxa of quantitative phytoplankton sample.
PKD-QN-BV	Template: DEFAULT	(SOP-AB05) No. of wet taxa of quantitative phytoplankton sample w/speciation and cell counts.

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.