

Chemical Analysis Report

SO-DIST-2022-01-13-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **2022 SMP : Phyto Lakes**

Request ID: **RQ-2022-01-10-46**

Customer: **SO-DIST**

Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FLDEP South District Office
2295 Victoria Ave. Suite 364
Fort Myers, FL 33901-3381
Attn: William Mullen

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Liang Lin, Environmental Administrator

Date Certified: 02-FEB-2022 14:23

A handwritten signature in black ink, appearing to read "Liang Lin", on a light-colored background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Little Bonnet Lake at Middle

Collection Date/Time: 01/12/2022 10:55

Field ID: G4SD0169

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2299633	EPA 180.1 Rev. 2.0	Turbidity	14		NTU	P408514	
	EPA 300.0 Rev. 2.1	Chloride	19		mg Cl/L	P409186	
		Sulfate	36		mg SO4/L	P409192	
		Color (true)**	17	A	PCU	P408518	
	SM 2320 B-2011	Total Alkalinity	34		mg CaCO3/L	P408610	
	SM 2540 C-2011	TDS	127		mg/L	P408978	
	SM 2540 D-2011	TSS	15	I	mg/L	P408951	
	SM 4500 F-C-2011	Fluoride	0.070	I	mg F/L	P408613	
2299636	EPA 350.1 Rev. 2.0	Ammonia-N	0.14		mg N/L	P408881	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	2.1		mg N/L	P408854	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.60		mg N/L	P408680	
	EPA 365.1 Rev. 2.0	Total-P	0.028		mg P/L	P408651	
	SM 5310 B-2011	Organic Carbon	12		mg C/L	P408837	
2299639	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P408503	

Ref. Method and Comment:

EPA 300.0 Rev. 2.1: Sulfate: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

SM 2540 D-2011: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample. The PQL was elevated because of sample matrix interference.

Sample Location: Little Red Water Lake at Middle

Collection Date/Time: 01/12/2022 11:50

Field ID: G4SD0171

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2299634	EPA 180.1 Rev. 2.0	Turbidity	10	A	NTU	P408515	
	EPA 300.0 Rev. 2.1	Chloride	20		mg Cl/L	P409186	
		Sulfate	9.1		mg SO4/L	P409192	
		Color (true)**	54		PCU	P408518	
	SM 2320 B-2011	Total Alkalinity	10		mg CaCO3/L	P408610	
	SM 2540 C-2011	TDS	80		mg/L	P408978	
	SM 2540 D-2011	TSS	6	I	mg/L	P408951	
	SM 4500 F-C-2011	Fluoride	0.055	I	mg F/L	P408613	
2299637	EPA 350.1 Rev. 2.0	Ammonia-N	0.005	I	mg N/L	P408881	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.1		mg N/L	P408849	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P408680	
	EPA 365.1 Rev. 2.0	Total-P	0.045		mg P/L	P408651	
	SM 5310 B-2011	Organic Carbon	11		mg C/L	P408837	
2299640	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P408507	

Ref. Method and Comment:

EPA 300.0 Rev. 2.1: Sulfate: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

SM 2540 D-2011: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: Bonnet Lake at Middle

Collection Date/Time: 01/12/2022 12:35

Field ID: G4SD0170

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2299635	EPA 180.1 Rev. 2.0	Turbidity	14		NTU	P408515	
	EPA 300.0 Rev. 2.1	Chloride	22		mg Cl/L	P409186	
		Sulfate	33		mg SO4/L	P409192	
		Color (true)**	20		PCU	P408518	
	SM 2320 B-2011	Total Alkalinity	25		mg CaCO3/L	P408610	
	SM 2540 C-2011	TDS	117		mg/L	P408978	
	SM 2540 D-2011	TSS	11	I	mg/L	P408951	
	SM 4500 F-C-2011	Fluoride	0.078	I	mg F/L	P408613	
2299638	EPA 350.1 Rev. 2.0	Ammonia-N	0.005		mg N/L	P408881	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.3		mg N/L	P408849	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.38		mg N/L	P408681	
	EPA 365.1 Rev. 2.0	Total-P	0.036		mg P/L	P408651	
	SM 5310 B-2011	Organic Carbon	8.7		mg C/L	P408958	
2299641	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P408507	

Ref. Method and Comment:

EPA 300.0 Rev. 2.1: Sulfate: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

SM 2540 D-2011: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample. The PQL was elevated because of sample matrix interference.

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P408514

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P408515

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P409186

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P409192

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P408881

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P408849

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P408854

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P408680

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P408681

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P408651

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P408503

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P408507

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B-2011
Batch ID: P408518

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-2011
Batch ID: P408610

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO ₃ /L

Reference Method: SM 2540 C-2011
Batch ID: P408978

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-2011
Batch ID: P408951

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-2011
Batch ID: P408613

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-2011
Batch ID: P408837

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report

Method Blank Results

Reference Method: SM 5310 B-2011
Batch ID: P408958

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P409186

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	100		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P409192

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	96.3		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P408881

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	98.2		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P408849

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	100		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P408854

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	99.5		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P408680

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	102		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P408681

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	102		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P408651

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	109		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P408503

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	99.9		P	90 - 110

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P408507

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	98.3		P	90 - 110

Reference Method: SM 2120 B-2011
Batch ID: P408518

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	99.4		P	85 - 115

Reference Method: SM 2320 B-2011
Batch ID: P408610

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	98.9		P	94 - 106

Reference Method: SM 4500 F-C-2011
Batch ID: P408613

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	97.9		P	93 - 104

Reference Method: SM 5310 B-2011
Batch ID: P408837

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	95.8		P	85 - 115

Reference Method: SM 5310 B-2011
Batch ID: P408958

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	96.1		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P409186

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2299471	Chloride	100		P	90 - 110
2299634	Chloride	102		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P409192

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2299471	Sulfate	96.3		P	90 - 110
2299634	Sulfate	95.4		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P408881

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2299333	Ammonia-N	99.6	97.2	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P408849

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2299446	Kjeldahl Nitrogen	109	107	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P408854

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2299364	Kjeldahl Nitrogen	99.3	96.8	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P408680

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2299475	NO2NO3-N	104	103	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P408681

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2299638	NO2NO3-N	97.5		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P408651

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2299637	Total-P	107	109	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P408503

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2299455	O-Phosphate-P	97.5	98.0	P/P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P408507

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2299641	O-Phosphate-P	96.7	97.6	P/P	90 - 110

Reference Method: SM 4500 F-C-2011
Batch ID: P408613

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2299472	Fluoride	98.2	98.2	P/P	92 - 107

Reference Method: SM 5310 B-2011
Batch ID: P408837

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2299333	Organic Carbon	94.7	95.5	P/P	85 - 115

Reference Method: SM 5310 B-2011
Batch ID: P408958

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2298793	Organic Carbon	92.9	92.4	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P408514

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2299560	Turbidity	0.228	Sample	P	0 - 20

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P408515

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2299634	Turbidity	0.995	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P409186

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2299471	Chloride	0.444	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P408881

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2299333	Ammonia-N	1.73	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P408849

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2299446	Kjeldahl Nitrogen	0.937	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P408854

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2299364	Kjeldahl Nitrogen	2.29	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P408680

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2299475	NO2NO3-N	0.484	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P408681

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2299638	NO2NO3-N	0.173	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 365.1 Rev. 2.0

Batch ID: P408651

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2299637	Total-P	1.30	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Batch ID: P408503

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2299455	O-Phosphate-P	0.512	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Batch ID: P408507

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2299641	O-Phosphate-P	0.926	Spike	P	0 - 20

Reference Method: SM 2120 B-2011

Batch ID: P408518

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2299633	Color (true)	1.84	Sample	P	0 - 20

Reference Method: SM 2320 B-2011

Batch ID: P408610

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2299472	Total Alkalinity	1.38	Sample	P	0 - 5.2

Reference Method: SM 2540 C-2011

Batch ID: P408978

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2299607	TDS	7.79	Sample	P	0 - 10

Reference Method: SM 4500 F-C-2011

Batch ID: P408613

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2299472	Fluoride	0.0	Spike	P	0 - 2.1

Reference Method: SM 5310 B-2011

Batch ID: P408837

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2299333	Organic Carbon	0.669	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: SM 5310 B-2011
Batch ID: P408958

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2298793	Organic Carbon	0.461	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A109853

Included Lab Sample IDs: 2299639, 2299640, 2299641

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	99.1	99.1	P/P	90 - 110
O-Phosphate-P	99.8	99.5	P/P	90 - 110

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A109856

Included Lab Sample IDs: 2299633, 2299634, 2299635

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	98.5	99.0	P/P	95 - 105
Turbidity	99.0	98.5	P/P	95 - 105

Reference Method: SM 2120 B-2011

Run ID: A109857

Included Lab Sample IDs: 2299633, 2299634, 2299635

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	102	102	P/P	85 - 115

Reference Method: SM 2320 B-2011

Run ID: A109907

Included Lab Sample IDs: 2299633, 2299634, 2299635

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	98.5	99.7	P/P	90 - 110

Reference Method: SM 4500 F-C-2011

Run ID: A109907

Included Lab Sample IDs: 2299633, 2299634, 2299635

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	100	100	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A109923

Included Lab Sample IDs: 2299636, 2299637, 2299638

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	103	104	P/P	90 - 110
NO2NO3-N	104	102	P/P	90 - 110

Reference Method: SM 5310 B-2011

Run ID: A109998

Included Lab Sample IDs: 2299636, 2299637

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	97.2	96.6	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A110006

Included Lab Sample IDs: 2299636, 2299637, 2299638

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	99.5	98.2	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A110010

Included Lab Sample IDs: 2299636, 2299637, 2299638

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	98.5	98.2	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A110025

Included Lab Sample IDs: 2299637, 2299638

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	95.4	94.7	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A110029

Included Lab Sample IDs: 2299636

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	95.8	95.3	P/P	90 - 110

Reference Method: SM 5310 B-2011

Run ID: A110041

Included Lab Sample IDs: 2299638

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	96.8	95.2	P/P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A11040

Included Lab Sample IDs: 2299633, 2299634, 2299635

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	102	102	P/P	90 - 110
Chloride	102	103	P/P	90 - 110
Sulfate	98.3	98.8	P/P	90 - 110
Sulfate	98.6	98.3	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		LCS	Precision	MS
						SMP	
EPA 180.1 Rev. 2.0	Turbidity					0.228	
	Turbidity					0.995	
EPA 300.0 Rev. 2.1	Chloride	100	100	102		0.444	
	Sulfate	96.3	96.3	95.4			
EPA 350.1 Rev. 2.0	Ammonia-N	98.2	99.6	97.2			1.73
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	100	109	107			0.937
	Kjeldahl Nitrogen	99.5	99.3	96.8			2.29
EPA 353.2 Rev. 2.0	NO2NO3-N	102	104	103			0.484
	NO2NO3-N	102	97.5				0.173
EPA 365.1 Rev. 2.0	Total-P	109	107	109			1.30
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	99.9	97.5	98.0			0.512
	O-Phosphate-P	98.3	96.7	97.6			0.926
SM 2120 B-2011	Color (true)	99.4				1.84	
SM 2320 B-2011	Total Alkalinity	98.9				1.38	
SM 2540 C-2011	TDS					7.79	
SM 4500 F-C-2011	Fluoride	97.9	98.2	98.2			0.0
SM 5310 B-2011	Organic Carbon	95.8	94.7	95.5			0.669
	Organic Carbon	96.1	92.9	92.4			0.461

Reference Method Descriptions

Method	Description	Associated Samples
EPA 180.1 Rev. 2.0	Turbidity in aqueous matrices	2299633, 2299634, 2299635
EPA 300.0 Rev. 2.1	Chloride in aqueous matrices	2299633, 2299634, 2299635
EPA 300.0 Rev. 2.1	Sulfate in aqueous matrices	2299633, 2299634, 2299635
EPA 350.1 Rev. 2.0	Ammonia in aqueous matrices as mg N/L	2299636, 2299637, 2299638
EPA 351.2 Rev. 2.0	Total Kjeldahl Nitrogen in aqueous matrices	2299636, 2299637, 2299638
EPA 353.2 Rev. 2.0	Nitrite/Nitrate in aqueous matrices as mg N/L	2299636, 2299637, 2299638
EPA 365.1 Rev. 2.0	Total Phosphorus in aqueous matrices as mg P/L	2299636, 2299637, 2299638
EPA 365.1 Rev. 2.0 dissolved	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2299639, 2299640, 2299641
SM 2120 B-2011	True Color measured at 450 nm (not valid for NPDES monitoring)	2299633, 2299634, 2299635
SM 2320 B-2011	Alkalinity in aqueous matrices as mg CaCO3/L	2299633, 2299634, 2299635
SM 2540 C-2011	Total Dissolved Solids in aqueous matrices	2299633, 2299634, 2299635
SM 2540 D-2011	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2299633, 2299634, 2299635
SM 4500 F-C-2011	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2299633, 2299634, 2299635
SM 5310 B-2011	Nonpurgeable Organic Carbon in aqueous matrices	2299636, 2299637, 2299638

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	01/13/2022			01/13/2022 15:45	Khloe J Berg	2299633, 2299634, 2299635
EPA 300.0 Rev. 2.1	01/13/2022			01/28/2022 14:04	James L Waggeberby	2299634
	01/13/2022			01/28/2022 17:19	James L Waggeberby	2299633
	01/13/2022			01/28/2022 17:31	James L Waggeberby	2299635
EPA 350.1 Rev. 2.0	01/13/2022			01/24/2022 13:40	Ping Hua	2299636
	01/13/2022			01/24/2022 13:41	Ping Hua	2299637
	01/13/2022			01/24/2022 13:43	Ping Hua	2299638
EPA 351.2 Rev. 2.0	01/13/2022	01/24/2022 11:37	Samantha L Bates	01/25/2022 13:44	Alexandra J Mattheus	2299636
	01/13/2022	01/24/2022 11:42	Samantha L Bates	01/25/2022 11:06	Alexandra J Mattheus	2299637
	01/13/2022	01/24/2022 11:42	Samantha L Bates	01/25/2022 11:08	Alexandra J Mattheus	2299638
EPA 353.2 Rev. 2.0	01/13/2022			01/19/2022 11:40	Beverly Y. Sanders	2299638
	01/13/2022			01/19/2022 12:30	Beverly Y. Sanders	2299636
	01/13/2022			01/19/2022 12:31	Beverly Y. Sanders	2299637
EPA 365.1 Rev. 2.0	01/13/2022	01/20/2022 17:50	Simonne.V. Calhoun	01/24/2022 14:49	Shengyu Ding	2299637
	01/13/2022	01/20/2022 17:50	Simonne.V. Calhoun	01/24/2022 14:50	Shengyu Ding	2299636
	01/13/2022	01/20/2022 17:50	Simonne.V. Calhoun	01/24/2022 14:51	Shengyu Ding	2299638
EPA 365.1 Rev. 2.0 dissolved	01/13/2022			01/13/2022 15:08	Ping Hua	2299639
	01/13/2022			01/13/2022 15:43	Ping Hua	2299641
	01/13/2022			01/13/2022 15:46	Ping Hua	2299640
SM 2120 B-2011	01/13/2022			01/13/2022 16:51	Sarah A Nixon	2299633
	01/13/2022			01/13/2022 16:53	Sarah A Nixon	2299634
	01/13/2022			01/13/2022 16:54	Sarah A Nixon	2299635
SM 2320 B-2011	01/13/2022			01/15/2022 02:30	Dale L. Simmons	2299633
	01/13/2022			01/15/2022 02:41	Dale L. Simmons	2299634
	01/13/2022			01/15/2022 02:52	Dale L. Simmons	2299635
SM 2540 C-2011	01/13/2022			01/18/2022 15:32	Yijie Li	2299633, 2299634, 2299635
SM 2540 D-2011	01/13/2022			01/18/2022 15:32	Yijie Li	2299633, 2299634, 2299635
SM 4500 F-C-2011	01/13/2022			01/15/2022 02:30	Dale L. Simmons	2299633
	01/13/2022			01/15/2022 02:41	Dale L. Simmons	2299634
	01/13/2022			01/15/2022 02:52	Dale L. Simmons	2299635
SM 5310 B-2011	01/13/2022			01/21/2022 04:34	Nathaniel J Jones	2299636
	01/13/2022			01/21/2022 04:49	Nathaniel J Jones	2299637
	01/13/2022			01/25/2022 02:47	Nathaniel J Jones	2299638