

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
CHAIN OF CUSTODY FORM

Date: 2/15/2022
Customer: SO-DIST
RQ: RQ-2022-01-31-12
Collected By: Nicole Reistad, William Mullen
Sampling Agency: FDEP
Project ID: SMP

PLEASE RETURN THE ORIGINAL OF THIS FORM WITH SAMPLE SUBMITTAL
FORMS AND THE COOLER PACKING WORKSHEET TO THE LAB

Number of Coolers Shipped: 0

Delivery Method: HandDelivered

FIELD ID (Labels) submitted under this RQ for this collection date.

Site Location	Field ID/WIN ID
LtlSaltCreekAtOrtizBlvd	 G3SD0215

RELINQUISHED BY(SIGNATURE):



DATE/TIME: 2/15/2022
1200 EST

THIS SECTION TO BE COMPLETED BY LABORATORY

Rec'd/Inspected By:

**Rec'd/Inspected
Date:**



RQ-2022-01-31-12	Collected By: Nicole Reistad, William Mullen
Customer: FDEP	Field Report Prepared by: Nicole Reistad, William Mullen
Project ID: SMP	Sampling Agency: FDEP
WIN ID/Field ID:  WIN ID/Field ID: G3SD0215	Comments: Microbiology sample(s) submitted to contract laboratory.

Location:**Location:** LtlSaltCreekAtOrtizBlvd

Matrix: Marine

(Check One) ☒ Grab ☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. ©	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPTH
2/15/2022 1025	1.14	16.1	28.2	7.11	0.2	0.4	0.4	28633	17.59

Parameter Suite	Parameter Methods	Preservation	pH Check	# Bottles sent to Lab	Bottle Group		
Preserved Nutrients (P-500ML)	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	Ice H2SO4*	<2				
	Lot # Exp:						
Metals (P-500ML)	W-ICPMS W-ICP W-HARD	Ice HNO3*	<2				
	Lot # Exp:						
Filtered Nutrients (P125ML)	W-PO4-F Field Filtered 0.45 µm Filter	Ice					
	Filter Lot # Syringe Lot #						
BOD (BP-1L)	OV-BODUNIN	Ice					
Chlorophyll (BP-1L)	CHLSUITE-W	Ice					
Physical/Aggregate (Fresh) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W- TDS	Ice					
Physical/Aggregate (Marine) (P-1L)	Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY	Ice					
Macroinvertebrates (PJ-2L)	MI-FW-QLDC Formalin Lot #	Formalin					
Periphyton (PT-50ML)	ALGAE-ID	Ice					
Microbiology (Contract Lab Bottle)	E Coli F Coli X Enterococci	x Ice				1	A
	X Contract Lab						
Molecular (QPCR-P-500ML)	PCR-HF183 PCR-BacR PCR-DG3	Ice					
	PCR-GULL2 PCR-GFD						
Tracers (BG-500ML)	W-E8321-DI W-E8321-MS	Ice					
Pesticides (BG-500ML) (BG-1L)	W-E8321-DI W-E8321-MS W-PSNP-TQ	Ice	MCAA Exp.	MCAA Lot#			
	W-PCL-TQ-R W-CARB-AA (5 ml of MCAA Buffer Solution) W-CT-CL-R						
	W-TR-SQ-R W-PCB-TQ-R						
Phytoplankton	DTY-QN-C PKD-QN-BV	Ice					

Benchmark EnviroAnalytical, Inc.
1001 Corporate Ave. Suite 102
North Port, FL 34289
(941) 625-3137 / (941) 240-3071 fax

BEAS Sample Receipt Temp. 51 °C
Checked at Benchmark EA South E85086
With Temperature Gun ID #7

Client Name: FDEP
Address: 2600 Blair Stone Rd.
Tallahassee, FL, 32399
Phone: (850) 245-8085-239-470-0873
Email: dep-overflowmicro@dep.state.fl.us
Bill to: Frances Moore
P.O. #: Lab 446970-
B95341

2022-01-31-12
Project Name: RQ-2020
Project Run/Location: Little Salt Creek

Laboratory Submission #:

522020424

Station
ID

Surface Water
Sample Matrix:
(Fresh / Marine)

Enterococci
E.coli (SM9223B Quantitray)

Laboratory
Sample #

E.coli = 250 mL ; Entero = 120 mL ; Fecal Coliform = 120 mL

G3SD0215

F / M / Grab

E.coli

Entero / F.coli

Date & Time:

02/15/2022 1025

1

F / M / Grab

E.coli

Entero / F.coli

Date & Time:

F / M / Grab

E.coli

Entero / F.coli

Date & Time:

F / M / Grab

E.coli

Entero / F.coli

Date & Time:

F / M / Grab

E.coli

Entero / F.coli

Date & Time:

F / M / Grab

E.coli

Entero / F.coli

Date & Time:

F / M / Grab

E.coli

Entero / F.coli

Date & Time:

F / M / Grab

E.coli

Entero / F.coli

Date & Time:

F / M / Grab

E.coli

Entero / F.coli

Date & Time:

F / M / Grab

E.coli

Entero / F.coli

Date & Time:

F / M / Grab

E.coli

Entero / F.coli

Date & Time:

Sample Type is used to indicate whether the sample was a grab (G) or whether it was a composite (C).

Sample Matrix is used to indicate whether the sample is being subjected to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SDMT), or sludge (SLDG).

Container Type is used to indicate whether the container is plastic (P) or glass (G). Sample must be refrigerated or stored in wet ice after collection. The maximum temperature during storage should be 6°C (42.8°F). Under "Preservative," list any preservatives that were added to the sample container.

Each bottle has a label identifying sample ID, premeasured preservative contained in the bottle, sample type, client ID, and parameters for analysis.

The following information should be added to each bottle label after collection with premeasured black ink: date and time of collection, sample's name or initials, and any field number or ID.

All bottles containing preservative may be used with appropriate sample prior to collection.

The client is responsible for documentation of the sampling event. Please note special sampling events on the sample custody form.

Laboratory Sample Acceptability:
pH < 2.0 BEAS Temperature: 5.1°C

1	Collector:	Date:	Time:	Received By:	Date:	Time:
2	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
3	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
4	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
5	Relinquished by:	Date:	Time:	Received By:	Date:	Time: