

2022-21-07-39

2022



522020183

695341

Enterococci
E.coli (SM9223B Quantitray)

[illegible]

1. Sample type: Is water or sediment collected? (The sample type is a bottom sediment or structure or water temperature (°C).)

2. Sample Matrix: Is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SDBT), or bridge (SBDG).

3. Container Type: Is used to indicate whether the container is plastic (P) or glass (G).

4. Sample state: The refrigerated or stored in a vessel after collection. The maximum temperature during storage should be 0°C (32°F). Under "Preservative," list any preservatives that were added to the sample container.

5. Packaging: The number of containers used for the sample.

6. Identification: Each bottle has label identifying sample ID, preservative present, and is contained in the bottle, sample type, client ID, and parameters for analysis.

7. The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sampler's name or initials, and any field number or ID.

8. All bottles not containing preservative may be stored with appropriate sample prior to collection.

9. The client is responsible for documentation of the sampling event. Please note: special sampling events on this sample custody form.

Laboratory Sample Acceptability:
pH < 2.0, BEAS' temperature:

1	Collector:	<i>Morgan</i>	Date:	<i>04/07/02</i>	Time:	<i>1135</i>	Received By:	<i>Battle Kromm</i>	Date:	<i>2/1/02</i>	Time:	<i>1135</i>
2	Relinquished by:		Date:		Time:		Received By:		Date:		Time:	
3	Relinquished by:		Date:		Time:		Received By:		Date:		Time:	
4	Relinquished by:		Date:		Time:		Received By:		Date:		Time:	
5	Relinquished by:		Date:		Time:		Received By:		Date:		Time:	