

Benchmark EnviroAnalytical, Inc.
1001 Corporate Ave. Suite 102
North Port, FL 34289
(941) 625-3137 / (941) 240-3071 fax

BEAS Sample Receipt Temp. 4.4 °C

Client Name: FDEP
Address: 2600 Blair Stone Rd.
Tallahassee, FL, 32399
Phone: (239) 344-5719
Email: dep-overflowmicro@dep.state.fl.us

Bill to: Frances Moore
P.O. #: Lab B95341

Checked at Benchmark EA South E85088
With Temperature Gun ID #7

2022-04-18-35

Project Name: RQ-2021-

Project Run/Location: Myakkae Creeks

Station
ID

Laboratory Submission #:

S22040489

Station ID	Surface Water Sample Matrix* (Fresh / Marine)	Sample Type	Enterococci		Laboratory Sample #
			E.coli (SM9223B Quantitray)		
			E.Coli = 250 mL ; Entero = 120 mL ; Fecal Coliform = 120 mL		
63510071	F / M / Grab	E.coli / Enterococci	Date & Time:	04/12/22 435	1
63510185	F / M / Grab	E.coli / Enterococci	Date & Time:	04/12/22 405	2
63510073	F / M / Grab	E.coli / Enterococci	Date & Time:	04/12/22 435	3
	F / M / Grab	E.coli / Enterococci	Date & Time:		
	F / M / Grab	E.coli / Enterococci	Date & Time:		
	F / M / Grab	E.coli / Enterococci	Date & Time:		
	F / M / Grab	E.coli / Enterococci	Date & Time:		
	F / M / Grab	E.coli / Enterococci	Date & Time:		
	F / M / Grab	E.coli / Enterococci	Date & Time:		
	F / M / Grab	E.coli / Enterococci	Date & Time:		
	F / M / Grab	E.coli / Enterococci	Date & Time:		
	F / M / Grab	E.coli / Enterococci	Date & Time:		

Sample Type is used to indicate whether the sample was a grab (G) or whether it was a composite (C).

Sample Matrix is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), saline surface water (SSW), soil sediment (SDMT), or sludge (SLDG).

Container Type is used to indicate whether the container is plastic (P) or glass (G).

Sample must be refrigerated or stored in wet ice after collection. The maximum temperature during storage should be 4°C (42°F). Under "Preservative" list any preservatives that were added to the sample container.

Each bottle has a label identifying sample ID, premeasured preservative contained in the bottle, sample type, client ID, and parameters for analysis.

The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sampler's name or initials, and any field number or ID.

All bottles not containing preservative may be mixed with appropriate sample prior to collection.

The client is responsible for documentation of the sampling event. Please note special sampling events on the sample custody form.

Laboratory Sample Acceptability:
pH < 2 : 0 BEAS Temperature: 4.4

Collector: Thomas Bruce	Date: 04/12/22	Time: 1130	Received By: Melinda Merchant - BEAS	Date: 4/20/22	Time: 1130
Relinquished by:	Date:	Time:	Received By:	Date:	Time:
Relinquished by:	Date:	Time:	Received By:	Date:	Time:
Relinquished by:	Date:	Time:	Received By:	Date:	Time:
Relinquished by:	Date:	Time:	Received By:	Date:	Time: