

Benchmark EnviroAnalytical, Inc.
1001 Corporate Ave. Suite 102
North Port, FL 34289
(941) 625-3137 / (941) 240-3071 fax

2022-06-20-48

Project Name: RQ-2021-
Project Run/Location: SMF: Peace WNE

Client Name: FDEP
Address: 2600 Blair Stone Rd.
Tallahassee, FL, 32399
Phone: (239) 344-5719
Email: dep-overflowmicro@dep.state.fl.us

Bill to: Frances Moore
P.O. #: Lab B95341

Laboratory Submission #:

Enterococci
E.coli (SM9223B Quantitray)

Laboratory
Sample #

Surface Water
Sample Matrix:
(Fresh / Marine)
Sample Type

E. coli = 250 mL ; Entero = 120 mL ; Fecal Coliform = 120 mL

Station ID	Sample Type	Enterococci E.coli (SM9223B Quantitray)	Laboratory Sample #
G3SD0146	F / M / Grab	E. coli / Entero / Fecal coliform Date & Time: 6/20/22 840	
G3SD0148	F / M / Grab	E. coli / Entero / Fecal coliform Date & Time: 6/20/22 905	
G3SD0131	F / M / Grab	E. coli / Entero / Fecal coliform Date & Time: 6/20/22 950	
G3SD0154	F / M / Grab	E. coli / Entero / Fecal coliform Date & Time: 6/20/22 1045	
	F / M / Grab	E. coli / Entero / Fecal coliform Date & Time:	
	F / M / Grab	E. coli / Entero / Fecal coliform Date & Time:	
	F / M / Grab	E. coli / Entero / Fecal coliform Date & Time:	
	F / M / Grab	E. coli / Entero / Fecal coliform Date & Time:	
	F / M / Grab	E. coli / Entero / Fecal coliform Date & Time:	
	F / M / Grab	E. coli / Entero / Fecal coliform Date & Time:	
	F / M / Grab	E. coli / Entero / Fecal coliform Date & Time:	
	F / M / Grab	E. coli / Entero / Fecal coliform Date & Time:	
	F / M / Grab	E. coli / Entero / Fecal coliform Date & Time:	

Sample Type is used to indicate whether the sample was a grab (G) or whether it was a composite (C).

Sample Matrix is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), soil, sediment (SDMNT), or sludge (SLD).
Composite Type is used to indicate whether the container is plastic (P) or glass (G).

Sample must be refrigerated or stored in ice after collection. The maximum temperature during storage should be 4°C (40°F). Under "Preservative," list any preservatives that were added to the sample container.

Each bottle has a label identifying sample ID, preservative (if any), container type, client ID, and parameters for analysis.

The following information should be added to each bottle label after collection with name and date of collection, sample's name or initials, and any field number or ID.

All bottles containing preservative may be mixed with appropriate sample prior to collection.

The client is responsible for documentation of the sampling event. Please note special sampling events on the sample custody form.

1. Collector: Monica Jaeger

1. Relinquished by: Date: 6/20/22 Time: 1148 Received By: Brooke Kutzmark Date & Time: 6/20/22 1148

1. Relinquished by: Date: Time: Received By: Date & Time:

1. Relinquished by: Date: Time: Received By: Date & Time:

1. Relinquished by: Date: Time: Received By: Date & Time:

1. Relinquished by: Date: Time: Received By: Date & Time:

1. Relinquished by: Date: Time: Received By: Date & Time:

1. Relinquished by: Date: Time: Received By: Date & Time:

1. Relinquished by: Date: Time: Received By: Date & Time:

1. Relinquished by: Date: Time: Received By: Date & Time:

Laboratory Sample Acceptability:
pH < 10 BEAS Temperature: 5.3

BEAS Sample Receipt Temp. 5.3 °C

Checked at Benchmark EA South E85086
With Temperature Gun ID #7