

RQ-2022-07-25-31

Login Checklist

Login Station ID: #2

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 7/29/2022 9:30

*Cooler Temperature	Samples Frozen? YES	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
		HNO ₃	Formalin		Present?		*Intact?		
					Yes	No	Yes	No	
2.1 3.7				79		✓			5225 5549 1910 9225 5549 1909

COOLER CHECK

*All samples received on ice unless otherwise noted. HNO₃ and Formalin preserved samples do NOT have a temperature requirement.

- If the temperature of a cooler exceeds 6.0 oC (above 10.0 oC for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. NCR# _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. NCR# _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. NCR# _____
- If coolers or samples are received late; identify the affected samples in an NCR. NCR# _____

Chain of Custody/ Field Sheet(s) Included? .

Yes ☒ No ☐

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included?

Yes ☐ No ☒

CONTAINER CHECK

Evidence Tape on Bottles?

Yes ☐ No ☐ NA ☒Evidence Tape intact? Yes ☐ No ☐

If Criminal, photographs taken?

Yes ☐ No ☒Containers intact? Yes ☒ No ☐

Caps on tight?

Yes ☒ No ☐

Sufficient Sample Volume:

Yes ☒ No ☐If NO is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes ☒ No ☐ Init: IM

Chlorine detected? (One container checked per Field ID)

Yes ☐ No ☒ Init: IM

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV")

**Acid Preserved Samples: pH < 2.0?

Yes ☒ No ☐ NA ☐ Init: IM

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?

Yes ☐ No ☐ NA ☒ Init: IM

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: IM

Date: 7/29/2022

Event contains NCRs (Y/N)? ☒Event ID: 2022 SMP : Everglades
SO-DIST-2022-07-29-01 (SMP)

Page 1 of 2, Date Received: 29-JUL-2022 09:30

Login Checklist

Login Preservation Equipment

Lot # & Exp: Date

Additional Comments:

Infrared Thermometer ID:	IR TEMP GUN #2 exp: 10/19/22
pH Test Strips 0 – 6	
pH Paper 0 – 3	
pH Paper 0 – 13	210620 exp: 4/15/23
Chlorine Test Strips	0070 exp: 02/2023

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ Init: _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

3 2 ENT

2 X MF

2 CHL

7.29.22 @ 955 AE

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
CHAIN OF CUSTODY FORM

Date: 7/27/2022
Customer: SO-DIST
RQ: RQ-2022-07-25-31
Collected By: Nicole Reistad, Thomas Baker
Sampling Agency: FDEP
Project ID: SMP

PLEASE RETURN THE ORIGINAL OF THIS FORM WITH SAMPLE SUBMITTAL
FORMS AND THE COOLER PACKING WORKSHEET TO THE LAB

Number of Coolers Shipped: 2

Delivery Method: FedEx

FIELD ID (Labels) submitted under this RQ for this collection date.

Site Location	Field ID/WIN ID
8069 - ENRE5	 G5SD0036
8067 ENRE 9 Near First Bay	 G5SD0107

RELINQUISHED BY(SIGNATURE):



DATE/TIME: 7/27/2022

1500 EST

THIS SECTION TO BE COMPLETED BY LABORATORY

Rec'd/Inspected By:

Rec'd/Inspected

Date:



RQ-2022-07-25-31

Collected By: Nicole Reistad, Thomas Baker

Customer: FDEP

Field Report Prepared by: Nicole Reistad, Thomas Baker

Project ID: SMP

Sampling Agency: FDEP

WIN ID/Field ID:



WIN ID/Field ID: G5SD0036

Comments:

Location:

Location: 8069 - ENRE5

Matrix: Marine

(Check One)

☒ Grab☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPT)
7/27/2022 1110	5.96	94.4	28.8	8	0.3	1.3	3.9	55104	36.41

Parameter Suite	Parameter Methods				Preservation		pH Check		# Bottles sent to Lab	Bottle Group			
Preserved Nutrients (P-500ML)	X	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP			X	Ice	X	H2SO4*	X	<2	1	A	
		Lot #	131766	Exp:	12/31/22								
Metals (P-500ML)		W-ICPMS		W-ICP	W-HARD		Ice	HNO3*		<2			
		Lot #		Exp:									
Filtered Nutrients (P125ML)		W-PO4-F	Field Filtered 0.45 µm Filter				Ice						
		Filter Lot #	Syringe Lot #										
BOD (BP-1L)		OV-BODUNIN					Ice						
Chlorophyll (BP-1L)	X	CHLSUITE-W				X	Ice			1	A		
Physical/Aggregate (Fresh) (P-1L)		Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W-TDS					Ice						
Physical/Aggregate (Marine) (P-1L)	X	Alkalinity / W-F / W-TSS / TURBIDITY				X	Ice			1	A		
Macroinvertebrates (PJ-2L)		MI-FW-QLDC	Formalin Lot #				Formalin						
Periphyton (PT-50ML)		ALGAE-ID					Ice						
Microbiology (Contract Lab Bottle)		E Coli	X	F Coli	X	Enterococci	X	Ice			2	A	
		Contract Lab											
Molecular (QPCR-P-500ML)		PCR-HF183		PCR-BacR		PCR-DG3		Ice					
		PCR-GULL2		PCR-GFD									
Tracers (BG-500ML)		W-E8321-DI	W-E8321-MS				Ice						
Pesticides (BG-500ML) (BG-1L)		W-E8321-DI		W-E8321-MS	X	W-PSNP-TQ		x	Ice	MCAA Exp.	MCAA Lot#	4	A
		W-PCL-TQ-R		W-CARB-AA (5 ml of MCAA Buffer Solution)		W-CT-CL-R							
	X	W-TR-SQ-R		W-PCB-TQ-R									
Phytoplankton		DTY-QN-C	PKD-QN-BV				Ice						



RQ-2022-07-25-31

Collected By: Nicole Reistad, Thomas Baker

Customer: FDEP

Field Report Prepared by: Nicole Reistad, Thomas Baker

Project ID: SMP

Sampling Agency: FDEP

WIN ID/Field ID:



WIN ID/Field ID: G5SD0107

Comments:

Location:

Location: 8067 ENRE 9 Near First Bay

Matrix: Marine

(Check One)

☒ Grab☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. ©	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPT _h)									
7/27/2022 1210	6.2	95.5	29	7.97	0.3	3.6	4.2	47346	30.69									
Parameter Suite		Parameter Methods				Preservation		pH Check	# Bottles sent to Lab	Bottle Group								
Preserved Nutrients (P-500ML)	X	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP				X	Ice	X	H2SO4*	X	<2	1	A					
		Lot #		132683		Exp:	12/18/22											
Metals (P-500ML)		W-ICPMS		W-ICP		W-HARD			Ice		HNO3*							
		Lot #				Exp:												
Filtered Nutrients (P125ML)		W-PO4-F		Field Filtered 0.45 um Filter					Ice									
		Filter Lot #		Syringe Lot #														
BOD (BP-1L)		OV-BODUNIN					Ice											
Chlorophyll (BP-1L)	X	CHLSUITE-W				X	Ice											
Physical/Aggregate (Fresh) (P-1L)		Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W- TDS					Ice											
Physical/Aggregate (Marine) (P-1L)	X	Alkalinity / W-F / W-TSS / TURBIDITY				X	Ice											
Macroinvertebrates (PJ-2L)		MI-FW-QLDC		Formalin Lot #				Formalin										
Periphyton (PT-50ML)		ALGAE-ID					Ice											
Microbiology (Contract Lab Bottle)		E Coli		X	F Coli		X	Enterococci	X					Ice				
		Contract Lab																
Molecular (QPCR-P-500ML)		PCR-HF183		PCR-BacR			PCR-DG3		Ice									
		PCR-GULL2		PCR-GFD														
Tracers (BG-500ML)		W-E8321-DI		W-E8321-MS					Ice									
Pesticides (BG-500ML) (BG-1L)		W-E8321-DI		W-E8321-MS		X	W-PSNP-TQ		X					Ice	MCAA Exp.	MCAA Lot#	2	A
		W-PCL-TQ-R		W-CARB-AA (5 ml of MCAA Buffer Solution)		W-CT-CL-R												
	X	W-TR-SQ-R		W-PCB-TQ-R														
Phytoplankton		DTY-QN-C		PKD-QN-BV					Ice									

Date of Request: 05-JUL-2022
 Created By: MULLEN_W On: 05-JUL-2022
 Modified By: JASROTIA_P On: 07-JUL-2022
 Customer: SO-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: South District
 Event Description: 2022 SMP : Everglades

Send Coolers To:

Phone: 239-344-5716
 FLDEP South District Office
 2295 Victoria Ave. Suite 314
 Fort Myers, FL 33901-3381
 Attn: William Mullen
 Cooler Ship EMail: William.Mullen@FloridaDEP.gov

Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: AYRES_J On: 07-JUL-2022
 Biology Request Reviewed By: JASROTIA_P On: 07-JUL-2022
 Sampling Kit Required: YES Ship on: 18-JUL-2022
 Sampling Kit Shipped: YES On: 18-JUL-2022
 Sampling Kit Packed By: SHAIK_A
 Preservatives Needed: NO
 Date to Receive Samples: 27-JUL-2022
 Logged In By:

Send Final Report To:

FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901-3381
 Attn: William Mullen
 Report Notification EMail:
 Nicole.Reistad@FloridaDEP.gov; Kirby.Wolfe@dep.state.fl.us; William.Mullen@FloridaDEP.gov; Monica.Jaeger@FloridaDEP.gov; Thomas.J.Baker@FloridaDEP.gov

Comments: Group A: Marine Nutrients, Entero, Fecal, W-TR-SQ-R, W-PSNP-TQ

 W-TR-SQ-R (sunscreens)

Wash your hands thoroughly and wear gloves. Refrain from using sunscreens on the day of sample collection.

#####

Bottle Group A (Water) With 2 Samples:

Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-F	Template: DEFAULT	(SM 4500-F- C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TSS	Template: DEFAULT	(SM 2540 D-2011) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 2	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-250ML-WO-THI	Number of Bottles: 2	Preserved With: ICE
ENT-24-QT	Template: DEFAULT	(Enterolert/QT) Enterococci by Enterolert Quanti-Tray method - non-chlorinated water systems
Bottle Type: P-250ML-WO-THI	Number of Bottles: 2	Preserved With: ICE
FCOLI-MF	Template: DEFAULT	(SM 9222 D) Fecal coliforms by membrane filter method - non-chlorinated water systems
Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: BG-1L	Number of Bottles: 6	Preserved With: ICE

Bottle Group A (Water) With 2 Samples:

Bottle Type: BG-1L	Number of Bottles: 6	Preserved With: ICE
W-PSNP-TQ	Template: DEFAULT	(EPA 8270E) Organonitrogen and phosphorus pesticides in water matrices by GC/MS/MS
W-TR-SQ-R	Template: DEFAULT	(EPA 8270E) Analysis of Sunscreen Compounds and Flame Retardants in Water by GC/MS-SIM

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

Date of Request: 14-MAR-2022
 Created By: RANKIN_A On: 14-MAR-2022
 Modified By: JASROTIA_P On: 29-JUN-2022
 Customer: SJRWMD
 Project: HAB-ROUTNE
 Division:
 District:
 Event Description: Routine Monitoring for Toxins and Dominant Algal Species (Palm Bay)

Send Coolers To:

Phone: 3214092124
 St. Johns River Water Management District
 525 Community College Parkway SE
 Palm Bay, FL 32909
 Attn: Melissa Adams
 Cooler Ship EMail:
 madams@sjrwmd.com;TCoyle@sjrwmd.com;cvanzo@sjrwmd.com

Priority: 1
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: AYRES_J On: 29-JUN-2022
 Biology Request Reviewed By: JASROTIA_P On: 29-JUN-2022
 Sampling Kit Required: YES Ship on: 08-JUL-2022
 Sampling Kit Shipped: YES On: 07-JUL-2022
 Sampling Kit Packed By: SHAIK_A
 Preservatives Needed: NO
 Date to Receive Samples: 18-JUL-2022
 Logged In By: MCCOY_I On: 28-JUL-2022

Send Final Report To:

4049 Reid St.

 Palatka, FL 32177
 Attn: Ken Riddick
 Report Notification EMail:
 kriddick@sjrwmd.com;lmcccloud@sjrwmd.com;JPapacek@sjrwmd.com;cakers@sjrwmd.com;tmiller@sjrwmd.com;madams@sjrwmd.com;RTimbs@sjrwmd.com;TTrent@sjrwmd.com

Comments: Please ship 2 kits in 1 - 16qt cooler and 1 kit in another 16-qt cooler.

Bottle Group A - Priority 1
 For algal dominant taxon.

Bottle Group B - Priority 1
 For toxin testing.

Please print two copies of algal job labels at login.

Bottle Group A (Biological) With 3 Samples:

Bottle Type: PT-50ML Number of Bottles: 3 Preserved With: ICE
 ALGAL_ID Template: DEFAULT (SOP-AB05) Qualitative assessment of algal taxa present without counts

Bottle Group B (Water) With 3 Samples:

Bottle Type: BG-250ML-WDMTH Number of Bottles: 3 Preserved With: ICE
 W-MCYST-AA Template: (EPA 8321B) Microcystins in water matrices by HPLC/MS/MS
 W-SAXTN-MS Template: DEFAULT (EPA 8321B) Saxitoxin in water matrices by HPLC/MS/MS

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

