

Benchmark EnviroAnalytical, Inc.
1001 Corporate Ave. Suite 102
North Port, FL 34289
(941) 625-3137 / (941) 240-3071 fax

Client Name: FDEP
Address: 2600 Blair Stone Rd.
Tallahassee, FL, 32399
Phone: (239) 344-5719
Email: dep-overflowmicro@dep.state.fl.us

Bill to: Frances Moore
P.O. #: Lab B9534F

COOEF5

Project Name: RQ-2021-2022-88-01-46

Project Run/Location: SMP, Arbutle

Laboratory Submission #:

522080141

Station ID	Surface Water Sample Matrix* (Fresh / Marine) Sample Type	Enterococci E.coli (SM9223B Quantitray)	Laboratory Sample #
		E.Coli = 250 mL ; Entero = 120 mL ; Fecal Coliform = 120 mL	
G4SD0110	(F) M / Grab	E.coli / Entero / F.coliform Date & Time: 08/03/22 1010	1
G4SD0117	(F) M / Grab	E.coli / Entero / F.coliform Date & Time: 08/03/22 1045	2
G4SD0172	(F) M / Grab	E.coli / Entero / F.coliform Date & Time: 08/03/22 1135	3
G4SD08210	(F) M / Grab	E.coli / Entero / F.coliform Date & Time: 08/03/22 1235	4
	F / M / Grab	E.coli / Entero / F.coli Date & Time:	
	F / M / Grab	E.coli / Entero / F.coli Date & Time:	
	F / M / Grab	E.coli / Entero / F.coli Date & Time:	
	F / M / Grab	E.coli / Entero / F.coli Date & Time:	
	F / M / Grab	E.coli / Entero / F.coli Date & Time:	
	F / M / Grab	E.coli / Entero / F.coli Date & Time:	
	F / M / Grab	E.coli / Entero / F.coli Date & Time:	
	F / M / Grab	E.coli / Entero / F.coli Date & Time:	

*Sample Type is used to indicate whether the sample was a grab (G) or whether it was a composite (C).

*Sample Matrix is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SDMNT), or sludge (SLDG).

*Container Type is used to indicate whether the container is plastic (P) or glass (G).

Sample must be refrigerated or stored in wet ice after collection. The maximum temperature during storage should be 6°C (42.8°F). Under "Preservative," list any preservatives that were added to the sample container.

Instructions:

- Each bottle has a label identifying sample ID, premeasured preservative contained in the bottle, sample type, client ID, and parameters for analysis.
- The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sampler's name or initials, and any field number or ID.
- All bottles not containing preservative may be rinsed with appropriate sample prior to collection.
- The client is responsible for documentation of the sampling event. Please note special sampling events on the sample custody form.

Laboratory Sample Acceptability:

pH < 2.0 BEAS Temperature: 3.6°C

1	Collector: William Miller	Date: 08/03/22	Time: 1451	Received By: Brooke Kutzmark	Date: 8/3/22	Time: 1451
2	Relinquished by:	Date:	Time:	Received By: Brooke Kutzmark	Date:	Time:
3	Relinquished by:	Date:	Time:	Received By: Brooke Kutzmark	Date:	Time:
4	Relinquished by:	Date:	Time:	Received By: Brooke Kutzmark	Date:	Time:
5	Relinquished by:	Date:	Time:	Received By: Brooke Kutzmark	Date:	Time:

BEAS Sample Receipt Temp. 3.6 °C

Checked at Benchmark EA South E85086
With Temperature Gun ID #7