

ANALYTICAL TEST REPORT

THESE RESULTS MEET NELAC STANDARDS

Submission Number : S22080141

Florida Dept Of Env Protection
2600 Blair Stone Rd
Tallahassee, FL 32399

Project Name : RQ-2022-08-01-46

Date Received : 08/03/2022

Time Received : 14:51

Submission Number: 22080141 Sample Date: 08/03/2022
Sample Number: 001 Sample Time: 10:10
Sample Description: G4SD0110 Sample Method: Grab

Parameter	Result	Units	MDL	PQL	Procedure	Preparation Date/Time	Analysis Date/Time	Analyst
E- COLI BY IDEXX QUANTITRAY	243	#/100 ML	10	10	SM9223B	08/03/2022 16:30	08/04/2022 17:03	BK

Submission Number: 22080141 Sample Date: 08/03/2022
Sample Number: 002 Sample Time: 10:45
Sample Description: G4SD0117 Sample Method: Grab

Parameter	Result	Units	MDL	PQL	Procedure	Preparation Date/Time	Analysis Date/Time	Analyst
E- COLI BY IDEXX QUANTITRAY	272	#/100 ML	10	10	SM9223B	08/03/2022 16:30	08/04/2022 17:03	BK


Submission Number: 22080141 Sample Date: 08/03/2022
Sample Number: 003 Sample Time: 11:35
Sample Description: G4SD0172 Sample Method: Grab

Parameter	Result	Units	MDL	PQL	Procedure	Preparation Date/Time	Analysis Date/Time	Analyst
E- COLI BY IDEXX QUANTITRAY	41	#/100 ML	10	10	SM9223B	08/03/2022 16:30	08/04/2022 17:03	BK

Submission Number: 22080141 Sample Date: 08/03/2022
Sample Number: 004 Sample Time: 12:35
Sample Description: G4SD0210 Sample Method: Grab

Parameter	Result	Units	MDL	PQL	Procedure	Preparation Date/Time	Analysis Date/Time	Analyst
E- COLI BY IDEXX QUANTITRAY	122	#/100 ML	10	10	SM9223B	08/03/2022 16:30	08/04/2022 17:03	BK

BENCHMARK EA SOUTH



NELAC Certification #E85086

Melinda Merchant

Dale D. Dixon / Laboratory Director

Melinda Merchant / Laboratory Manager

08/09/2022

Date

DATA QUALIFIERS THAT MAY APPLY:

A = Value reported is an average of two or more determinations.
B = Results based upon colony counts outside the ideal range.
H = Value based on field kit determination. Results may not be accurate.
I = Reported value is between the laboratory MDL and the PQL.
J1 = Estimated value. Surrogate recovery limits exceeded.
J2 = Estimated value. No quality control criteria exists for component.
J3 = Estimated value. Quality control criteria for precision or accuracy not met.
J4 = Estimated value. Sample matrix interference suspected.
J5 = Estimated value. Data questionable due to improper lab or field protocols.
K = Off-scale low. Value is known to be < the value reported.
L = Off-scale high. Value is known to be > the value reported.
N = Presumptive evidence of presence of material.
O = Sampled, but analysis lost or not performed.

Q = Sample held beyond accepted hold time.
T = Value reported is < MDL. Reported for informational purposes only and shall not be used in statistical analysis.
U = Analyte analyzed but not detected at the value indicated.
V = Analyte detected in sample and method blank. Results for this analyte in associated samples may be biased high. Standard, Duplicate and Spike values are within control limits. Reported data are usable.
Y = Analysis performed on an improperly preserved sample. Data may be inaccurate.
Z = Too many colonies were present (TNTC). The numeric value represents the filtration volume.
! = Data deviate from historically established concentration ranges.
? = Data rejected and should not be used. Some or all of QC data were outside criteria, and the presence or absence of the analyte cannot be determined from the data.
* = Not reported due to interference.

NOTES:

J0 = All Quanti-tray wells were positive. Result may be higher than reported.
PQL = 4xMDL.
ND = Not detected at or above the adjusted reporting limit.
X = Value exceeds MCL.
1 dilution (10 mL) on each Enterococci and E.coli sample and 3 dilutions (1 mL, 10 mL, & 100 mL) on each Fecal Coliform sample.

COMMENTS:

For questions or comments regarding these results, please contact us at (941) 625-3137.

Results relate only to the samples.

Client Name: FDEP
Address: 2600 Blair Stone Rd.
Tallahassee, FL, 32309
Phone: (239) 344-5719

Bill to: Frances Moore
P.O. #: Lab ~~199534F~~
COOEF S

Laboratory Submission #: 522080141

Enterococci
E.coli (SM9223B Quantitray)

Laboratory
Sample #

E.Coli = 250 mL ; Entero = 120 mL ; Fecal Coliform = 120 mL

[illegible]

1. The client is responsible for documentation of the sampling event. Please use special sampling events on the sample exactly form.

Laboratory Sample Acceptability:
pH ≤ 10 BEAS Temperature: 3.6°C

Collector:	William Miller	Date:	08/03/22	Time:	1451	Received By:	Diandra P. Williams	Brooklyn Museum BCAS
------------	----------------	-------	----------	-------	------	--------------	---------------------	-------------------------

2	Relinquished by:	Date:	Received By:
		Time:	Date:
		Time:	

Relinquished by:	Date:	Time:	Received By:	Date:	Time:
3					

Relinquished by:	Date:	Time:	Received By:	Date:	Time:
------------------	-------	-------	--------------	-------	-------

Relinquished by:	Date:	Time:	Received By:	Date:	Time:

BEAS Sample Receipt Temp. 3.6 °C

Checked at Benchmark EA South E85086
With Temperature Gun ID #7