

Login Checklist

RQ- 2022-09-05-45

Login Station ID: #4

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 09/15/2022 9:30

*Cooler Temperature	Samples Frozen?	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
					Present?		*Intact?		
	YES	HNO ₃	Formalin		Yes	No	Yes	No	
0.3				7		X			5259 4728 8948
1.9				2		X			5225 5547 024

COOLER CHECK

*All samples received on ice unless otherwise noted. HNO3 and Formalin preserved samples do NOT have a temperature requirement.

- If the temperature of a cooler exceeds 6.0 oC (above 10.0 oC for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. NCR# _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. NCR# _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. NCR# _____
- If coolers or samples are received late; identify the affected samples in an NCR. NCR# _____

Chain of Custody/ Field Sheet(s) Included?

Yes ✓ No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included?

Yes ✓ No _____

CONTAINER CHECK

Evidence Tape on Bottles?

Yes _____ No _____ NA X Evidence Tape intact? Yes _____ No _____

If Criminal, photographs taken?

Yes _____ No _____

Containers intact? Yes ✓ No _____

Caps on tight?

Yes ✓ No _____

Sufficient Sample Volume:

Yes ✓ No _____

If NO is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes ✓ No X Init: R

Chlorine detected? (One container checked per Field ID)

Yes _____ No X Init: R

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH< 2.0?

Yes ✓ No _____ NA _____ Init: R

**W-1-4-DIOX (Green dot on container) preserved to pH< 4.0?

Yes _____ No _____ NA X Init: R

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: R

Date: 09/15/2022

Event contains NCRs (Y/N)? N

2022 SMP : Charlotte Harbor

Event: SO-DIST-2022-09-15-02 (SMP)

Date Received: 15-SEP-2022 09:30

Login Checklist

Login Preservation Equipment

Lot # & Exp: Date

Additional Comments:

Infrared Thermometer ID:	IR TEMP GUN #4 Exp:10/19/2022
pH Test Strips 0 – 6	LOT# 223819AV Exp: AUG 30, 2023
pH Paper 0 – 3	N/A
pH Paper 0 – 13	LOT# 207621 Exp: March 15, 2024
Chlorine Test Strips	LOT# 0070 Exp: Feb. 2023

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ Init: _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
CHAIN OF CUSTODY FORM

Date: 9/14/2022 **Collected By:** Nicole Reistad, Gary Snorek
Customer: SO-DIST **Sampling Agency:** FDEP
RQ: RQ-2022-09-05-45 **Project ID:** SMP

PLEASE RETURN THE ORIGINAL OF THIS FORM WITH SAMPLE SUBMITTAL
FORMS AND THE COOLER PACKING WORKSHEET TO THE LAB

Number of Coolers Shipped: 2

Delivery Method: FedEx

FIELD ID (Labels) submitted under this RQ for this collection date.

Site Location	Field ID/WIN ID
MYAKKA CUTOFF (WESTERN PORTION)	 G3SD0073
TRAILER PARK CANAL	 G3SD0072
Tippecanoe Bay South	 G3SD0217
Tippecanoe Bay North	 G3SD0218

RELINQUISHED BY(SIGNATURE):



DATE/TIME: 9/14/2022

1500 EST

THIS SECTION TO BE COMPLETED BY LABORATORY

Rec'd/Inspected By: 

Rec'd/Inspected Date: 9-15-2022



RQ-2022-09-05-45

Collected By: Nicole Reistad, Gary Snorek

Customer: FDEP

Field Report Prepared by: Nicole Reistad, Gary Snorek

Project ID: SMP

Sampling Agency: FDEP

WIN ID/Field ID:



WIN ID/Field ID: G3SD0073

Comments: Microbiology sample(s) submitted to contract laboratory.

Location:

Location: MYAKKA CUTOFF (WESTERN PORTION)

Matrix: Marine

(Check One) ☒ Grab ☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos/cm)	Salinity (PPT)
9/14/2022 1120	3.41	46	29.2	7.19	0.3	0.6	0.8	10919	6.15

Parameter Suite	Parameter Methods				Preservation		pH Check		# Bottles sent to Lab	Bottle Group		
Preserved Nutrients (P-500ML)	X	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP			X	Ice	X	H2SO4*	X	<2	1	B
		Lot # SA2145160		Exp:	06/02/23							
Metals (P-500ML)		W-ICPMS	W-ICP	W-HARD		Ice		HNO3*		<2		
		Lot #		Exp:								
Filtered Nutrients (P125ML)		W-PO4-F	Field Filtered 0.45 µm Filter			Ice						
		Filter Lot #	Syringe Lot #									
BOD (BP-1L)		OV-BODUNIN				Ice						
Chlorophyll (BP-1L)	X	CHLSUITE-W			X	Ice					1	B
Physical/Aggregate (Fresh) (P-1L)		Alkalinity / W-F / W-TSS / TURBIDITY / W-CL-IC / W-COLOR / W-SO4-IC / W-TDS				Ice						
Physical/Aggregate (Marine) (P-1L)	X	Alkalinity / W-F / W-TSS / TURBIDITY			X	Ice					1	B
Macroinvertebrates (PJ-2L)		MI-FW-QLDC	Formalin Lot #			Formalin						
Periphyton (PT-50ML)		ALGAE-ID				Ice						
Microbiology (Contract Lab Bottle)		E Coli	X	F Coli	X	Enterococci						
	X	Contract Lab			X	Ice					2	B
Molecular (QPCR-P-500ML)		PCR-HF1B3	PCR-BacR	PCR-DG3		Ice						
		PCR-GULL2	PCR-GFD									
Tracers (BG-500ML)		W-E8321-DI	W-E8321-MS			Ice						
Pesticides (BG-500ML) (BG-1L)		W-E8321-DI	W-E8321-MS	W-PSNP-TQ		Ice	MCAA Exp.	MCAA Lot#				
		W-PCL-TQ-R	W-CARB-AA (5 ml of MCAA Buffer Solution)	W-CT-CL-R								
		W-TR-SQ-R	W-PCB-TQ-R									
Phytoplankton		DTY-QN-C	PKD-QN-BV			Ice						



RQ-2022-09-05-45	Collected By: Nicole Reistad, Gary Snorek
Customer: FDEP	Field Report Prepared by: Nicole Reistad, Gary Snorek
Project ID: SMP	Sampling Agency: FDEP
WIN ID/Field ID:  WIN ID/Field ID: G3SD0072	Comments: Microbiology sample(s) submitted to contract laboratory.

Location:
Location: TRAILER PARK CANAL

Matrix: Marine

(Check One) ☒ Grab ☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. ©	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPT)
9/14/2022 1055	2.82	37.7	29.5	7.18	0.3	0.4	0.8	6789	3.69

Parameter Suite	Parameter Methods	Preservation	pH Check	# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	Ice H2SO4*	<2		
	Lot # Exp:				
Metals (P-500ML)	x W-ICPMS x W-ICP W-HARD	x Ice x HNO3*	X <2	1	A
	Lot # NA1286110 Exp: 11/16/22				
Filtered Nutrients (P125ML)	W-PO4-F Field Filtered 0.45 µm Filter	Ice			
	Filter Lot # Syringe Lot #				
BOD (BP-1L)	OV-BODUNIN	Ice			
Chlorophyll (BP-1L)	CHLSUITE-W	Ice			
Physical/Aggregate (Fresh) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY / W-CL-IC / W-COLOR / W-SO4-IC / W-TDS	Ice			
Physical/Aggregate (Marine) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY	Ice			
Macroinvertebrates (PI-2L)	MI-FW-QLDC Formalin Lot #	Formalin			
Periphyton (PT-50ML)	ALGAE-ID	Ice			
Microbiology (Contract Lab Bottle)	E Coli x F Coli x Enterococci	x Ice		2	A
	x Contract Lab				
Molecular (QPCR-P-500ML)	PCR-HF183 PCR-BacR PCR-DG3	Ice			
	PCR-GULL2 PCR-GFD				
Tracers (BG-500ML)	W-E8321-DI W-E8321-MS	Ice			
	W-E8321-DI W-E8321-MS x W-PSNP-TQ				
Pesticides (BG-500ML) (BG-1L)	W-PCL-TQ-R W-CARB-AA (5 ml of MCAA Buffer Solution) W-CT-CL-R	x Ice	MCAA Exp. MCAA Lot#	4 or 2	A
	x W-TR-SQ-R W-PCB-TQ-R				
Phytoplankton	DTY-QN-C PKD-QN-BV	Ice			



RQ-2022-09-05-45

Customer: FDEP

Project ID: SMP

Collected By: Nicole Reistad, Gary Snorek

Field Report Prepared by: Nicole Reistad, Gary Snorek

Sampling Agency: FDEP

WIN ID/Field ID:



WIN ID/Field ID: G3SD0217

Comments: Microbiology sample(s) submitted to contract laboratory.

Location:

Location: Tippecanoe Bay South

Matrix: Marine

(Check One)

☒ Grab☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPT)
9/14/2022 1150	3.23	42.8	28.7	7.2	0.3	0.7	1.1	7884	4.34

Parameter Suite	Parameter Methods			Preservation		pH Check	# Bottles sent to Lab	Bottle Group				
Preserved Nutrients (P-500ML)	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP			Ice	H2SO4*	<2						
	Lot #	Exp:										
Metals (P-500ML)	W-ICPMS / W-ICP / W-HARD			Ice	HNO3*	<2						
	Lot #	Exp:										
Filtered Nutrients (P125ML)	W-PO4-F	Field Filtered 0.45 µm Filter		Ice								
	Filter Lot #	Syringe Lot #										
BOD (BP-1L)	OV-BODUNIN			Ice								
Chlorophyll (BP-1L)	CHLSUITE-W			Ice								
Physical/Aggregate (Fresh) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W-TDS			Ice								
Physical/Aggregate (Marine) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY			Ice								
Macroinvertebrates (PJ-2L)	MI-FW-QLDC	Formalin Lot #		Formalin								
Periphyton (PT-50ML)	ALGAE-ID			Ice								
Microbiology (Contract Lab Bottle)	E Coli	X	F Coli	X	Enterococci				x	Ice	2	C
	Contract Lab											
Molecular (QPCR-P-500ML)	PCR-HF183		PCR-BacR		PCR-DG3		Ice					
	PCR-GULL2		PCR-GFD				Ice					
Tracers (BG-500ML)	W-E8321-DI		W-E8321-MS				Ice					
Pesticides (BG-500ML) (BG-1L)	W-E8321-DI		W-E8321-MS		W-PSNP-TQ	Ice	MCAA Exp.	MCAA Lot#				
	W-PCL-TQ-R		W-CARB-AA (5 ml of MCAA Buffer Solution)		W-CT-CL-R							
	W-TR-SQ-R		W-PCB-TQ-R									
Phytoplankton	DTY-QN-C		PKD-QN-BV				Ice					



RQ-2022-09-05-45

Collected By: Nicole Reistad, Gary Snorek

Customer: FDEP

Field Report Prepared by: Nicole Reistad, Gary Snorek

Project ID: SMP

Sampling Agency: FDEP

WIN ID/Field ID:



Comments: Microbiology sample(s) submitted to contract laboratory.

WIN ID/Field ID: G3SD0218

Location:

Location: Tippecanoe Bay North

Matrix: Marine

(Check One)

☒ Grab☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPT)
9/14/2022 1205	3.42	44.6	28.1	7.15	0.3	0.5	0.9	6517	3.54

Parameter Suite	Parameter Methods				Preservation		pH Check		# Bottles sent to Lab	Bottle Group		
Preserved Nutrients (P-500ML)	X	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP			X	Ice	X	H2SO4*	X	<2	1	B
		Lot #		SA2145160	Exp:	06/02/23						
Metals (P-500ML)		W-ICPMS		W-ICP	W-HARD	Ice	HNO3*		<2			
		Lot #		Exp:								
Filtered Nutrients (P125ML)		W-PO4-F		Field Filtered 0.45 um Filter		Ice						
		Filter Lot #		Syringe Lot #								
BOD (BP-1L)		OV-BODUNIN				Ice						
Chlorophyll (BP-1L)	X	CHLSUITE-W				X	Ice			1	B	
Physical/Aggregate (Fresh) (P-1L)	X	Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W- TDS				X	Ice			1	B	
Physical/Aggregate (Marine) (P-1L)		Alkalinity / W-F / W-TSS / TURBIDITY					Ice					
Macroinvertebrates (PJ-2L)		MI-FW-QLDC	Formalin Lot #			Formalin						
Periphyton (PT-50ML)		ALGAE-ID				Ice						
Microbiology (Contract Lab Bottle)		E Coli	X	F Coli	X	Enterococci	X	Ice		2	B	
	X	Contract Lab										
Molecular (QPCR-P-500ML)		PCR-HF183		PCR-BacR	PCR-DG3	Ice						
		PCR-GULL2		PCR-GFD								
Tracers (BG-500ML)		W-E8321-DI		W-E8321-MS		Ice						
		W-E8321-DI	W-E8321-MS		X	W-PSNP-TQ		MCAA Exp.	MCAA Lot#	2	B	
Pesticides (BG-500ML) (BG-1L)		W-PCL-TQ-R		W-CARB-AA (5 ml of MCAA Buffer Solution)		W-CT-CL-R	X	Ice				
	X	W-TR-SQ-R		W-PCB-TQ-R								
Phytoplankton		DTY-QN-C		PKD-QN-BV		Ice						

Benchmark EnviroAnalytical, Inc.
 1001 Corporate Ave. Suite 102
 North Port, FL 34289
 (941) 625-3137 / (941) 240-3071 fax

Client Name: FDEP
Address: 2600 Blair Stone Rd.
 Tallahassee, FL, 32399
Phone: ~~(850) 245-8085~~ 239-470-0873
Email: dep-overflowmicro@dep.state.fl.us

Bill to: Frances Moore
P.O. #: Lab B16970
 895341

2022-09-05-45
Project Name: RQ-2020-
Project Run/Location: Charlotte Harbor

Laboratory Submission #:

522090327

Project Run/Location: Charlotte Harbor		Station ID	Surface Water Sample Matrix ² (Fresh / Marine)	Sample Type	Enterococci E.coli (SM9223B Quantitray)				Laboratory Sample #
					E.Coli = 250 mL ; Entero = 120 mL ; Fecal Coliform = 120 mL				
G3SD0072	F / M / Grab	E.coli	Enterococci	F.coli	Date & Time:	09/14/22	1055	1 a/b	
G3SD0073	F / M / Grab	E.coli	Enterococci	F.coli	Date & Time:	09/14/22	1120	2 a/b	
G3SD0217	F / M / Grab	E.coli	Enterococci	F.coli	Date & Time:	09/14/22	1150	3 a/b	
G3SD0218	F / M / Grab	E.coli	Enterococci	F.coli	Date & Time:	09/14/22	1205	4 a/b	
	F / M / Grab	E.coli	Enterococci	F.coli	Date & Time:				
	F / M / Grab	E.coli	Enterococci	F.coli	Date & Time:				
	F / M / Grab	E.coli	Enterococci	F.coli	Date & Time:				
	F / M / Grab	E.coli	Enterococci	F.coli	Date & Time:				
	F / M / Grab	E.coli	Enterococci	F.coli	Date & Time:				
	F / M / Grab	E.coli	Enterococci	F.coli	Date & Time:				
	F / M / Grab	E.coli	Enterococci	F.coli	Date & Time:				
	F / M / Grab	E.coli	Enterococci	F.coli	Date & Time:				

Sample Type is used to indicate whether the sample was a grab (G) or whether it was a composite (C).
 Sample Matrix is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil sediment (SDMNT), or sludge (SLDG).
 Container Type is used to indicate whether the container is plastic (P) or glass (G).
 Sample must be refrigerated or stored in wet ice after collection. The maximum temperature during storage should be 6°C (42.8°F). Under "Preservative," list any preservatives that were added to the sample container.

Instructions:

- Each bottle has a label identifying sample ID, premeasured preservative contained in the bottle, sample type, client ID, and parameters for analysis.
- The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sampler's name or initials, and any field number or ID.
- All bottles not containing preservative may be rinsed with appropriate sample prior to collection.
- The client is responsible for documentation of the sampling event. Please note special sampling events on the sample custody form.

Laboratory Sample Acceptability:

pH < 2 : 0 BEAS Temperature: 2.6°C

1	Collector: <i>[Signature]</i>	Date: 09/14/22	Time: 1313	Received By: <i>Brooke Kramlich</i>	Date: 9/14/22	Time: 1313
2	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
3	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
4	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
5	Relinquished by:	Date:	Time:	Received By:	Date:	Time:

BEAS Sample Receipt Temp. 2.6 °C

Checked at Benchmark EA South E85086
 Sample Temperature Cup ID #7

Date of Request: 15-AUG-2022
 Created By: MULLEN_W On: 15-AUG-2022
 Modified By: JASROTIA_P On: 17-AUG-2022
 Customer: SO-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: South District
 Event Description: 2022 SMP : Charlotte Harbor

Send Coolers To:

Phone: 239-344-5716
 FLDEP South District Office
 2295 Victoria Ave. Suite 314
 Fort Myers, FL 33901-3381
 Attn: William Mullen
 Cooler Ship Email: William.Mullen@FloridaDEP.gov

Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: AYRES_J On: 17-AUG-2022
 Biology Request Reviewed By: JASROTIA_P On: 17-AUG-2022
 Sampling Kit Required: YES Ship on: 26-AUG-2022
 Sampling Kit Shipped: YES On: 23-AUG-2022
 Sampling Kit Packed By: SHAIK_A
 Preservatives Needed: NO
 Date to Receive Samples: 14-SEP-2022
 Logged In By:

Send Final Report To:

FLDEP South District Office
 2295 Victoria Ave. Suite 314
 Fort Myers, FL 33901-3381
 Attn: William Mullen
 Report Notification Email:
 Nicole.Reistad@FloridaDEP.gov;William.Mullen@FloridaDEP.gov;
 Monica.Jaeger@FloridaDEP.gov;Thomas.J.Baker@FloridaDEP.gov

Comments: Group A: (Trailer) Marine Metals, Enterococci, Fecal, W-TR-SQ-R
 Group B: (Myakka cut, G3SD0218) Marine Nutrients, Enterococci, Fecal, W-TR-SQ-R
 Group C: (G3SD0217) Enterococci, Fecal

 W-TR-SQ-R (sunscreens)

Wash your hands thoroughly and wear gloves. Refrain from using sunscreens on the day of sample collection.

#####

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-250ML-WI-THI	Number of Bottles: 1	Preserved With: ICE
SD-BES-ENQ	Template: DEFAULT	(Enterolert/QT) Enterococci by Enterolert/QT by BEA South in North Port
Bottle Type: P-250ML-WI-THI	Number of Bottles: 1	Preserved With: ICE
SD-BES-FC	Template: DEFAULT	(SM 9222 D) Fecal coliforms by MF by BEA South in North Port
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO3
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Calcium		
Iron		
Magnesium		
Strontium		
Tin		
Vanadium		
Zinc		
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
*Strontium		
Aluminum		
Antimony		
Arsenic		
Beryllium		
Cadmium		

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO3
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Chromium		
Cobalt		
Copper		
Lead		
Manganese		
Molybdenum		
Nickel		
Selenium		
Silver		

Bottle Type: BG-1L	Number of Bottles: 4	Preserved With: ICE
W-PSNP-TQ	Template: DEFAULT	(EPA 8270E) Organonitrogen and phosphorus pesticides in water matrices by GC/MS/MS
W-TR-SQ-R	Template: DEFAULT	(EPA 8270E) Analysis of Sunscreen Compounds and Flame Retardants in Water by GC/MS-SIM

Bottle Group B (Water) With 2 Samples:

Bottle Type: BG-1L	Number of Bottles: 4	Preserved With: ICE
W-PSNP-TQ	Template: DEFAULT	(EPA 8270E) Organonitrogen and phosphorus pesticides in water matrices by GC/MS/MS
W-TR-SQ-R	Template: DEFAULT	(EPA 8270E) Analysis of Sunscreen Compounds and Flame Retardants in Water by GC/MS-SIM
Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-F	Template: DEFAULT	(SM 4500-F- C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TSS	Template: DEFAULT	(SM 2540 D-2011) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 2	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-250ML-WI-THI	Number of Bottles: 2	Preserved With: ICE
SD-BES-ENQ	Template: DEFAULT	(Enterolert/QT) Enterococci by Enterolert/QT by BEA South in North Port
Bottle Type: P-250ML-WI-THI	Number of Bottles: 2	Preserved With: ICE
SD-BES-FC	Template: DEFAULT	(SM 9222 D) Fecal coliforms by MF by BEA South in North Port
Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices

Bottle Group C (Water) With 1 Samples:

Bottle Type: P-250ML-WI-THI	Number of Bottles: 1	Preserved With: ICE
SD-BES-ENQ	Template: DEFAULT	(Enterolert/QT) Enterococci by Enterolert/QT by BEA South in North Port
Bottle Type: P-250ML-WI-THI	Number of Bottles: 1	Preserved With: ICE
SD-BES-FC	Template: DEFAULT	(SM 9222 D) Fecal coliforms by MF by BEA South in North Port

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.