



Ft. Myers Lab02
10090 Bavaria Rd.
Fort Myers, FL 33913
TEL: (239) 590-0337 FAX: (239) 590-0536
Website: www.sanderslabs.net

September 19, 2022

Arielle Taylor-Manges
DEP-Bureau or Labs-Biology Section
Twin Towers Lab Complex A RM 216 6515
Tallahassee, FL 32399
TEL: (850) 245-8191
FAX:



RE: DEP Fecals

Order No.: 2209506

Dear Arielle Taylor-Manges:

Sanders Laboratories, Inc received 2 sample(s) on 9/15/2022 for the analyses presented in the following report.

These results only pertain to the samples as received. These pages may include, but are not limited to: Analytical Data, Chains of Custodies, Subcontracted Data and Case Narratives for samples. Results relate only to the samples in the report.

Reports are archived for a minimum of 5 years. Copies of reports are available for a fee of \$50.00. Copies will be provided within 2 weeks of the time of the request.
Laboratory PQL's are available upon request.

Test results meet all the requirements of the NELAP standards, unless otherwise noted.
SL 001= Nokomis Certificate # E84380 1050 Endeavor Court Nokomis Fl 34275. SL002= Fort Myers Certificate # E85457 10090 Bavaria Road Fort Myers Fl 33913

A statement of estimated uncertainty of results is available upon request.
Laboratory report shall not be reproduced except in full, without the written approval of Sanders Laboratories.

Sanders Laboratories follows DEP standard operating procedures for field sampling, unless otherwise noted.

Katie Strothman
Laboratory Director



Ft. Myers Lab02
10090 Bavaria Rd.
Fort Myers, FL 33913
TEL: (239) 590-0337 FAX: (239) 590-0536
Website: www.sanderslabs.net

Definition Only

WO#: 2209506
Date: 9/19/2022

Definitions:

B: Results based upon colony counts outside the acceptable range.

G: Sample value indicates that the analyte was detected at or above the method detection limit in both the sample and the associated field blank, equipment blank, or trip blank, and the blank value was greater than 10% of the associated sample value. The value in the blank shall not be subtracted from associated samples. Also if the RPD on a field duplicate exceeds allowable control limit.

I: The reported value is greater than or equal to the laboratory MDL but less than the laboratory PQL.

J: Estimated Value.

J7: Excessive amounts of Sodium Sulfite used to dechlorinate the sample due to high levels of chlorine present.

K: Off scale low, actual value is known to be less than the value given.

L: Off scale high, actual value is known to be greater than the value given.

NC: Not Certified. Parameter was ran but is not covered under laboratory accredited scopes.

Q: Sample held beyond acceptable holding time.

U: The compound was analyzed for, but not detected.

V: Indicates that the analyte was detected at or above the MDL in both the sample and the associated method blank and the value of 10 times the blank value was equal to or greater than the associated sample value.

Y: The laboratory analysis was from an improperly preserved sample.

Z: Too many colonies were present for accurate counting.



Ft. Myers Lab02
10090 Bavaria Rd.
Fort Myers, FL 33913
TEL: (239) 590-0337 FAX: (239) 590-0536
Website: www.sanderslabs.net

Analytical Report

(continuous)

WO#: 2209506

Date Reported: 9/19/2022

CLIENT: DEP-Bureau or Labs-Biology Section

Lab Order: 2209506

Project: DEP Fecals

Lab ID: 2209506-001

Collection Date: 9/15/2022 9:20:00 AM

Client Sample ID: G2SD0047

Matrix: SURFACE WATER

Analyses	Result	MDL	Qual	Units	DF	Date Analyzed
ENTEROCOCCUS						Analyst: HN
Enterococcus	83.1	1.00		MPN/100mL	1	9/15/2022 1:26:00 PM
FECAL COLIFORM						Analyst: HN
Coliform, Fecal	ND	2.00	U	CFU/100ml	2	9/15/2022 4:35:00 PM

Lab ID: 2209506-002

Collection Date: 9/15/2022 12:25:00 PM

Client Sample ID: G1SD0116

Matrix: SURFACE WATER

Analyses	Result	MDL	Qual	Units	DF	Date Analyzed
TOTAL COLIFORM MMO-MUG						Analyst: HN
Escherichia Coli	816	1.00		MPN/100mL	1	9/15/2022 3:20:00 PM

Qualifiers:	H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
	PL	Permit Limit	RL	Reporting Detection Limit
	U	Samples with CalcVal < MDL	W	Sample container temperature is out of limit as specified at testcode

Form #: RCF -02 Approved by: KS 7/11/2016