

Benchmark EnviroAnalytical, Inc.
1001 Corporate Ave. Suite 102
North Port, FL 34289
(941) 625-3137 / (941) 240-3071 fax

Client Name: FDEP
Address: 2600 Blair Stone Rd.
Tallahassee, FL, 32399
Phone: (239) 344-5719
Email: dep-overflowmicro@dep.state.fl.us
Bill to: Frances Moore
P.O. #: Lab B95341

2022-11-14-38 + 2022-11-14-43
Project Name: RQ-2024-
Project Run/Location: SMP Peace River

Laboratory Submission #:

522110489

Station
ID

Surface Water
Sample Matrix*
(if fresh / Marine)
Sample Type

Enterococci
E. coli (SM9223B Quantitray)

Laboratory
Sample #

E. coli = 250 mL ; Entero = 120 mL ; Fecal Coliform = 120 mL

G3SD0216	☒ B / M / Grab	☒ E. coli / Entero / Fecal coliform	Date & Time: 11/17/22, 0855	1
G3SD0131	☒ B / M / Grab	☒ E. coli / Entero / Fecal coliform	Date & Time: 11/17/22, 0955	2
G3SD0132	☒ B / M / Grab	☒ E. coli / Entero / Fecal coliform	Date & Time: 11/17/22, 1020	3
G3SD0193	☒ F / M / Grab	☒ E. coli / Entero / Fecal coliform	Date & Time: 11/17/22, 1146	4
	☒ F / M / Grab	☒ E. coli / Entero / Fecal coliform	Date & Time:	
	☒ F / M / Grab	☒ E. coli / Entero / Fecal coliform	Date & Time:	
	☒ F / M / Grab	☒ E. coli / Entero / Fecal coliform	Date & Time:	
	☒ F / M / Grab	☒ E. coli / Entero / Fecal coliform	Date & Time:	
	☒ F / M / Grab	☒ E. coli / Entero / Fecal coliform	Date & Time:	
	☒ F / M / Grab	☒ E. coli / Entero / Fecal coliform	Date & Time:	
	☒ F / M / Grab	☒ E. coli / Entero / Fecal coliform	Date & Time:	

Sample Type: is used to indicate whether the sample was a grab (G) or whether it was a composite (C).

1. Sample Matrix: is used to indicate whether the sample is being analyzed for drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), salt surface water (SSW), soil sediments (SDMN), or sludge (SLDG).

2. Container Type: is used to indicate whether the container is plastic (P) or glass (G). Sample must be refrigerated or stored in ice after collection. The maximum temperature during storage should be 6°C (42.8°F). Under "Preservative," list any preservatives that were added to the sample container.

3. Each bottle has a label identifying sample ID, preservative, preservative contained in the bottle, sample type, client ID, and parameters for analysis.

4. The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sampler's name or initials, and any field number or ID.

5. All bottles containing preservative may be mixed with appropriate sample prior to collection.

6. The client is responsible for documentation of the sampling event. Please note special sampling events on the sample custody form.

Laboratory Sample Acceptability:
pH < 2 : 0 BEAS Temperature: 3.4°C

1	Collector: JOHN BARRETT	Date:	Time:	Received By:	Date:	Time:
2	Relinquished by: JOHN BARRETT	Date: 11/17/22	Time: 1229	Received By: Brooke Kuterovich	Date: 11/17/22	Time: 1229
3	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
4	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
5	Relinquished by:	Date:	Time:	Received By:	Date:	Time:

BEAS Sample Receipt Temp. 3.4 °C

Checked at Benchmark EA South E85086
With Temperature Gun ID #7