RQ-2022-09-02-42

Login Checklist

Login Station ID: #2

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 6/30/2022 9:20

*Cooler Temperature	Samples Frozen?	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
					Present?		*Intact?		
	YES	HNO_3	Formalin		Yes	No	Yes	No	
0.9				12		✓			9225 5546 3210

COOLER CHECK

***All samples received on ice unless otherwise noted. HNO3 and Formalin preserved samples do NOT have a temperature requirement.**

- If the temperature of a cooler exceeds 6.0 oC (above 10.0 oC for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. **NCR#** _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. **NCR#** _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. **NCR#** _____
- If coolers or samples are received late; identify the affected samples in an NCR. **NCR#** _____

Chain of Custody/ Field Sheet(s) Included? Yes ✓ No ____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes ✓ No ____

CONTAINER CHECK

Evidence Tape on Bottles? Yes ____ No ____ NA ✓ Evidence Tape intact? Yes ____ No ____

If Criminal, photographs taken? Yes ____ No ____ Containers intact? Yes ✓ No ____

Caps on tight? Yes ✓ No ____

Sufficient Sample Volume: Yes ✓ No ____

If NO is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? *(Blue dot on container)* Yes ✓ No ____ Init: IM

Chlorine detected? *(One container checked per Field ID)* Yes ____ No ✓ Init: IM

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK *(EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")*

**Acid Preserved Samples: pH< 2.0? Yes ✓ No ____ NA ____ Init: IM

**W-1-4-DIOX *(Green dot on container)* preserved to pH<4.0? Yes ____ No ____ NA ✓ Init: IM

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: IM **Date:** 6/30/2022 **Event contains NCRs (Y/N)?** N

Event ID: Holmes Run NW-DIST-2022-06-30-01 (SMP) Date Received: 30-JUN-2022 09:20

Login Checklist

Login Preservation Equipment	Lot # & Exp: Date
Infrared Thermometer ID:	IR TEMP GUN #2 exp:10/19/22
pH Test Strips 0 – 6	
pH Paper 0 – 3	
pH Paper 0 – 13	210620 exp: 4/15/23
Chlorine Test Strips	0070 exp: 02/2023

Additional Comments:

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes_____ Init:_____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes_____ No _____

If no, were samples shipped on dry ice? Yes_____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes_____ No_____

Date and time samples preserved: _____

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
CHAIN OF CUSTODY FORM

Date: 6/29/2022
Customer: NW-DIST
RQ: RQ-2022-05-02-42

Collected By: Nathan Mulkey, C. Stopher Slade
Sampling Agency: FDEP
Project ID: SMP

PLEASE RETURN THE ORIGINAL OF THIS FORM WITH SAMPLE SUBMITTAL FORMS AND THE COOLER PACKING WORKSHEET TO THE LAB

Number of Coolers Shipped: 1 **Delivery Method:** FedEx

FIELD ID (Labels) submitted under this RQ for this collection date.

Site Location	Field ID/WIN ID
Sikes Creek upstream of Bonifay Gritney Rd	G3NW0159
Wrights Creek upstream of HWY 2	G3NW0236
Wrights Creek upstrean of CR 179	G3NW0228

RELINQUISHED BY(SIGNATURE):

DATE/TIME: 6/29/2022
1630 CEN

THIS SECTION TO BE COMPLETED BY LABORATORY

Rec'd/Inspected By: IM

Rec'd/Inspected Date: 6/30/22

RQ-2022-05-02-42	**Collected By**: C. Stopher Slade, Nathan Mulkey
Customer: FDEP	**Field Report Prepared by**: C. Stopher Slade, Nathan Mulkey
Project ID: SMP	**Sampling Agency**: FDEP
WIN ID/Field ID: **WIN ID/Field ID:** G3NW0159	**Comments**: Microbiology sample(s) submitted to contract laboratory.

Location:
Location: Sikes Creek upstream of Bonifay Gritney Rd

Matrix: Fresh (Check One) ✓Grab ☐ Composite

Date and Time {CEN}	DO (mg/L)	DO (%SAT)	Temp. ©	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPTh
6/29/2022 930	4.08	48.4	24.2	6.63	0.05	0.1	0.1	102.3	0.02

Parameter Suite	Parameter Methods	Preservation	pH Check		# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)	X W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP Lot # 1308030 Exp: 12/1/22	X Ice X H2SO4*	X	<2	1	A
Metals (P-500ML)	X W-ICPMS X W-ICP X W-HARD Lot # 1105100 Exp: 6/7/22	X Ice X HNO3*	X	<2	1	A
Filtered Nutrients (P125ML)	W-PO4-F Field Filtered 0.45 um Filter Filter Lot # Syringe Lot #	Ice				
BOD (BP-1L)	OV-BODUNIN	Ice				
Chlorophyll (BP-1L)	X CHLSUITE-W	X Ice			1	A
Physical/Aggregate (Fresh) (P-1L)	X Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W- TDS	X Ice			1	A
Physical/Aggregate (Marine) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY	Ice				
Macroinvertebrates (PJ-2L)	MI-FW-QLDC Formalin Lot #	Formalin				
Periphyton (PT-50ML)	ALGAE-ID	Ice				
Microbiology (Contract Lab Bottle)	X E Coli F Coli Enterococci X Contract Lab	X Ice			1	A
Molecular (QPCR-P-500ML)	PCR-HF183 PCR-BacR PCR-DG3 PCR-GULL2 PCR-GFD	Ice				
Tracers (BG-500ML)	W-E8321-DI W-E8321-MS	Ice				
Pesticides (BG-500ML) (BG-1L)	W-E8321-DI W-E8321-MS W-PSNP-TQ X W-PCL-TQ-R W-CARB-AA (5 ml of MCAA Buffer Solution) X W-CT-CL-R W-TR-SQ-R X W-PCB-TQ-R	X Ice MCAA Exp.	MCAA Lot#		4	A
Phytoplankton	DTY-QN-C PKD-QN-BV	Ice				

RQ-2022-05-02-42	**Collected By**: Nathan Mulkey, C. Stopher Slade
Customer: FDEP	**Field Report Prepared by**: Nathan Mulkey, C. Stopher Slade
Project ID: SMP	**Sampling Agency**: FDEP
WIN ID/Field ID: **WIN ID/Field ID:** G3NW0236	**Comments**: Microbiology sample(s) submitted to contract laboratory.

Location:
Location: Wrights Creek upstream of HWY 2

Matrix: Fresh

(Check One) ✓Grab ☐ Composite

Date and Time {CEN}	DO (mg/L)	DO (%SAT)	Temp. ©	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPTh
6/29/2022 1025	6.95	83.3	24.6	6.74	0.3	0.6	0.6	141.5	0.07

Parameter Suite	Parameter Methods	Preservation	pH Check	# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP Lot # Exp:	Ice H2SO4*	<2		
Metals (P-500ML)	x W-ICPMS x W-ICP x W-HARD Lot # 1105100 Exp: 6/7/22	x Ice x HNO3*	X <2	1	B
Filtered Nutrients (P125ML)	W-PO4-F Field Filtered 0.45 um Filter Filter Lot # Syringe Lot #	Ice			
BOD (BP-1L)	OV-BODUNIN	Ice			
Chlorophyll (BP-1L)	CHLSUITE-W	Ice			
Physical/Aggregate (Fresh) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W- TDS	Ice			
Physical/Aggregate (Marine) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY	Ice			
Macroinvertebrates (PJ-2L)	MI-FW-QLDC Formalin Lot #	Formalin			
Periphyton (PT-50ML)	ALGAE-ID	Ice			
Microbiology (Contract Lab Bottle)	X E Coli F Coli Enterococci X Contract Lab	x Ice		1	B
Molecular (QPCR-P-500ML)	PCR-HF183 PCR-BacR PCR-DG3 PCR-GULL2 PCR-GFD	Ice			
Tracers (BG-500ML)	W-E8321-DI W-E8321-MS	Ice			
Pesticides (BG-500ML) (BG-1L)	W-E8321-DI W-E8321-MS W-PSNP-TQ W-PCL-TQ-R W-CARB-AA (5 ml of MCAA Buffer Solution) W-CT-CL-R W-TR-SQ-R W-PCB-TQ-R	Ice MCAA Exp. MCAA Lot#			
Phytoplankton	DTY-QN-C PKD-QN-BV	Ice			

RQ-2022-05-02-42	**Collected By**: C. Stopher Slade, Nathan Mulkey
Customer: FDEP	**Field Report Prepared by**: C. Stopher Slade, Nathan Mulkey
Project ID: SMP	**Sampling Agency**: FDEP
WIN ID/Field ID: **WIN ID/Field ID:** G3NW0228	**Comments**: Microbiology sample(s) submitted to contract laboratory.

Location:
Location: Wrights Creek upstrean of CR 179

Matrix: Fresh

(Check One) ✓Grab ☐ Composite

Date and Time {CEN}	DO (mg/L)	DO (%SAT)	Temp. ©	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPTh
6/29/2022 910	6.52	79.1	25.3	6.8	0.2	0.4	0.4	206.1	0.1

Parameter Suite	Parameter Methods	Preservation	pH Check	# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP Lot # Exp:	Ice H2SO4*	<2		
Metals (P-500ML)	X W-ICPMS X W-ICP X W-HARD Lot # 1105100 Exp: 6/7/22	X Ice X HNO3*	X <2	1	C
Filtered Nutrients (P125ML)	W-PO4-F Field Filtered 0.45 um Filter Filter Lot # Syringe Lot #	Ice			
BOD (BP-1L)	OV-BODUNIN	Ice			
Chlorophyll (BP-1L)	CHLSUITE-W	Ice			
Physical/Aggregate (Fresh) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W- TDS	Ice			
Physical/Aggregate (Marine) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY	Ice			
Macroinvertebrates (PJ-2L)	MI-FW-QLDC **Formalin Lot #**	Formalin			
Periphyton (PT-50ML)	ALGAE-ID	Ice			
Microbiology (Contract Lab Bottle)	X E Coli F Coli Enterococci X Contract Lab	x Ice		1	C
Molecular (QPCR-P-500ML)	X PCR-HF183 X PCR-BacR X PCR-DG3 PCR-GULL2 PCR-GFD	x Ice		1	C
Tracers (BG-500ML)	X W-E8321-DI X W-E8321-MS	x Ice		1	C
Pesticides (BG-500ML) (BG-1L)	W-E8321-DI W-E8321-MS W-PSNP-TQ W-PCL-TQ-R W-CARB-AA (5 ml of MCAA Buffer Solution) W-CT-CL-R W-TR-SQ-R W-PCB-TQ-R	Ice MCAA Exp.	MCAA Lot#		
Phytoplankton	DTY-QN-C PKD-QN-BV	Ice			

SAMPLE TRANSMITTAL FORM
Document Reference # 05.1.0

Project: FDEP

Laboratory: Wetlands Research Laboratory

Sampler's intials : NM/SS

Method of transport: on ice by hand

Page 1 of 1

Samples delivered by: [illegible] of FDEP

Date/Time: 6/29/22 / 1253

Sample received by: [illegible] of WRL

Date/Time: 06-29-22 / 1253

Instructions: Fill in all fields except "Lab ID" on sample transport form completely. Each sample container must use a separate line. Place this form in a waterproof bag and place it with the samples for transport. If a field log or other chain of custody is attached, that information may be referenced on this form and the log or COC attached.

CST

Lab ID	Sample ID	Matrix[1]	Type[2]	Container Type	Analyses Requested	Preservative	Sample (°C)[3]	Sampling Date/Time
22-49817	G3NW0159. Sikes Creek upstream of Bonifay Gritney Rd	FW	G	Sterile plastic	Escherichia coli 18-QT	ice/$Na_2S_2O_3$	3.8	6/29/22/0930
DCH 06/29/22	G3NW0450. Sikes Creek upstream of Harris Stevenson R	FW	G	Sterile plastic	Escherichia coli 18-QT	ice/$Na_2S_2O_3$		
22-49818	G3NW0236. Wrights Creek upstream of HWY 2	FW	G	Sterile plastic	Escherichia coli 18-QT	ice/$Na_2S_2O_3$	3.4	6/29/22 1025
22-49819	G3NW0228. Wrights Creek upstrean of CR 179	FW	G	Sterile plastic	Escherichia coli 18-QT	ice/$Na_2S_2O_3$	3.6	6/29/22 0910
DCH 06/29/22	G3NW0229. Limestone Branch upstream of CR179A	FW	G	Sterile plastic	Escherichia coli 18-QT	ice/$Na_2S_2O_3$		
DCH 06/29/22	G3NW0232 Limestone Branch upstream of Lake Victor Rd	FW	G	Sterile plastic	Escherichia coli 18-QT	ice/$Na_2S_2O_3$		

Comments: **Sample Container lot# L21190#** Surface water, no chlorine expected

RQ - 2022-05-02-42

Contact organization FDEP

Contact name: **Mike King**

Phone: 850-595-8300

Address 160 Governmental Center, suite 308, Pensacola, FL 32502

Sampler's name: Nathan Miller

[1]Matrix examples: SW = surface water, PW = pore water, GW = ground water, FW = Freshwater, MW = Marine Water, BW = Brackish Water, S = soil/sediment, Other X =

[2]Type codes: G = grab, C = composite, X =

[3] Recorded using IRT-2

RQ-2022-05-02-42

Date of Request: 11-APR-2022
Created By: SLADE_C On: 11-APR-2022
Modified By: JASROTIA_P On: 14-APR-2022
Customer: NW-DIST
Project: SMP
Division: Division of Environmental Assessment and Restoration
District: Northwest District
Event Description: Holmes Run

Send Coolers To:

Phone: 850-595-0567
160 W Goverment Street
Suite 208
Pensacola, FL 32502-5794
Attn: Stopher Slade
Cooler Ship EMail: Christopher.slade@FloridaDEP.gov

Priority: 3
Event Status: S
Criminal Investigation: NO
Chemistry Request Reviewed By: AYRES_J On: 13-APR-2022
Biology Request Reviewed By: JASROTIA_P On: 14-APR-2022
Sampling Kit Required: YES Ship on: 22-APR-2022
Sampling Kit Shipped: YES On: 21-APR-2022
Sampling Kit Packed By: MCCOY_I
Preservatives Needed: NO
Date to Receive Samples: 02-MAY-2022
Logged In By:

Send Final Report To:

160 W Goverment Street
Suite 208
Pensacola, FL 32502-5794
Attn: Myranda K Butler
Report Notification EMail:
Christopher.Slade@FloridaDEP.gov;myranda.k.butler@dep.state.fl.us

Comments: Group A: (WBID 142) Freshwater Nutrients, Metals, Limited Pest, Contract Lab Bacteria

Group B: (WBID 142, 54,94) Metals, Contract Lab Bacteria

Group C: (WBID 54, 94) Metals,Tracers, Markers, Contract Lab Bacteria

Packing notes;

FedEx/ UPS return packing slips

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-1L Number of Bottles: 1 Preserved With: ICE

ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR *Color (true)	Template: DEFAULT	(DEP SOP: NU-094-1) True Color measured at 450 nm (not valid for NPDES monitoring)
W-F	Template: DEFAULT	(SM 4500-F- C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-2011) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-2011) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample

Bottle Type: BP-1L Number of Bottles: 1 Preserved With: ICE

CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Bottle Type: TEST HAS NO Number of Bottles: 1 Preserved With: ICE

NW-UWF-ECQ	Template: DEFAULT	(SM 9223 B Quanti-Tray) E. coli by Colilert-18/QT by UWF in Pensacola

Bottle Type: BG-500ML FILL TO Number of Bottles: 4 Preserved With: ICE

W-CT-CI-R	Template: DEFAULT	(EPA 8276) Organochlorine pesticides in water matrices by GC/MS with Negative Chemical Ionization
W-PCB-TQ-R	Template: DEFAULT	(EPA 8270E) PCBs in water matrices by GC/MS/MS

Bottle Group A (Water) With 1 Samples:

Bottle Type: BG-500ML FILL TO Number of Bottles: 4 Preserved With: ICE

W-PCL-TQ-R Template: (EPA 8270E) Organochlorine pesticides, pyrethroids and tracers in water matrices by GC/MS/MS

Bottle Type: P-500ML Number of Bottles: 1 Preserved With: HNO3

W-HARD Template: DEFAULT (SM 2340 B-2011) Hardness by calculation, in aqueous matrices, reported as mg/L CaCO3

Hardness

W-ICP Template: SMP-FRESH (EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects

Calcium
Iron
Magnesium
Potassium
Sodium
Strontium
Tin
Titanium
Vanadium
Zinc

W-ICPMS Template: DEFAULT (EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects

*Boron
Aluminum
Antimony
Arsenic
Barium
Beryllium
Cadmium
Chromium
Cobalt
Copper
Lead
Manganese
Molybdenum
Nickel
Selenium
Silver
Thallium

Bottle Type: P-500ML Number of Bottles: 1 Preserved With: ICE And H2SO4

W-NH3 Template: DEFAULT (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L

W-NO2NO3 Template: DEFAULT (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L

W-S-A-TP Template: DEFAULT (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L

W-TKN Template: DEFAULT (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices

W-TOC Template: DEFAULT (SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices

Bottle Group B (Water) With 3 Samples:

Bottle Type: TEST HAS NO Number of Bottles: 3 Preserved With: ICE

NW-UWF-ECQ Template: DEFAULT (SM 9223 B Quanti-Tray) E. coli by Colilert-18/QT by UWF in Pensacola

Bottle Type: P-500ML Number of Bottles: 3 Preserved With: HNO3

W-HARD Template: DEFAULT (SM 2340 B-2011) Hardness by calculation, in aqueous matrices, reported as mg/L CaCO3

Hardness

W-ICP Template: SMP-FRESH (EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects

Calcium
Iron
Magnesium
Potassium
Sodium
Strontium
Tin
Titanium
Vanadium
Zinc

Bottle Group B (Water) With 3 Samples:

Bottle Type: P-500ML Number of Bottles: 3 Preserved With: HNO3

W-ICPMS	Template: DEFAULT	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects

*Boron
Aluminum
Antimony
Arsenic
Barium
Beryllium
Cadmium
Chromium
Cobalt
Copper
Lead
Manganese
Molybdenum
Nickel
Selenium
Silver
Thallium

Bottle Group C (Water) With 2 Samples:

Bottle Type: QPCR-P-500ML Number of Bottles: 2 Preserved With: ICE

PCR-BACR	Template: DEFAULT	(SOP-PCR-1.4) Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction
PCR-DG3	Template: DEFAULT	(SOP-PCR-1.5) Detection and quantification of canine-specific DG3 Bacteroides genetic marker with quantitative polymerase chain reaction
PCR-HF183	Template: DEFAULT	(SOP-PCR-1.0) Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction

Bottle Type: BG-500ML Number of Bottles: 2 Preserved With: ICE

W-E8321-DI	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: SMP	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Bottle Type: P-500ML Number of Bottles: 2 Preserved With: HNO3

W-HARD	Template: DEFAULT	(SM 2340 B-2011) Hardness by calculation, in aqueous matrices, reported as mg/L CaCO3

Hardness

W-ICP	Template: SMP-FRESH	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects

Calcium
Iron
Magnesium
Potassium
Sodium
Strontium
Tin
Titanium
Vanadium
Zinc

W-ICPMS	Template: DEFAULT	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects

*Boron
Aluminum
Antimony
Arsenic
Barium
Beryllium
Cadmium
Chromium
Cobalt
Copper
Lead
Manganese
Molybdenum

Bottle Group C (Water) With 2 Samples:

Bottle Type: P-500ML Number of Bottles: 2 Preserved With: HNO3

W-ICPMS	Template: DEFAULT	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects

Nickel
Selenium
Silver
Thallium

Bottle Type: TEST HAS NO Number of Bottles: 2 Preserved With: ICE

NW-UWF-ECQ	Template: DEFAULT	(SM 9223 B Quanti-Tray) E. coli by Colilert-18/QT by UWF in Pensacola

Bottle Group D (Water) With 1 Samples:

Bottle Type: P-1L Number of Bottles: 1 Preserved With: ICE

ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(DEP SOP: NU-094-1) True Color measured at 450 nm (not valid for NPDES monitoring)
*Color (true)		
W-F	Template: DEFAULT	(SM 4500-F- C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-2011) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-2011) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample

Bottle Type: BG-500ML FILL TO Number of Bottles: 2 Preserved With: ICE

W-CT-Cl-R	Template: DEFAULT	(EPA 8276) Organochlorine pesticides in water matrices by GC/MS with Negative Chemical Ionization
W-PCB-TQ-R	Template: DEFAULT	(EPA 8270E) PCBs in water matrices by GC/MS/MS
W-PCL-TQ-R	Template:	(EPA 8270E) Organochlorine pesticides, pyrethroids and tracers in water matrices by GC/MS/MS

Bottle Type: BG-500ML Number of Bottles: 1 Preserved With: ICE

W-E8321-DI	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: SMP	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Bottle Type: P-500ML Number of Bottles: 1 Preserved With: HNO3

W-HARD	Template: DEFAULT	(SM 2340 B-2011) Hardness by calculation, in aqueous matrices, reported as mg/L CaCO3
Hardness		
W-ICP	Template: SMP-FRESH	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects

Calcium
Iron
Magnesium
Potassium
Sodium
Strontium
Tin
Titanium
Vanadium
Zinc

W-ICPMS	Template: DEFAULT	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects

*Boron
Aluminum
Antimony
Arsenic
Barium
Beryllium
Cadmium
Chromium
Cobalt
Copper
Lead
Manganese
Molybdenum
Nickel

Bottle Group D (Water) With 1 Samples:

Bottle Type: P-500ML Number of Bottles: 1 Preserved With: HNO3

W-ICPMS	Template: DEFAULT	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects

Selenium
Silver
Thallium

Bottle Type: P-500ML Number of Bottles: 1 Preserved With: ICE And H2SO4

W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.