

Biological Analysis Report

NW-DIST-2022-07-07-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
University of West Florida
11000 University Parkway
Pensacola, FL 32514
DOH Accreditation E71969

Event Description: **Milton South Run**
Request ID: **RQ-2022-06-27-25**
Customer: **NW-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
160 W Government Street
Suite 208
Pensacola, FL 32502-5794
Attn: Myranda Butler

For additional information please contact
Cheryl Swanson - Administrator
Sarah Menz, Ph.D. - Bench Biology & Aquatic
Toxicity
Puja Jasrotia, Ph.D. - Molecular Biology & Taxonomy
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Sarah Menz, Environmental Administrator

Date Certified: 12-AUG-2022 13:36



NON-CONFORMANCE REPORT INCLUDED

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD, Molecular and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: White Oak Bayou at end of Aegean Drive

Collection Date/Time: 07/05/2022 09:40

Field ID: G4NW0387

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2339351	SOP-PCR-1.0	HF183-qPCR**	1.7E+03	UQ	TSC/100 mL	P415979	
	SOP-PCR-1.2	GULL2-qPCR**	1.8E+03	UQ	TSC/100 mL	P415979	
	SOP-PCR-1.3	GFD-qPCR**	360	UQ	TSC/100 mL	P415979	
	SOP-PCR-1.4	BacR-qPCR**	1.5E+03	UQ	TSC/100 mL	P415979	
	SOP-PCR-1.5	DG3-qPCR**	1.3E+03	UQ	TSC/100 mL	P415979	RPD
2340192	Enterolert/QT	Enterococci-Quanti-Tray	132		MPN/100 mL		

Sample Location: Sandy Point Creek below Sandy Point Street

Collection Date/Time: 07/05/2022 10:00

Field ID: G4NW0080

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2339349	SM 10200 H (mod.)	Chlorophyll-a, Corrected	5.3	I	ug/L	P416628	
		Phaeophytin-a	4.5	U	ug/L	P416628	
		Chlorophyll-a, Uncorrected	4.3	I	ug/L	P416628	
2339350	SOP-PCR-1.0	HF183-purified-qPCR**	550	UJ	TSC/100 mL	P417229	LCS, SUR
	SOP-PCR-1.2	GULL2-purified-qPCR**	600	UJ	TSC/100 mL	P417229	LCS, SUR
	SOP-PCR-1.3	GFD-purified-qPCR**	7.28E+03	J	TSC/100 mL	P417229	LCS, SUR
	SOP-PCR-1.4	BacR-purified-qPCR**	510	UJ	TSC/100 mL	P417229	LCS, SUR
	SOP-PCR-1.5	DG3-purified-qPCR**	430	UJ	TSC/100 mL	P417229	LCS, SUR
2340191	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	110		MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

SOP-PCR-1.0: Precision data unavailable for HF183-purified-qPCR component. Refer to the Lab Analysis Report for an explanation of QC Codes.

SOP-PCR-1.2: Precision data unavailable for GULL2-purified-qPCR component. Refer to the Lab Analysis Report for an explanation of QC Codes.

SOP-PCR-1.3: Precision data unavailable for GFD-purified-qPCR component. Refer to the Lab Analysis Report for an explanation of QC Codes.

SOP-PCR-1.4: Precision data unavailable for BacR-purified-qPCR component. Refer to the Lab Analysis Report for an explanation of QC Codes.

SOP-PCR-1.5: Precision data unavailable for DG3-purified-qPCR component. Refer to the Lab Analysis Report for an explanation of QC Codes.

Sample Location: Jakes Bayou upstream of Robinson Point Rd

Collection Date/Time: 07/05/2022 11:30

Field ID: G4NW0394

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2339348	SM 10200 H (mod.)	Chlorophyll-a, Corrected	8.7		ug/L	P416628	
		Phaeophytin-a	2.0	U	ug/L	P416628	
		Chlorophyll-a, Uncorrected	9.1		ug/L	P416628	
2340193	Enterolert/QT	Enterococci-Quanti-Tray	213		MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Non-Conformance Report

NCR ID: 9450

Event(s)

NW-DIST-2022-07-07-01

Job(s)

TLH-2022-07-07-10

Sample(s)

2339351

Test(s)

NCR Type: SHIPPING/RECEIVING

NCR Category: Samples arrived late

Observation: Sample arrived late, samples received within the acceptable temperature range.

Non-Conformance Report

NCR ID: 9450

Event(s)

Job(s)

Sample(s)

Test(s)

Resolution: Samples will be qualified as appropriate.
Customer contacted, email correspondence attached to sample submittal forms.
Biology and Chemistry supervisors were notified by email.

Authorized by/Date: Kyle Klug 7/12/2022

The Non-Conformance Report details exceptions or problems encountered with the events/jobs/samples/test.
Please address questions to:

Chemistry Colin Wright (850) 245-8085
Biology Cheryl Swanson (850) 245-8177

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)

Batch ID: P416628

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.82	U	ug/L
Chlorophyll-a, Uncorrected	0.60	U	ug/L
Phaeophytin-a	0.90	U	ug/L

Reference Method: SOP-PCR-1.0

Batch ID: P415979

Component	Result	Code	Units
HF183-qPCR	3.3E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.0

Batch ID: P417229

Component	Result	Code	Units
HF183-purified-qPCR	550	U	TSC/100 mL

Reference Method: SOP-PCR-1.2

Batch ID: P415979

Component	Result	Code	Units
GULL2-qPCR	3.6E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.2

Batch ID: P417229

Component	Result	Code	Units
GULL2-purified-qPCR	600	U	TSC/100 mL

Reference Method: SOP-PCR-1.3

Batch ID: P415979

Component	Result	Code	Units
GFD-qPCR	720	U	TSC/100 mL

Quality Assurance Report Method Blank Results

Reference Method: SOP-PCR-1.3
Batch ID: P417229

Component	Result	Code	Units
GFD-purified-qPCR	120	U	TSC/100 mL

Reference Method: SOP-PCR-1.4
Batch ID: P415979

Component	Result	Code	Units
BacR-qPCR	3.0E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.4
Batch ID: P417229

Component	Result	Code	Units
BacR-purified-qPCR	510	U	TSC/100 mL

Reference Method: SOP-PCR-1.5
Batch ID: P415979

Component	Result	Code	Units
DG3-qPCR	2.6E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.5
Batch ID: P417229

Component	Result	Code	Units
DG3-purified-qPCR	430	U	TSC/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)
Batch ID: P416628

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	93.8		P	84 - 116

Reference Method: SOP-PCR-1.0
Batch ID: P415979

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	52.2	80.9	P/P	50 - 175

Reference Method: SOP-PCR-1.0
Batch ID: P417229

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-purified-qPCR	90.8	15.6	P/F	50 - 175

Reference Method: SOP-PCR-1.2
Batch ID: P415979

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
-----------	---------	---------	-----------	----------------

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SOP-PCR-1.2
Batch ID: P415979

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GULL2-qPCR	106	83.5	P/P	50 - 300

Reference Method: SOP-PCR-1.2
Batch ID: P417229

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GULL2-purified-qPCR	90.7	8.13	P/F	50 - 300

Reference Method: SOP-PCR-1.3
Batch ID: P415979

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GFD-qPCR	87.2	83.5	P/P	50 - 175

Reference Method: SOP-PCR-1.3
Batch ID: P417229

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GFD-purified-qPCR	89.1	8.31	P/F	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P415979

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
BacR-qPCR	104	79.3	P/P	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P417229

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
BacR-purified-qPCR	90.6	6.13	P/F	50 - 175

Reference Method: SOP-PCR-1.5
Batch ID: P415979

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
DG3-qPCR	94.4	73.1	P/P	50 - 175

Reference Method: SOP-PCR-1.5
Batch ID: P417229

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
DG3-purified-qPCR	95.3	6.53	P/F	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0
Batch ID: P415979

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
---------------	-----------	---------	---------	-----------	----------------

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0

Batch ID: P415979

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2338255	HF183-qPCR	89.1	86.2	P/P	50 - 175
2338386	HF183-qPCR	80.0		P	50 - 175
2338434	HF183-qPCR	96.3		P	50 - 175
2338654	HF183-qPCR	91.5		P	50 - 175
2338655	HF183-qPCR	86.9		P	50 - 175
2338656	HF183-qPCR	98.4		P	50 - 175
2339171	HF183-qPCR	86.8		P	50 - 175
2339351	HF183-qPCR	83.2		P	50 - 175
2339479	HF183-qPCR	84.4		P	50 - 175
2339480	HF183-qPCR	89.5		P	50 - 175
2339481	HF183-qPCR	71.7		P	50 - 175

Reference Method: SOP-PCR-1.0

Batch ID: P417229

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2337385	HF183-purified-qPCR	88.8		P	50 - 175
2338435	HF183-purified-qPCR	89.7		P	50 - 175
2339350	HF183-purified-qPCR	85.7		P	50 - 175

Reference Method: SOP-PCR-1.2

Batch ID: P415979

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2338255	GULL2-qPCR	91.1	85.2	P/P	50 - 300
2338386	GULL2-qPCR	85.6		P	50 - 300
2338434	GULL2-qPCR	81.7		P	50 - 300
2338654	GULL2-qPCR	71.9		P	50 - 300
2338655	GULL2-qPCR	68.0		P	50 - 300
2338656	GULL2-qPCR	63.9		P	50 - 300
2339171	GULL2-qPCR	69.2		P	50 - 300
2339351	GULL2-qPCR	71.9		P	50 - 300

Reference Method: SOP-PCR-1.2

Batch ID: P417229

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2337385	GULL2-purified-qPCR	93.9		P	50 - 300
2338435	GULL2-purified-qPCR	90.7		P	50 - 300
2339350	GULL2-purified-qPCR	86.3		P	50 - 300

Reference Method: SOP-PCR-1.3

Batch ID: P415979

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2338255	GFD-qPCR	87.2	90.1	P/P	50 - 175
2338386	GFD-qPCR	96.7		P	50 - 175
2338434	GFD-qPCR	93.0		P	50 - 175
2338654	GFD-qPCR	82.3		P	50 - 175
2338655	GFD-qPCR	89.2		P	50 - 175
2338656	GFD-qPCR	84.6		P	50 - 175
2339171	GFD-qPCR	87.3		P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.3

Batch ID: P415979

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2339351	GFD-qPCR	78.9		P	50 - 175

Reference Method: SOP-PCR-1.3

Batch ID: P417229

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2337385	GFD-purified-qPCR	97.1		P	50 - 175
2338435	GFD-purified-qPCR	90.2		P	50 - 175
2339350	GFD-purified-qPCR	90.0		P	50 - 175

Reference Method: SOP-PCR-1.4

Batch ID: P415979

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2338255	BacR-qPCR	91.4	82.9	P/P	50 - 175
2338386	BacR-qPCR	77.4		P	50 - 175
2338434	BacR-qPCR	65.0		P	50 - 175
2338654	BacR-qPCR	87.2		P	50 - 175
2338655	BacR-qPCR	92.1		P	50 - 175
2338656	BacR-qPCR	84.2		P	50 - 175
2339171	BacR-qPCR	91.3		P	50 - 175
2339351	BacR-qPCR	87.8		P	50 - 175
2339479	BacR-qPCR	64.7		P	50 - 175
2339480	BacR-qPCR	64.3		P	50 - 175
2339481	BacR-qPCR	50.4		P	50 - 175

Reference Method: SOP-PCR-1.4

Batch ID: P417229

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2337385	BacR-purified-qPCR	91.0		P	50 - 175
2338435	BacR-purified-qPCR	86.4		P	50 - 175
2339350	BacR-purified-qPCR	89.6		P	50 - 175

Reference Method: SOP-PCR-1.5

Batch ID: P415979

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2338255	DG3-qPCR	141	92.1	P/P	50 - 175
2338386	DG3-qPCR	92.2		P	50 - 175
2338434	DG3-qPCR	79.5		P	50 - 175
2338654	DG3-qPCR	80.4		P	50 - 175
2338655	DG3-qPCR	88.8		P	50 - 175
2338656	DG3-qPCR	89.8		P	50 - 175
2339171	DG3-qPCR	88.4		P	50 - 175
2339351	DG3-qPCR	81.7		P	50 - 175
2339479	DG3-qPCR	83.1		P	50 - 175
2339480	DG3-qPCR	84.8		P	50 - 175
2339481	DG3-qPCR	71.1		P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.5
Batch ID: P417229

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2337385	DG3-purified-qPCR	97.8		P	50 - 175
2338435	DG3-purified-qPCR	102		P	50 - 175
2339350	DG3-purified-qPCR	101		P	50 - 175

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)
Batch ID: P416628

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2339406	Chlorophyll-a, Corrected	2.38	Sample	P	0 - 25
2339406	Chlorophyll-a, Uncorrected	1.04	Sample	P	0 - 25

Reference Method: SOP-PCR-1.0
Batch ID: P415979

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2338255	HF183-qPCR	3.29	Spike	P	0 - 25

Reference Method: SOP-PCR-1.2
Batch ID: P415979

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2338255	GULL2-qPCR	6.69	Spike	P	0 - 25

Reference Method: SOP-PCR-1.3
Batch ID: P415979

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2338255	GFD-qPCR	3.28	Spike	P	0 - 25

Reference Method: SOP-PCR-1.4
Batch ID: P415979

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2338255	BacR-qPCR	9.76	Spike	P	0 - 25

Reference Method: SOP-PCR-1.5
Batch ID: P415979

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2338255	DG3-qPCR	41.9	Spike	F	0 - 25

Quality Assurance Report Precision

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Surrogates

Lab Sample ID: 2339350
 Field Sample ID: G4NW0080

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	11.9	F	50 - 300
SOP-PCR-1.2	SKETA-qPCR	12.7	F	30 - 300
SOP-PCR-1.3	SKETA-qPCR	13.2	F	30 - 300
SOP-PCR-1.4	SKETA-qPCR	14.0	F	30 - 300
SOP-PCR-1.5	SKETA-qPCR	12.6	F	50 - 300

Lab Sample ID: 2339351
 Field Sample ID: G4NW0387

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	117	P	50 - 300
SOP-PCR-1.2	SKETA-qPCR	106	P	50 - 300
SOP-PCR-1.3	SKETA-qPCR	113	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	117	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	114	P	50 - 300

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery			LCS	Precision SMP	MS
SM 10200 H (mod.)	Chlorophyll-a, Corrected	93.8						2.38	
	Chlorophyll-a, Uncorrected							1.04	
SOP-PCR-1.0	HF183-purified-qPCR	15.6	90.8	88.8	89.7	85.7			
	HF183-qPCR	80.9	52.2	89.1	86.2	80.0			3.29
				96.3					
SOP-PCR-1.2	GULL2-purified-qPCR	8.13	90.7	93.9	90.7	86.3			
	GULL2-qPCR	83.5	106	91.1	85.2	85.6			6.69
				81.7					
SOP-PCR-1.3	GFD-purified-qPCR	8.31	89.1	97.1	90.2	90.0			
	GFD-qPCR	83.5	87.2	87.2	90.1	96.7			3.28
				93.0					
SOP-PCR-1.4	BacR-purified-qPCR	6.13	90.6	91.0	86.4	89.6			
	BacR-qPCR	104	79.3	82.9	91.4	77.4			9.76
				65.0					
SOP-PCR-1.5	DG3-purified-qPCR	6.53	95.3	97.8	102	101			
	DG3-qPCR	73.1	94.4	141	92.1	92.2			41.9
				79.5					

Reference Method Descriptions

Method	Description	Associated Samples
Enterolert/QT	Enterococci by Enterolert/QT by UWF in Pensacola	2340192, 2340193
SM 10200 H (mod.)	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	2339348, 2339349

Reference Method Descriptions

Method	Description	<u>Associated Samples</u>
SM 9223 B Quanti-Tray	E. coli by Colilert-18/QT by UWF in Pensacola	2340191
SOP-PCR-1.0	Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	2339350
SOP-PCR-1.0	Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	2339351
SOP-PCR-1.2	Detection and quantification of coastal bird specific Catellicoccus marimammalium Gull2 genetic marker with quantitative polymerase chain reaction	2339350
SOP-PCR-1.2	Detection and quantification of coastal bird specific Catellicoccus marimammalium Gull2 genetic marker with quantitative polymerase chain reaction	2339351
SOP-PCR-1.3	Detection and quantification of bird specific Helicobacter GFD genetic marker with quantitative polymerase chain reaction	2339350
SOP-PCR-1.3	Detection and quantification of bird specific Helicobacter GFD genetic marker with quantitative polymerase chain reaction	2339351
SOP-PCR-1.4	Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction	2339350
SOP-PCR-1.4	Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction	2339351
SOP-PCR-1.5	Detection and quantification of canine-specific DG3 Bacteroides genetic marker with quantitative polymerase chain reaction	2339350
SOP-PCR-1.5	Detection and quantification of canine-specific DG3 Bacteroides genetic marker with quantitative polymerase chain reaction	2339351

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
Enterolert/QT	07/05/2022	07/05/2022 16:05		07/06/2022 16:30	UWF Lab	2340192, 2340193
SM 10200 H (mod.)	07/07/2022	07/07/2022 09:47	Tynan A Branch	07/13/2022 10:36	Jillian G Hanley	2339348, 2339349
SM 9223 B Quanti-Tray	07/05/2022	07/05/2022 14:05		07/06/2022 11:44	UWF Lab	2340191
SOP-PCR-1.0	07/07/2022	07/07/2022 09:50	Claudia Castro	07/27/2022 09:06	DeAsia Armster	2339351
	07/07/2022	07/07/2022 09:50	DeAsia Armster	08/01/2022 08:54	DeAsia Armster	2339350
SOP-PCR-1.2	07/07/2022	07/07/2022 09:50	Claudia Castro	08/01/2022 11:46	Roberta Tatti	2339351
	07/07/2022	07/07/2022 09:50	DeAsia Armster	08/01/2022 10:04	DeAsia Armster	2339350
SOP-PCR-1.3	07/07/2022	07/07/2022 09:50	Claudia Castro	08/01/2022 12:29	Roberta Tatti	2339351
	07/07/2022	07/07/2022 09:50	DeAsia Armster	08/02/2022 12:10	DeAsia Armster	2339350
SOP-PCR-1.4	07/07/2022	07/07/2022 09:50	Claudia Castro	07/29/2022 08:46	DeAsia Armster	2339351
	07/07/2022	07/07/2022 09:50	DeAsia Armster	08/01/2022 10:04	DeAsia Armster	2339350
SOP-PCR-1.5	07/07/2022	07/07/2022 09:50	Claudia Castro	07/29/2022 13:03	Roberta Tatti	2339351
	07/07/2022	07/07/2022 09:50	DeAsia Armster	08/01/2022 08:54	DeAsia Armster	2339350