

Biological Analysis Report

NW-DIST-2022-08-24-01

Florida DEP Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
University of West Florida
11000 University Parkway
Pensacola, FL 32514
DOH Accreditation E71969

Event Description: **Hogtown Bayou Run**
Request ID: **RQ-2022-08-22-44**
Customer: **NW-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
160 W Government Street
Suite 208
Pensacola, FL 32502-5794
Attn: Myranda Butler

For additional information please contact
Cheryl Swanson - Administrator
Sarah Menz, Ph.D. - Bench Biology & Aquatic
Toxicity
Puja Jasrotia, Ph.D. - Molecular Biology & Taxonomy
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Cheryl A. Swanson, Program Administrator

Date Certified: 20-SEP-2022 09:56



NON-CONFORMANCE REPORT INCLUDED

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD, Microbiology and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Mack Bayou Center

Collection Date/Time: 08/23/2022 11:00

Field ID: G3NW0185

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2352006	SM 10200 H (mod.)	Chlorophyll-a, Corrected	14		ug/L	P419341	
		Phaeophytin-a	0.90	U	ug/L	P419341	
		Chlorophyll-a, Uncorrected	14		ug/L	P419341	
2352019	SM 9222 D	Fecal Coliforms-Membrane Filter	13	BQ	cfu/100 mL	P418695	
2352026	Enterolert/QT	Enterococci-Quanti-Tray	10		MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

SM 9222 D: Laboratory duplicate result is 4 B. Precision data for this duplicate is unavailable due to the colony count falling outside of method acceptable range.

Sample Location: Buck Bayou Center

Collection Date/Time: 08/23/2022 10:35

Field ID: G3NW0233

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2352007	SM 10200 H (mod.)	Chlorophyll-a, Corrected	6.2		ug/L	P419341	
		Phaeophytin-a	0.90	U	ug/L	P419341	
		Chlorophyll-a, Uncorrected	6.7		ug/L	P419341	
2352020	SM 9222 D	Fecal Coliforms-Membrane Filter	7	BQ	cfu/100 mL	P418695	
2352027	Enterolert/QT	Enterococci-Quanti-Tray	10	U	MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

SM 9222 D: Precision data for QC sample is unavailable due to the colony count falling outside of method acceptable range.

Sample Location: Hewett Bayou Center

Collection Date/Time: 08/23/2022 11:25

Field ID: G3NW0218

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2352008	SM 10200 H (mod.)	Chlorophyll-a, Corrected	8.8		ug/L	P419341	
		Phaeophytin-a	1.4	U	ug/L	P419341	
		Chlorophyll-a, Uncorrected	9.3		ug/L	P419341	
2352021	SM 9222 D	Fecal Coliforms-Membrane Filter	8	BQ	cfu/100 mL	P418695	
2352028	Enterolert/QT	Enterococci-Quanti-Tray	10		MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

SM 9222 D: Precision data for QC sample is unavailable due to the colony count falling outside of method acceptable range.

Sample Location: Churchill Bayou Center

Collection Date/Time: 08/23/2022 12:00

Field ID: G3NW0235

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2352009	SM 10200 H (mod.)	Chlorophyll-a, Corrected	37		ug/L	P419341	
		Phaeophytin-a	1.4	U	ug/L	P419341	
		Chlorophyll-a, Uncorrected	39		ug/L	P419341	
2352022	SM 9222 D	Fecal Coliforms-Membrane Filter	5	BQ	cfu/100 mL	P418695	
2352029	Enterolert/QT	Enterococci-Quanti-Tray	10		MPN/100 mL		

Field ID: G3NW0235

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
-----------	-------------	-----------	--------	------	-------	----------	----------

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

SM 9222 D: Precision data for QC sample is unavailable due to the colony count falling outside of method acceptable range.

Sample Location: Mussett Bayou Center

Collection Date/Time: 08/23/2022 11:45

Field ID: G3NW0234

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
-----------	-------------	-----------	--------	------	-------	----------	----------

2352010	SM 10200 H (mod.)	Chlorophyll-a, Corrected	8.5		ug/L	P419341	
		Phaeophytin-a	1.3	U	ug/L	P419341	
		Chlorophyll-a, Uncorrected	8.9		ug/L	P419341	

2352023	SM 9222 D	Fecal Coliforms-Membrane Filter	15	BQ	cfu/100 mL	P418695	
---------	-----------	---------------------------------	----	----	------------	---------	--

2352030	Enterolert/QT	Enterococci-Quanti-Tray	20		MPN/100 mL		
---------	---------------	-------------------------	----	--	------------	--	--

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

SM 9222 D: Precision data for QC sample is unavailable due to the colony count falling outside of method acceptable range.

Sample Location: Hogtown Bayou at Cessna Park

Collection Date/Time: 08/23/2022 12:10

Field ID: G3NW0152

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
-----------	-------------	-----------	--------	------	-------	----------	----------

2352011	SM 10200 H (mod.)	Chlorophyll-a, Corrected	79		ug/L	P419079	
		Phaeophytin-a	3.8	U	ug/L	P419079	
		Chlorophyll-a, Uncorrected	80		ug/L	P419079	

2352024	SM 9222 D	Fecal Coliforms-Membrane Filter	18	BQ	cfu/100 mL	P418695	
---------	-----------	---------------------------------	----	----	------------	---------	--

2352031	Enterolert/QT	Enterococci-Quanti-Tray	10		MPN/100 mL		
---------	---------------	-------------------------	----	--	------------	--	--

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

SM 9222 D: Precision data for QC sample is unavailable due to the colony count falling outside of method acceptable range.

Non-Conformance Report

NCR ID: 9521

Event(s)

NW-DIST-2022-08-24-01

Job(s)

TLH-2022-08-24-82

Sample(s)

2352023

Test(s)

NCR Type: SHIPPING/RECEIVING

NCR Category: Sample Integrity

Observation: Sample G3NW0234 received with cracked cap.

Resolution: Broken cap replaced.

Seal on broken cap still intact upon receipt.

Authorized by/Date: Kyle Klug 8/31/2022

The Non-Conformance Report details exceptions or problems encountered with the events/jobs/samples/test.

Please address questions to:

Chemistry	Colin Wright	(850) 245-8085
Biology	Cheryl Swanson	(850) 245-8177

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)
Batch ID: P419079

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.89	U	ug/L
Chlorophyll-a, Uncorrected	0.65	U	ug/L
Phaeophytin-a	0.98	U	ug/L

Reference Method: SM 10200 H (mod.)
Batch ID: P419341

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.82	U	ug/L
Chlorophyll-a, Uncorrected	0.60	U	ug/L
Phaeophytin-a	0.90	U	ug/L

Reference Method: SM 9222 D
Batch ID: P418695

Component	Result	Code	Units
Fecal Coliforms-Membrane Filter	2	U	cfu/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)
Batch ID: P419079

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	100		P	84 - 116

Reference Method: SM 10200 H (mod.)
Batch ID: P419341

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	101		P	84 - 116

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)
Batch ID: P419079

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2352208	Chlorophyll-a, Uncorrected	17.0	Sample	P	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	Precision		
				LCS	SMP	MS
SM 10200 H (mod.)	Chlorophyll-a, Corrected	100				
	Chlorophyll-a, Corrected	101				
	Chlorophyll-a, Uncorrected				17.0	

Reference Method Descriptions

Method	Description	Associated Samples
Enterolert/QT	Enterococci by Enterolert/QT by UWF in Pensacola	2352026, 2352027, 2352028, 2352029, 2352030, 2352031
SM 10200 H (mod.)	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	2352006, 2352007, 2352008, 2352009, 2352010, 2352011
SM 9222 D	Fecal coliforms by membrane filter method - non-chlorinated water systems	2352019, 2352020, 2352021, 2352022, 2352023, 2352024

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
Enterolert/QT	08/24/2022	08/23/2022 15:10		08/24/2022 15:50	UWF Lab	2352026, 2352027, 2352028, 2352029, 2352030, 2352031
SM 10200 H (mod.)	08/24/2022	08/24/2022 14:17	Devon Witczak	08/31/2022 15:22	Tynan A Branch	2352006, 2352007, 2352008, 2352009, 2352010
SM 9222 D	08/24/2022	08/24/2022 14:17	Devon Witczak	09/01/2022 10:16	Tynan A Branch	2352011
	08/24/2022	08/24/2022 14:56	Jillian G Hanley	08/25/2022 13:28	Jillian G Hanley	2352019, 2352020, 2352021
	08/24/2022	08/24/2022 15:25	Jillian G Hanley	08/25/2022 13:28	Jillian G Hanley	2352022, 2352023, 2352024