

Biological Analysis Report

NW-DIST-2022-11-09-01

Florida DEP Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
University of West Florida
11000 University Parkway
Pensacola, FL 32514
DOH Accreditation E71969


Event Description: **Western Lake Run**
Request ID: **RQ-2022-11-07-27**
Customer: **NW-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
160 W Government Street
Suite 208
Pensacola, FL 32502-5794
Attn: Myranda K Butler

For additional information please contact
Cheryl Swanson - Administrator
Sarah Menz, Ph.D. - Bench Biology & Aquatic
Toxicity
Puja Jasrotia, Ph.D. - Molecular Biology & Taxonomy
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Cheryl A. Swanson, Program Administrator

Date Certified: 19-DEC-2022 12:12



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD, Molecular and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Pond Creek downstream of Hwy 90

Collection Date/Time: 11/07/2022 11:40

Field ID: G4NW0506

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2368795	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	201		MPN/100 mL		
2368798	SOP-PCR-1.0	HF183-qPCR**	3.3E+03	U	TSC/100 mL	P422269	
	SOP-PCR-1.2	GULL2-qPCR**	3.6E+03	U	TSC/100 mL	P422269	
	SOP-PCR-1.3	GFD-qPCR**	720	U	TSC/100 mL	P422269	
	SOP-PCR-1.4	BacR-qPCR**	3.0E+03	U	TSC/100 mL	P422269	
	SOP-PCR-1.5	DG3-qPCR**	2.6E+03	U	TSC/100 mL	P422269	

Sample Location: CRESCENT LAKE

Collection Date/Time: 11/07/2022 10:45

Field ID: G5NW0159

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2368792	SM 10200 H (mod.)	Chlorophyll-a, Corrected	8.4		ug/L	P422296	
		Phaeophytin-a	0.90	U	ug/L	P422296	
		Chlorophyll-a, Uncorrected	9.0		ug/L	P422296	

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Pond Creek West of Headwaters of Blackwater Bay

Collection Date/Time: 11/07/2022 12:00

Field ID: G4NW0277

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2368794	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	187		MPN/100 mL		
2368797	SOP-PCR-1.0	HF183-qPCR**	3.3E+03	U	TSC/100 mL	P421615	
	SOP-PCR-1.2	GULL2-qPCR**	3.6E+03	U	TSC/100 mL	P421615	
	SOP-PCR-1.3	GFD-qPCR**	720	U	TSC/100 mL	P421615	
	SOP-PCR-1.4	BacR-qPCR**	3.0E+03	U	TSC/100 mL	P421615	
	SOP-PCR-1.5	DG3-qPCR**	2.6E+03	U	TSC/100 mL	P421615	

Sample Location: Locklin Lake Center

Collection Date/Time: 11/07/2022 13:15

Field ID: G4NW0437

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2368793	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.3	I	ug/L	P422321	
		Phaeophytin-a	1.3	U	ug/L	P422321	
		Chlorophyll-a, Uncorrected	3.7		ug/L	P422321	

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)

Batch ID: P422296

Component	Result	Code	Units
-----------	--------	------	-------

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)
Batch ID: P422296

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.82	U	ug/L
Chlorophyll-a, Uncorrected	0.60	U	ug/L
Phaeophytin-a	0.90	U	ug/L

Reference Method: SM 10200 H (mod.)
Batch ID: P422321

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.89	U	ug/L
Chlorophyll-a, Uncorrected	0.65	U	ug/L
Phaeophytin-a	0.98	U	ug/L

Reference Method: SOP-PCR-1.0
Batch ID: P421615

Component	Result	Code	Units
HF183-qPCR	3.3E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.0
Batch ID: P422269

Component	Result	Code	Units
HF183-qPCR	3.3E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.2
Batch ID: P421615

Component	Result	Code	Units
GULL2-qPCR	3.6E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.2
Batch ID: P422269

Component	Result	Code	Units
GULL2-qPCR	3.6E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.3
Batch ID: P421615

Component	Result	Code	Units
GFD-qPCR	720	U	TSC/100 mL

Reference Method: SOP-PCR-1.3
Batch ID: P422269

Component	Result	Code	Units
GFD-qPCR	720	U	TSC/100 mL

Reference Method: SOP-PCR-1.4
Batch ID: P421615

Component	Result	Code	Units
-----------	--------	------	-------

Quality Assurance Report Method Blank Results

Reference Method: SOP-PCR-1.4
Batch ID: P421615

Component	Result	Code	Units
BacR-qPCR	3.0E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.4
Batch ID: P422269

Component	Result	Code	Units
BacR-qPCR	3.0E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.5
Batch ID: P421615

Component	Result	Code	Units
DG3-qPCR	2.6E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.5
Batch ID: P422269

Component	Result	Code	Units
DG3-qPCR	2.6E+03	U	TSC/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)
Batch ID: P422296

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	102		P	84 - 116

Reference Method: SM 10200 H (mod.)
Batch ID: P422321

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	104		P	84 - 116

Reference Method: SOP-PCR-1.0
Batch ID: P421615

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	102	91.5	P/P	50 - 175

Reference Method: SOP-PCR-1.0
Batch ID: P422269

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	88.9	85.8	P/P	50 - 175

Reference Method: SOP-PCR-1.2
Batch ID: P421615

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
-----------	---------	---------	-----------	----------------

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SOP-PCR-1.2
Batch ID: P421615

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GULL2-qPCR	97.7	95.0	P/P	50 - 300

Reference Method: SOP-PCR-1.2
Batch ID: P422269

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GULL2-qPCR	99.5	96.4	P/P	50 - 300

Reference Method: SOP-PCR-1.3
Batch ID: P421615

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GFD-qPCR	88.7	96.2	P/P	50 - 175

Reference Method: SOP-PCR-1.3
Batch ID: P422269

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GFD-qPCR	105	75.7	P/P	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P421615

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
BacR-qPCR	104	88.2	P/P	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P422269

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
BacR-qPCR	111	76.9	P/P	50 - 175

Reference Method: SOP-PCR-1.5
Batch ID: P421615

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
DG3-qPCR	94.1	74.3	P/P	50 - 175

Reference Method: SOP-PCR-1.5
Batch ID: P422269

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
DG3-qPCR	109	74.6	P/P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0
Batch ID: P421615

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
---------------	-----------	---------	---------	-----------	----------------

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0

Batch ID: P421615

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2365259	HF183-qPCR	98.5	87.6	P	50 - 175
2366029	HF183-qPCR	78.0		P/P	50 - 175
2366100	HF183-qPCR	98.3		P	50 - 175
2366125	HF183-qPCR	99.1		P	50 - 175
2366369	HF183-qPCR	92.3	87.6	P	50 - 175
2367217	HF183-qPCR	97.6		P	50 - 175
2367218	HF183-qPCR	89.5		P	50 - 175
2368034	HF183-qPCR	84.8		P	50 - 175
2368054	HF183-qPCR	86.6		P	50 - 175
2368147	HF183-qPCR	99.5		P	50 - 175
2368148	HF183-qPCR	95.3		P	50 - 175
2368559	HF183-qPCR	88.2		P	50 - 175
2368797	HF183-qPCR	85.0		P	50 - 175

Reference Method: SOP-PCR-1.0

Batch ID: P422269

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2368535	HF183-qPCR	87.8	90.4	P	50 - 175
2368798	HF183-qPCR	84.8		P	50 - 175
2369357	HF183-qPCR	93.6		P/P	50 - 175
2369358	HF183-qPCR	92.0		P	50 - 175
2369359	HF183-qPCR	95.6	90.4	P	50 - 175
2369436	HF183-qPCR	84.0		P	50 - 175
2369529	HF183-qPCR	82.3		P	50 - 175
2369945	HF183-qPCR	111		P	50 - 175
2369946	HF183-qPCR	82.6		P	50 - 175
2369947	HF183-qPCR	104		P	50 - 175
2369948	HF183-qPCR	97.0		P	50 - 175
2369949	HF183-qPCR	102		P	50 - 175

Reference Method: SOP-PCR-1.2

Batch ID: P421615

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2365259	GULL2-qPCR	101	98.4	P	50 - 300
2366029	GULL2-qPCR	94.5		P/P	50 - 300
2366100	GULL2-qPCR	79.1		P	50 - 300
2366369	GULL2-qPCR	92.2		P	50 - 300
2367217	GULL2-qPCR	88.9	98.4	P	50 - 300
2367218	GULL2-qPCR	90.4		P	50 - 300
2368034	GULL2-qPCR	94.6		P	50 - 300
2368147	GULL2-qPCR	60.5		P	50 - 300
2368148	GULL2-qPCR	74.9		P	50 - 300
2368559	GULL2-qPCR	99.9		P	50 - 300
2368797	GULL2-qPCR	94.4		P	50 - 300

Reference Method: SOP-PCR-1.2

Batch ID: P422269

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2368535	GULL2-qPCR	98.4		P	50 - 300

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.2

Batch ID: P422269

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2368798	GULL2-qPCR	102	112	P	50 - 300
2369357	GULL2-qPCR	110		P/P	50 - 300
2369358	GULL2-qPCR	83.3	112	P	50 - 300
2369359	GULL2-qPCR	85.0		P	50 - 300
2369436	GULL2-qPCR	71.3	112	P	50 - 300
2369529	GULL2-qPCR	98.0		P	50 - 300
2369945	GULL2-qPCR	95.4	112	P	50 - 300
2369946	GULL2-qPCR	75.4		P	50 - 300
2369947	GULL2-qPCR	93.1	112	P	50 - 300
2369948	GULL2-qPCR	110		P	50 - 300
2369949	GULL2-qPCR	101	112	P	50 - 300

Reference Method: SOP-PCR-1.3

Batch ID: P421615

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2365259	GFD-qPCR	94.9	88.2	P	50 - 175
2366029	GFD-qPCR	91.0		P/P	50 - 175
2366100	GFD-qPCR	111	88.2	P	50 - 175
2366369	GFD-qPCR	103		P	50 - 175
2367217	GFD-qPCR	111	88.2	P	50 - 175
2367218	GFD-qPCR	94.5		P	50 - 175
2368034	GFD-qPCR	89.5	88.2	P	50 - 175
2368147	GFD-qPCR	111		P	50 - 175
2368148	GFD-qPCR	109	88.2	P	50 - 175
2368559	GFD-qPCR	88.6		P	50 - 175
2368797	GFD-qPCR	100	88.2	P	50 - 175

Reference Method: SOP-PCR-1.3

Batch ID: P422269

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2368535	GFD-qPCR	105	111	P	50 - 175
2368798	GFD-qPCR	104		P	50 - 175
2369357	GFD-qPCR	109	111	P/P	50 - 175
2369358	GFD-qPCR	104		P	50 - 175
2369359	GFD-qPCR	92.9	111	P	50 - 175
2369436	GFD-qPCR	103		P	50 - 175
2369529	GFD-qPCR	97.4	111	P	50 - 175
2369945	GFD-qPCR	111		P	50 - 175
2369946	GFD-qPCR	101	111	P	50 - 175
2369947	GFD-qPCR	101		P	50 - 175
2369948	GFD-qPCR	97.7	111	P	50 - 175
2369949	GFD-qPCR	99.4		P	50 - 175

Reference Method: SOP-PCR-1.4

Batch ID: P421615

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2365259	BacR-qPCR	102	95.2	P	50 - 175
2366029	BacR-qPCR	88.2		P/P	50 - 175
2366100	BacR-qPCR	88.4	95.2	P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.4
Batch ID: P421615

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2366125	BacR-qPCR	78.7		P	50 - 175
2366369	BacR-qPCR	80.3		P	50 - 175
2367217	BacR-qPCR	84.9		P	50 - 175
2367218	BacR-qPCR	93.3		P	50 - 175
2368034	BacR-qPCR	87.0		P	50 - 175
2368054	BacR-qPCR	102		P	50 - 175
2368147	BacR-qPCR	86.3		P	50 - 175
2368148	BacR-qPCR	86.3		P	50 - 175
2368559	BacR-qPCR	86.0		P	50 - 175
2368797	BacR-qPCR	84.8		P	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P422269

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2368535	BacR-qPCR	83.8		P	50 - 175
2368798	BacR-qPCR	82.5		P	50 - 175
2369357	BacR-qPCR	95.6	94.0	P/P	50 - 175
2369358	BacR-qPCR	76.7		P	50 - 175
2369359	BacR-qPCR	66.5		P	50 - 175
2369436	BacR-qPCR	63.4		P	50 - 175
2369529	BacR-qPCR	67.2		P	50 - 175

Reference Method: SOP-PCR-1.5
Batch ID: P421615

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2365259	DG3-qPCR	103		P	50 - 175
2366029	DG3-qPCR	97.9	98.5	P/P	50 - 175
2366100	DG3-qPCR	87.7		P	50 - 175
2366125	DG3-qPCR	85.7		P	50 - 175
2366369	DG3-qPCR	95.4		P	50 - 175
2367217	DG3-qPCR	94.0		P	50 - 175
2367218	DG3-qPCR	99.8		P	50 - 175
2368034	DG3-qPCR	99.0		P	50 - 175
2368054	DG3-qPCR	96.9		P	50 - 175
2368147	DG3-qPCR	79.0		P	50 - 175
2368148	DG3-qPCR	85.0		P	50 - 175
2368559	DG3-qPCR	99.8		P	50 - 175
2368797	DG3-qPCR	103		P	50 - 175

Reference Method: SOP-PCR-1.5
Batch ID: P422269

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2368535	DG3-qPCR	100		P	50 - 175
2368798	DG3-qPCR	97.8		P	50 - 175
2369357	DG3-qPCR	102	104	P/P	50 - 175
2369358	DG3-qPCR	87.1		P	50 - 175
2369359	DG3-qPCR	87.0		P	50 - 175
2369436	DG3-qPCR	71.5		P	50 - 175
2369529	DG3-qPCR	84.5		P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.5
Batch ID: P422269

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2369945	DG3-qPCR	110		P	50 - 175
2369946	DG3-qPCR	84.0		P	50 - 175
2369947	DG3-qPCR	99.5		P	50 - 175
2369948	DG3-qPCR	97.0		P	50 - 175
2369949	DG3-qPCR	116		P	50 - 175

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)
Batch ID: P422296

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2368367	Chlorophyll-a, Corrected	4.33	Sample	P	0 - 25
2368367	Chlorophyll-a, Uncorrected	3.61	Sample	P	0 - 25

Reference Method: SM 10200 H (mod.)
Batch ID: P422321

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2368651	Chlorophyll-a, Uncorrected	6.22	Sample	P	0 - 25

Reference Method: SOP-PCR-1.0
Batch ID: P421615

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2366029	HF183-qPCR	11.7	Spike	P	0 - 25

Reference Method: SOP-PCR-1.0
Batch ID: P422269

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2369357	HF183-qPCR	3.48	Spike	P	0 - 25

Reference Method: SOP-PCR-1.2
Batch ID: P421615

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2366029	GULL2-qPCR	4.01	Spike	P	0 - 25

Reference Method: SOP-PCR-1.2
Batch ID: P422269

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2369357	GULL2-qPCR	1.33	Spike	P	0 - 25

Quality Assurance Report Precision

Reference Method: SOP-PCR-1.3
Batch ID: P421615

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2366029	GFD-qPCR	3.03	Spike	P	0 - 25

Reference Method: SOP-PCR-1.3
Batch ID: P422269

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2369357	GFD-qPCR	1.54	Spike	P	0 - 25

Reference Method: SOP-PCR-1.4
Batch ID: P421615

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2366029	BacR-qPCR	7.58	Spike	P	0 - 25

Reference Method: SOP-PCR-1.4
Batch ID: P422269

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2369357	BacR-qPCR	1.71	Spike	P	0 - 25

Reference Method: SOP-PCR-1.5
Batch ID: P421615

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2366029	DG3-qPCR	0.632	Spike	P	0 - 25

Reference Method: SOP-PCR-1.5
Batch ID: P422269

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2369357	DG3-qPCR	2.65	Spike	P	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Surrogates

Lab Sample ID: 2368797
Field Sample ID: G4NW0277

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	77.0	P	50 - 300
SOP-PCR-1.2	SKETA-qPCR	99.2	P	50 - 300
SOP-PCR-1.3	SKETA-qPCR	102	P	50 - 300

Quality Assurance Report Surrogates

Lab Sample ID: 2368797
 Field Sample ID: G4NW0277

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.4	SKETA-qPCR	87.5	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	79.4	P	50 - 300

Lab Sample ID: 2368798
 Field Sample ID: G4NW0506

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	96.5	P	50 - 300
SOP-PCR-1.2	SKETA-qPCR	136	P	50 - 300
SOP-PCR-1.3	SKETA-qPCR	108	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	104	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	94.4	P	50 - 300

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery			LCS	Precision	MS
								SMP	
SM 10200 H (mod.)	Chlorophyll-a, Corrected	102						4.33	
	Chlorophyll-a, Corrected	104							
	Chlorophyll-a, Uncorrected							3.61	
	Chlorophyll-a, Uncorrected							6.22	
SOP-PCR-1.0	HF183-qPCR	91.5	102	78.0	87.6	98.3			11.7
				99.1					
	HF183-qPCR	85.8	88.9	87.8	84.8	93.6			3.48
				90.4					
SOP-PCR-1.2	GULL2-qPCR	95.0	97.7	94.5	98.4	79.1			4.01
				101					
	GULL2-qPCR	96.4	99.5	98.4	102	110			1.33
				112					
SOP-PCR-1.3	GFD-qPCR	96.2	88.7	94.9	103	111			3.03
				94.5					
	GFD-qPCR	75.7	105	105	104	109			1.54
				111					
SOP-PCR-1.4	BacR-qPCR	88.2	104	88.4	78.7	102			7.58
				80.3					
	BacR-qPCR	76.9	111	83.8	82.5	95.6			1.71
				94.0					
SOP-PCR-1.5	DG3-qPCR	74.3	94.1	97.9	98.5	87.7			0.632
				85.7					
	DG3-qPCR	74.6	109	100	97.8	102			2.65
				104					

Reference Method Descriptions

Method	Description	Associated Samples
SM 10200 H (mod.)	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	2368792, 2368793
SM 9223 B Quanti-Tray	E. coli by Colilert-18/QT by UWF in Pensacola	2368794, 2368795
SOP-PCR-1.0	Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	2368797, 2368798
SOP-PCR-1.2	Detection and quantification of coastal bird specific Catellicoccus marimammalium Gull2 genetic marker with quantitative polymerase chain reaction	2368797, 2368798

Reference Method Descriptions

Method	Description	<u>Associated Samples</u>
SOP-PCR-1.3	Detection and quantification of bird specific Helicobacter GFD genetic marker with quantitative polymerase chain reaction	2368797, 2368798
SOP-PCR-1.4	Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction	2368797, 2368798
SOP-PCR-1.5	Detection and quantification of canine-specific DG3 Bacteroides genetic marker with quantitative polymerase chain reaction	2368797, 2368798

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
SM 10200 H (mod.)	11/09/2022	11/09/2022 10:13	Carina A. Tull	11/14/2022 11:07	Megan Higbee	2368792
	11/09/2022	11/09/2022 10:13	Carina A. Tull	11/14/2022 12:55	Megan Higbee	2368793
SM 9223 B Quanti-Tray	11/07/2022	11/07/2022 15:20		11/08/2022 11:18	UWF Lab	2368794, 2368795
SOP-PCR-1.0	11/09/2022	11/09/2022 10:30	Claudia Castro	11/28/2022 09:56	Roberta Tatti	2368797
	11/09/2022	11/09/2022 10:30	Claudia Castro	12/06/2022 08:39	Roberta Tatti	2368798
SOP-PCR-1.2	11/09/2022	11/09/2022 10:30	Claudia Castro	11/29/2022 10:20	Roberta Tatti	2368797
	11/09/2022	11/09/2022 10:30	Claudia Castro	12/07/2022 14:50	Roberta Tatti	2368798
SOP-PCR-1.3	11/09/2022	11/09/2022 10:30	Claudia Castro	11/29/2022 13:43	Roberta Tatti	2368797
	11/09/2022	11/09/2022 10:30	Claudia Castro	12/08/2022 09:15	DeAsia Armster	2368798
SOP-PCR-1.4	11/09/2022	11/09/2022 10:30	Claudia Castro	11/28/2022 12:51	DeAsia Armster	2368797
	11/09/2022	11/09/2022 10:30	Claudia Castro	12/06/2022 13:30	Roberta Tatti	2368798
SOP-PCR-1.5	11/09/2022	11/09/2022 10:30	Claudia Castro	11/29/2022 08:33	DeAsia Armster	2368797
	11/09/2022	11/09/2022 10:30	Claudia Castro	12/07/2022 08:41	DeAsia Armster	2368798