

Biological Analysis Report

NW-DIST-2022-12-21-02

Florida DEP Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
University of West Florida
11000 University Parkway
Pensacola, FL 32514
DOH Accreditation E71969

Event Description: **Navarre Run**
Request ID: **RQ-2022-12-12-16**
Customer: **NW-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
160 W Government Street
Suite 208
Pensacola, FL 32502-5794
Attn: Myranda Butler

For additional information please contact
Cheryl Swanson - Administrator
Sarah Menz, Ph.D. - Bench Biology & Aquatic
Toxicity
Puja Jasrotia, Ph.D. - Molecular Biology & Taxonomy
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Cheryl A. Swanson, Program Administrator

Date Certified: 10-JAN-2023 11:54



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD, Molecular and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Tom King Creek

Collection Date/Time: 12/19/2022 12:10

Field ID: G4NW0193

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2376948	SM 10200 H (mod.)	Chlorophyll-a, Corrected	0.89	U	ug/L	P424000	
		Phaeophytin-a	0.98	U	ug/L	P424000	
		Chlorophyll-a, Uncorrected	0.65	U	ug/L	P424000	
2376954	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	631		MPN/100 mL		
2376958	SOP-PCR-1.0	HF183-qPCR**	3.3E+03	U	TSC/100 mL	P423594	
	SOP-PCR-1.2	GULL2-qPCR**	3.6E+03	U	TSC/100 mL	P423972	
	SOP-PCR-1.3	GFD-qPCR**	720	U	TSC/100 mL	P423594	
	SOP-PCR-1.4	BacR-qPCR**	3.0E+03	U	TSC/100 mL	P423594	
	SOP-PCR-1.5	DG3-qPCR**	2.6E+03	U	TSC/100 mL	P423594	

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Williams Creek upstream of Hwy 98

Collection Date/Time: 12/19/2022 12:45

Field ID: G4NW0531

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2376949	SM 10200 H (mod.)	Chlorophyll-a, Corrected	0.96	U	ug/L	P424000	
		Phaeophytin-a	1.0	U	ug/L	P424000	
		Chlorophyll-a, Uncorrected	0.70	U	ug/L	P424000	
2376955	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	187		MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)

Batch ID: P424000

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.82	U	ug/L
Chlorophyll-a, Uncorrected	0.60	U	ug/L
Phaeophytin-a	0.90	U	ug/L

Reference Method: SOP-PCR-1.0

Batch ID: P423594

Component	Result	Code	Units
HF183-qPCR	3.3E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.2

Batch ID: P423972

Component	Result	Code	Units
GULL2-qPCR	3.6E+03	U	TSC/100 mL

Quality Assurance Report Method Blank Results

Reference Method: SOP-PCR-1.3
Batch ID: P423594

Component	Result	Code	Units
GFD-qPCR	720	U	TSC/100 mL

Reference Method: SOP-PCR-1.4
Batch ID: P423594

Component	Result	Code	Units
BacR-qPCR	3.0E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.5
Batch ID: P423594

Component	Result	Code	Units
DG3-qPCR	2.6E+03	U	TSC/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)
Batch ID: P424000

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	92.4		P	84 - 116

Reference Method: SOP-PCR-1.0
Batch ID: P423594

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	99.5	92.9	P/P	50 - 175

Reference Method: SOP-PCR-1.2
Batch ID: P423972

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GULL2-qPCR	95.5	96.2	P/P	50 - 300

Reference Method: SOP-PCR-1.3
Batch ID: P423594

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GFD-qPCR	90.5	84.5	P/P	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P423594

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
BacR-qPCR	99.1	91.9	P/P	50 - 175

Reference Method: SOP-PCR-1.5
Batch ID: P423594

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
-----------	---------	---------	-----------	----------------

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SOP-PCR-1.5
Batch ID: P423594

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
DG3-qPCR	109	92.3	P/P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0
Batch ID: P423594

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2375746	HF183-qPCR	91.4	90.5	P/P	50 - 175
2376006	HF183-qPCR	91.5		P	50 - 175
2376515	HF183-qPCR	87.5		P	50 - 175
2376516	HF183-qPCR	82.0		P	50 - 175
2376517	HF183-qPCR	86.3		P	50 - 175
2376764	HF183-qPCR	90.3		P	50 - 175
2376924	HF183-qPCR	90.8		P	50 - 175
2376958	HF183-qPCR	77.8		P	50 - 175
2377035	HF183-qPCR	97.4		P	50 - 175
2377049	HF183-qPCR	95.2		P	50 - 175
2377060	HF183-qPCR	82.7		P	50 - 175

Reference Method: SOP-PCR-1.2
Batch ID: P423972

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2376006	GULL2-qPCR	63.9		P	50 - 300
2376515	GULL2-qPCR	92.7		P	50 - 300
2376516	GULL2-qPCR	76.6		P	50 - 300
2376517	GULL2-qPCR	84.9		P	50 - 300
2376924	GULL2-qPCR	83.7		P	50 - 300
2376958	GULL2-qPCR	69.2		P	50 - 300
2377049	GULL2-qPCR	86.4		P	50 - 300

Reference Method: SOP-PCR-1.3
Batch ID: P423594

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2376006	GFD-qPCR	88.4		P	50 - 175
2376515	GFD-qPCR	102		P	50 - 175
2376516	GFD-qPCR	102		P	50 - 175
2376517	GFD-qPCR	97.5		P	50 - 175
2376764	GFD-qPCR	101		P	50 - 175
2376924	GFD-qPCR	108		P	50 - 175
2376958	GFD-qPCR	91.1		P	50 - 175
2377049	GFD-qPCR	96.6		P	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P423594

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2375746	BacR-qPCR	88.9	94.7	P/P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.4
Batch ID: P423594

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2376006	BacR-qPCR	71.0		P	50 - 175
2376515	BacR-qPCR	94.7		P	50 - 175
2376516	BacR-qPCR	73.8		P	50 - 175
2376517	BacR-qPCR	78.7		P	50 - 175
2376764	BacR-qPCR	93.1		P	50 - 175
2376924	BacR-qPCR	94.1		P	50 - 175
2376958	BacR-qPCR	74.4		P	50 - 175
2377035	BacR-qPCR	86.1		P	50 - 175
2377049	BacR-qPCR	90.4		P	50 - 175
2377060	BacR-qPCR	79.0		P	50 - 175

Reference Method: SOP-PCR-1.5
Batch ID: P423594

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2375746	DG3-qPCR	103	95.1	P/P	50 - 175
2376006	DG3-qPCR	84.5		P	50 - 175
2376515	DG3-qPCR	98.9		P	50 - 175
2376516	DG3-qPCR	82.2		P	50 - 175
2376517	DG3-qPCR	92.2		P	50 - 175
2376924	DG3-qPCR	83.7		P	50 - 175
2376958	DG3-qPCR	87.7		P	50 - 175
2377035	DG3-qPCR	71.3		P	50 - 175
2377049	DG3-qPCR	86.7		P	50 - 175
2377060	DG3-qPCR	78.4		P	50 - 175

Quality Assurance Report Precision

Reference Method: SOP-PCR-1.0
Batch ID: P423594

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2375746	HF183-qPCR	0.969	Spike	P	0 - 25

Reference Method: SOP-PCR-1.2
Batch ID: P423972

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2375746	GULL2-qPCR	1.81	Spike	P	0 - 25

Reference Method: SOP-PCR-1.3
Batch ID: P423594

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2375746	GFD-qPCR	2.92	Spike	P	0 - 25

Quality Assurance Report Precision

Reference Method: SOP-PCR-1.4
 Batch ID: P423594

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2375746	BacR-qPCR	6.35	Spike	P	0 - 25

Reference Method: SOP-PCR-1.5
 Batch ID: P423594

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2375746	DG3-qPCR	7.79	Spike	P	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Surrogates

Lab Sample ID: 2376958
 Field Sample ID: G4NW0193

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	82.7	P	50 - 300
SOP-PCR-1.2	SKETA-qPCR	84.1	P	50 - 300
SOP-PCR-1.3	SKETA-qPCR	82.1	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	92.0	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	88.3	P	50 - 300

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery			LCS	Precision SMP	MS
SM 10200 H (mod.)	Chlorophyll-a, Corrected	92.4							
SOP-PCR-1.0	HF183-qPCR	92.9	99.5	91.4	90.5	91.5			0.969
				87.5					
SOP-PCR-1.2	GULL2-qPCR	96.2	95.5	63.9	92.7	76.6			1.81
				84.9					
SOP-PCR-1.3	GFD-qPCR	84.5	90.5	88.4	102	102			2.92
				97.5					
SOP-PCR-1.4	BacR-qPCR	91.9	99.1	88.9	94.7	71.0			6.35
				94.7					
SOP-PCR-1.5	DG3-qPCR	92.3	109	103	95.1	84.5			7.79
				98.9					

Reference Method Descriptions

Method	Description	Associated Samples
SM 10200 H (mod.)	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	2376948, 2376949
SM 9223 B Quanti-Tray	E. coli by Colilert-18/QT by UWF in Pensacola	2376954, 2376955
SOP-PCR-1.0	Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	2376958

Reference Method Descriptions

Method	Description	<u>Associated Samples</u>
SOP-PCR-1.2	Detection and quantification of coastal bird specific <i>Catelliboccus marimammalium</i> Gull2 genetic marker with quantitative polymerase chain reaction	2376958
SOP-PCR-1.3	Detection and quantification of bird specific <i>Helicobacter</i> GFD genetic marker with quantitative polymerase chain reaction	2376958
SOP-PCR-1.4	Detection and quantification of Ruminant specific <i>Bacteroidetes</i> BacR genetic marker with quantitative polymerase chain reaction	2376958
SOP-PCR-1.5	Detection and quantification of canine-specific DG3 <i>Bacteroides</i> genetic marker with quantitative polymerase chain reaction	2376958

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
SM 10200 H (mod.)	12/21/2022	12/21/2022 12:04	Carina A. Tull	12/28/2022 10:00	Megan Higbee	2376948, 2376949
SM 9223 B Quanti-Tray	12/19/2022	12/19/2022 15:20		12/20/2022 12:33	UWF Lab	2376954, 2376955
SOP-PCR-1.0	12/21/2022	12/21/2022 11:10	Claudia Castro	12/27/2022 11:06	DeAsia Armster	2376958
SOP-PCR-1.2	12/21/2022	12/21/2022 11:10	Claudia Castro	12/28/2022 10:45	Roberta Tatti	2376958
SOP-PCR-1.3	12/21/2022	12/21/2022 11:10	Claudia Castro	12/29/2022 09:15	DeAsia Armster	2376958
SOP-PCR-1.4	12/21/2022	12/21/2022 11:10	Claudia Castro	12/27/2022 12:53	Roberta Tatti	2376958
SOP-PCR-1.5	12/21/2022	12/21/2022 11:10	Claudia Castro	12/28/2022 09:04	DeAsia Armster	2376958