



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

STRATEGIC MONITORING PLAN FIELD SHEET

January 2022

Meter Passed End
of Day CCV
Yes / No

WIN Station Name: Big Creek @ SR65

Date: 6/7/2022

WIN/Field ID: G1TLHR0056

WBID: 913

ENR:

Latitude: 30.410755

County: LIBERTY

Org ID: 21FLTLHR

Longitude: -84.78501

Receiving Body of Water: Telogia Creek

RQ: 2022-05-30-18

Sampling Team Members		WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
☒	Trey Fitzgerald	☒	☐	☒	☐	☐
☒	Paul Blair	☐	☐	☐	☐	☐
☒	John Lorenzen	☐	☒	☐	☒	☐
☐		☐	☐	☐	☐	☐

Sampling Equipment	
☒ Sample Container	☐ Carboy
☐ Dipper	☐ Van Dorn
☐ Syringe	☐ Pole
Depth measured with: Meter	
Secchi Equipment ID:	
Collection Method	
☒ Wading	☐ Canoe/Kayak
☐ From Shore	☐ Electric Motor
☐ Other	☐ Gasoline Motor

Water Level: ☒ Normal ☐ Low ☐ High ☐ Dry ☐ Pooled ☐ Flooded						Meter ID# 153484						
Photos: No	Flow:			Tide:		Tide Times: High: Low:						
Biological Samples Collected: ☐ None ☒ HA ☒ SCI ☒ RPS ☐ Algae ID ☒ LVS ☐ LVI Other:												
SBIO ID Numbers:												
Notes: P. CLOUDY / SCI COLLECTION TIME: 950												

Duplicate Sample

Time Zone: EST	Time:	Field ID: N/A	(WIN ID_DUP)
WIN DMT Activity ID:			

Blank

Time Zone:	Time:	Field ID:	(Blank Type_DDMMYYYY)
DI Source:	Location:		
DI Type:	Equipment ID:		
DI Container (Name/ID):		DI Container Type:	

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: QC Station ID, Field Parameters In LIMS DMT:

Scan/Save Field Sheets Migrate Data to WIN: Verify Data In WIN:



RQ-2022-05-30-18
Customer: TLH-DIST
Project ID: STRATEGIC MONITORING PLAN

Collected By: Trey Fitzgerald, Paul Blair
Field Report Prepared By: Trey Fitzgerald
Sampling Agency: FDEP

Place Label Here WIN ID/Field ID: G1TLHR0056 Location: Big Creek @ SR65						Comments:					
Matrix: Fresh						(Check one) ☒ GRAB ☐ COMPOSITE					
Date	Time	DO (mg/L)	DO (%SAT)	Temp. (C°)	pH	Sample Depth (m)	Secchi Disk (m)	Total Depth (m)	Sp COND (µmhos/cm)	Salinity (PPT _h)	
6/7/2022	900 EST	7.82	88.8	21.5	4.55	0.11	0.21 ☒ VOB (S)	0.21	21.9	0.01	
	EST						Central Lab please use top row for login purposes				
Parameter Suite		Parameter Methods				Preservation		pH Check	# Bottles sent to Lab	Bottle Group	
Preserved Nutrients (P-500ML)		☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP				☒ Ice ☒ H2SO4*		☐ <2	1	A	
		Lot #	1308030		Exp:	11/07/22					
Metals (P-500ML)		☒ W-ICPMS ☒ W-ICP ☒ W-HARD				☒ Ice ☐ HNO3*		☐ <2	1	A	
		Lot #	1105100		Exp:	06/07/22					
Filtered Nutrients (P125ML)		☒ W-PO4-F ☒ Field Filtered 0.45 µm Filter				☐ Ice			1	A	
		Filter Lot #	1723873			Syringe Lot #	1091364				
BOD (BP-1L)		☐ OV-BODUNIN				☐ Ice					
Chlorophyll (BP-1L)		☒ CHLSUITE-W				☒ Ice			1	A	
Physical/Aggregate (Fresh) (P-1L)		☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W-TDS				☒ Ice			1	A	
Physical/Aggregate (Marine) (P-1L)		☐ Alkalinity / W-F / W-TSS / TURBIDITY				☐ Ice					
Macroinvertebrates (PJ-2L)		☐ MI-FW-QLDC				☒ Formalin			2	B	
Periphyton (PT-50ML)		☐ ALGAE-ID				☐ Ice					
Microbiology (Contract Lab Bottle)		☒ E Coli ☐ F Coli ☐ Enterococci ☐ Contract Lab				☒ Ice			1	A	
Molecular (QPCR-P-500ML)		☐ PCR-HF183 ☐ PCR-BacR ☐ PCR-DG3 ☐ PCR-GULL2 ☐ PCR-GFD ☐				☐ Ice					
Tracers (BG-500ML)		☐ W-E8321-DI ☐ W-E8321-MS				☐ Ice		MCAA Exp.			
Pesticides (BG-500ML) (BG-1L)		☒ W-E8321-DI		☒ WE8321-MS		☒ W-PSNP-TQ		☒ W-CT-Cl-R		5	A
		☐ W-PCL-TQ-R		☐ W-CARB-AA (5 ml of MCAA** Buffer Solution)		☐ W-TR-SQ-R					
		☐ W-PCB-TQ-R									
Phytoplankton/Periphyton				DTY-QN-C		PKD-QN-C		☐ Ice			
Name: Trey Fitzgerald Paul Blair						Signature:			Date: 06/07/2022		

*2.0 ml of Preservative used unless noted otherwise.

**MCAA: Monochloroacetic acid buffer solution

DEP Form FD 9000-3 Physical/Chemical Characterization Field Sheet

SAMPLE ID GITLH0065 ORG ID LATITUDE
COUNTY Liberty STORET # LONGITUDE
DATE 6-7-22 TIME 9:00 SAMPLING AGENCY 21TLHROC
SITE NAME Big Creek QSR 65
FIELD ID/NAME GITLH0056 RECEIVING BODY OF WATER Bull Creek


RIPARIAN ZONE / STREAM FEATURES

PREDOMINANT LAND-USE IN WATERSHED (specify relative percent in each category): Forest/Natural ☐ Silviculture ☐ Field/Pasture ☐ Agricultural ☐ Residential ☐ Commercial ☐ Industry ☐ Other (Specify) ☐ <u>100</u> ☐ ☐ ☐ ☐ ☐ ☐ ☐							Landscape Development Intensity Index (LDI) ☐	
Local Watershed Erosion (select one): ☐ None ☒ Slight ☐ Moderate ☐ Heavy Local Watershed NPS Pollution: ☒ No evidence ☐ Slight ☐ Moderate ☐ Heavy					Typical Width (m) Depth (m)/Velocity (m/sec) Transect 4 m wide			
Width of Riparian Vegetation (m) on Each Buffer Side Left Bank: <u>>18m</u> Right Bank: <u>>18m</u>			Hydrologic Modification Score (per FT 3101) <u> </u>		0.25 m/s 0.25 m/s 0.25 m/s			
High Water Mark: <u>1.0</u> + <u>0.5</u> = <u>1.5</u> (m) (above present water level) (present depth) (above bed)			Artificially Impounded ☐ Yes ☒ No		0.3 m deep 0.5 m deep 0.2 m deep			
Artificially ☒ No ☐ Mostly recovered, more sinuous Channelized: ☐ Some recovery ☐ Recent, severe			Canopy Cover % ☐ Open ☐ Lightly Shaded (11-45%) ☒ Heavily Shaded ☐ Moderate Shaded (46-80%)					

SEDIMENT / SUBSTRATE

Sediment Oils ☒ Absent ☐ Slight ☐ Moderate ☐ Profuse			Sediment Odors ☒ Normal ☐ Sewage ☐ Petroleum ☐ Chemical ☐ Anaerobic ☐ Other (Specify): <u> </u>			Smothering of Substrates Sand Smothering: None ☐ Slight ☐ Moderate ☒ Severe ☐ Silt Smothering: None ☐ Slight ☒ Moderate ☐ Severe ☐ Algae Smothering: None ☒ Slight ☐ Moderate ☐ Severe ☐																																		
SUBSTRATE TYPE Assessment Tool: ☒ SCI ☒ RPS ☒ LVS ☐ LCI ☐ BioRecon Woody Debris (Snags) <u>0.525</u> Undercut Banks / Roots <u>1.375</u> Leaf Packs or Mat <u>3.625</u> Aquatic Vegetation Rock or Shell Rubble..... Sand..... <u>89.375</u> Mud / Muck / Silt Other Other INVERT % Coverage # Times Sampled PERI # Times Sampled 			WATER QUALITY <table border="1"> <thead> <tr> <th>Depth (M)</th> <th>Temp. (°C)</th> <th>pH (SU)</th> <th>D.O. (MG/L)</th> <th>D.O. Sat (%)</th> <th>Cond. (UMHO/CM)</th> <th>Salinity (PPT)</th> <th>SECCHI (M)</th> </tr> </thead> <tbody> <tr> <td>Top: <u>0.1</u></td> <td><u>21.5</u></td> <td><u>4.55</u></td> <td><u>7.82</u></td> <td><u>88.8</u></td> <td><u>21.9</u></td> <td></td> <td><u>6.5</u></td> </tr> <tr> <td>Mid:</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>☒ VOB</td> </tr> <tr> <td>Bottom</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>TOTAL DEPTH</td> </tr> </tbody> </table> Meter ID: <u>153484</u>						Depth (M)	Temp. (°C)	pH (SU)	D.O. (MG/L)	D.O. Sat (%)	Cond. (UMHO/CM)	Salinity (PPT)	SECCHI (M)	Top: <u>0.1</u>	<u>21.5</u>	<u>4.55</u>	<u>7.82</u>	<u>88.8</u>	<u>21.9</u>		<u>6.5</u>	Mid:							☒ VOB	Bottom							TOTAL DEPTH
Depth (M)	Temp. (°C)	pH (SU)	D.O. (MG/L)	D.O. Sat (%)	Cond. (UMHO/CM)	Salinity (PPT)	SECCHI (M)																																	
Top: <u>0.1</u>	<u>21.5</u>	<u>4.55</u>	<u>7.82</u>	<u>88.8</u>	<u>21.9</u>		<u>6.5</u>																																	
Mid:							☒ VOB																																	
Bottom							TOTAL DEPTH																																	
Water Odors Normal ☒ Petroleum ☐ Sewage ☐ Chemical ☐ Other ☐			Water Surface Oils Normal ☒ Sheen ☐ Globs ☐ Slick ☐ Other ☐			Color Tannic ☐ Green (Algae) ☐ Clear ☒ Other (Specify) ☐																																		
Water Sample Taken? ☒ Yes ☐ No Sample Preserved? ☒ Yes ☐ No Lot Number: <u> </u> Exp: <u> </u>			Clarity Clear ☒ Slightly Turbid ☐ Turbid ☐ Opaque ☐			System Type: Stream ☒ Lake ☐ Wetland ☐ Estuary ☐ Other(Specify) ☐																																		
ABUNDANCE Not Obs. Rare Common Abundant Periphyton: ☐ ☒ ☐ ☐ Fish: ☒ ☐ ☐ ☐ Aquatic Plants: ☒ ☐ ☐ ☐ Iron/Sulfur Bacteria: ☒ ☐ ☐ ☐			AMBIENT FIELD CONDITIONS / NOTES: ☒ The antecedent hydrologic conditions have been met to my best knowledge.																																					
SAMPLING TEAM <u>Paul Blair/Trey Fitzgerald</u>			SIGNATURE <u>Paul Blair</u>			DATE: <u>6-7-22</u>																																		

DEP Form FD 9000-4 Stream/River Habitat Assessment Sketch Sheet



Location: Big Creek @ SR65
 Date: 6-7-22
 Sampler: Paul Blair

100 m: Latitude _____
 Longitude _____
 0 m: Latitude _____
 Longitude _____

Substrates: Code key, draw proportionate habitat abundance. %

☐ S	Snags	5.625
☐ R	Roots/undercut banks	1.375
☐ L	Leaf Packs (or mats)	3.625
☐ A	Aquatic Macrophytes	_____
☐ K	rock	_____
☐		_____
☐		_____
☐	Pools	total # observed = _____ # range expected = _____

Average width 8.4 m
 Average depth 0.333 m

Velocity measured at 35/75 meter mark.

WQ & chemistry taken at 0 meter mark.

Habitat Smothering:
 Note areas (on map) where sand or silt is smothering substrates, limiting habitability.

Bank Stability:
 Note areas (on map) with unstable, eroding banks.

Riparian Buffer Width:
 Note areas (on map) where natural vegetation is altered or eliminated.

Plants observed / other notes:

S = 22.5
 L = 5.5
 R = 14.5

10.625%

DEP FORM FD 9000-25 Rapid Periphyton Survey Field Sheet

Site: <u>Rig Creek @ SR65/GITLHR0056</u>					County: <u>Liberty</u>		Date: <u>6-7-22</u>		Investigators: <u>Blair/Fitzgerald</u>		
STORE Station Number: <u>GITLHR0056</u>											

Transect (m)	Point 1=right 9=left	Algal Thickness Rank (N-6, X)	Estimated	Canopy Cover	Transect (m)	Point 1=right 9=left	Algal Thickness Rank (N-6, X)	Estimated	Canopy Cover
0	1	N			60	1	N		
	2	N				2	N		
	3	N				3	N		
	4	N				4	N		
	5	N		96		5	N		96
	6	N				6	N		
	7	N				7	N		
	8	N				8	N		
	9	N				9	N		
10	1	N			70	1	N		
	2	N				2	N		
	3	N				3	N		
	4	N				4	N		
	5	N		96		5	N		92
	6	N				6	N		
	7	N				7	N		
	8	N				8	N		
	9	N				9	N		
20	1	N			80	1	N		
	2	N				2	N		
	3	N				3	N		
	4	N				4	N		
	5	N		90		5	N		90
	6	N				6	N		
	7	N				7	N		
	8	N				8	N		
	9	N				9	N		
30	1	N			90	1	N		
	2	N				2	N		
	3	N				3	N		
	4	N				4	N		
	5	N		96		5	N		96
	6	N				6	N		
	7	N				7	N		
	8	N				8	N		
	9	N				9	N		
40	1	N			100	1	N		
	2	N				2	N		
	3	N				3	N		
	4	N				4	N		
	5	N		96		5	N		96
	6	N				6	N		
	7	N				7	N		
	8	N				8	N		
	9	N				9	N		
50	1	N				1	N		
	2	N				2	N		
	3	N				3	N		
	4	N				4	N		
	5	N		96		5	N		
	6	N				6	N		
	7	N				7	N		
	8	N				8	N		
	9	N				9	N		

Secchi depth	5.5
Estimated?	

# points ranked 4-6	0
total points assessed	
% points ranked 4-6	0

Check accompanying data collected at same site/date.	
Algal mat sample	
Linear Veg Survey	✓
Habitat Assessment	✓
SCI/Biorecon	✓
Water sample	✓
RQ-	

Algal Thickness Rank	
N	rough, no algae, slimy, algae up to 1mm
3	>1mm - 6mm
4	>6mm - 20mm
5	>20mm - 10 cm
6	>10 cm

Record "N" and check "Estimated" for points deeper than the Secchi depth; algae are presumed absent. Check "Estimated" if thickness estimated for deep points which can be seen but not reached.

Record "X" for points shallower than Secchi depth for which substrate cannot be seen or reached with the hand. No estimated rank.

Record canopy cover as the number of small densiometer quadrants (out of 96) that HAVE canopy cover. Measure facing upstream at point 4, 5, or 6.

Collect algal mat sample following DEP SOP FS 7240 if the percentage of total sampled points with a thickness rank of 4, 5, or 6 is >20%.

DEP Form FD 9000-5 Stream/River Habitat Assessment Field Sheet

SAMPLING AGENCY: <u>9034/TLHROC</u>		STORET STATION NUMBER: <u>GITLHR0056</u>	DATE (MM/DD/YY): <u>6-7-22</u>	RECEIVING BODY OF WATER: <u>Bull Creek</u>
REMARKS:	COUNTY: <u>Liberty</u>	LOCATION: <u>Big Creek @ SR65</u>	FIELD ID/NAME:	

Habitat Parameter	Optimal	Suboptimal	Marginal	Poor
Primary Habitat Components	Four or more major productive habitats present (snags, tree roots, aquatic vegetation, leaf packs (partially decayed), rock)	Three major productive habitats present. Adequate habitat. Some substrates may be new fall (fresh leaves or snags)	Two major productive habitats present. Less than desirable habitat, frequently disturbed or removed	One or less major productive habitat. Lack of habitat is obvious, substrates unstable or smothered
Substrate Diversity <u>15</u>	20 19 18 17 16	<u>15</u> 14 13 12 11	10 9 8 7 6	5 4 3 2 1
Substrate Availability <u>8</u>	Greater than 30% major productive habitat present at site 20 19 18 17 16	16% to 30% major productive habitat, by aerial extent 15 14 13 12 11	6% to 15% major productive habitat 10 9 <u>8</u> 7 6	Less than 5% major productive habitat 5 4 3 2 1
Water Velocity <u>13</u>	Max. observed at typical transect: > 0.25 m/sec. But < 1 m/sec ≥0.33 0.31 0.29 0.27 >0.25 20 19 18 17 16	Max. observed at typical transect: >0.1 to 0.25 m/sec 0.25 0.21 0.17 0.13 >0.1 15 14 13 12 11	Max. observed at typical transect: 0.05 to 0.1 m/sec 0.1 0.09 0.07 0.06 0.05 10 9 8 7 6	Max. observed at typical transect: <0.05 m/sec; or spate occurring: > 1 m/sec <0.05 0.04 0.03 0.01 <0.01 5 4 3 2 1
Habitat Smothering <u>15</u> ----- Primary Score <u>51</u>	Adequate number of stable pools (1-2 per 12 times width) and <25% of habitats affected by sand, silt, or algae. 20 19 18 17 16	Adequate number of stable pools (1-2 per 12 times width) and >25% of habitats affected by sand, silt, or algae. 15 14 13 12 11	Does not have required number of stable pools (1-2 per 12 x width) and/or has shallow pools (<2 x prevailing depth). 10 9 8 7 6	Stable pools are absent. Most habitats affected by sand, silt, or algae accumulation. 5 4 3 2 1
Secondary Habitat Components	Expected sinuosity given the stream width. No evidence of dredging or artificial straightening. No spoil banks.	Good sinuosity within old channelized area. Evidence of dredging in the past (>25 yrs) but mostly recovered.	Straightened with trapezoidal cross section, but has a small degree of sinuosity developed within channelized area.	Straightened or engineered by dredging, has trapezoidal or box cut cross section, lacks required pools. May have spoil banks.
Artificial Channelization <u>20</u>	<u>20</u> 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1
Bank Stability	Bankfull > 60% of bank height. Slope of bank ≤ 60° from bankfull to top of bank. Bankfull is within or above the root zone with few raw, eroded areas.	Only meets 2 of the 3 requirements for optimal bank stability.	Only meets 1 of the 3 requirements for optimal bank stability.	Bankfull < 60% of bank height. Slope of bank > 60°. Bankfull is below the root zone with raw, eroded areas.
Right Bank <u>9</u> Left Bank <u>9</u>	10 9	8 7 6	5 4	3 2 1
Riparian Buffer Zone Width	Width of vegetation greater than 18 m	Width of vegetation >12 to 18m	Width of vegetation 6 to 12 m. human activities close to system	Less than 6 m of buffer zone due to intensive human activities
Right Bank <u>10</u> Left Bank <u>10</u>	10 9	8 7 6	5 4	3 2 1
Riparian Zone Vegetation Quality	Over 80% of riparian surfaces consist of normal, expected plant community for given sunlight & habitat conditions (e.g., native plants; tree, shrub, and forbs represented, if appropriate). Minimal disturbance.	>50% to 80% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions). Some disruption in community observed.	25% to 50% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions). Disruption obvious.	Less than 25% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions).
Right Bank <u>10</u> Left Bank <u>10</u> ----- Secondary Score <u>22</u>	10 9	8 7 6	5 4	3 2 1

128 **TOTAL SCORE**

Date: <u>6-7-22</u>	Analyst: <u>Paul Blair</u>	Signature: <u>[Signature]</u>
---------------------	----------------------------	-------------------------------

Waterbody: Big Creek @ SRS/GTLHR0056	Date: 1-7-22	County: Liberty	Storet Number: GTLHR0056
Analyst: Paul Blair	Signature: Paul Blair		
Comments: No vegetation observed			

	Meter Mark										Specimen collected (check)		Meter Mark										Specimen collected (check)
HERBACEOUS SPECIES	0-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80-90	90-100		HERBACEOUS SPECIES	0-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80-90	90-100	
Alternanthera philoxeroides											Micranthemum glomeratum												
Bacopa caroliniana											Micranthemum umbrosum												
Bacopa monnieri											Myriophyllum aquaticum												
Bidens mitis											Najas guadelupensis												
Boehmeria cylindrica											Nuphar luteum												
Centella asiatica											Orontium aquaticum												
Ceratophyllum demersum											Panicum hemitomon												
Chara											Panicum repens												
Cicuta maculata											Panicum rigidulum												
Cladium jamaicense											Pistia stratioides												
Colocasia esculenta											Polygonum glabra												
Commelina diffusa											Polygonum hydropiperoides												
Commelina virginica											Polygonum punctatum												
Crinum americanum											Pontedaria cordata												
Diodia virginiana											Potamogeton illinoensis												
Eichhornia crassipes											Ruellia simplex												
Eleocharis (wispy viviparous)											Sacciolepis striata												
Hydrilla verticillata											Sagittaria kurziana												
Hydrocotyle											Sagittaria lancifolia												
Hygrophila polysperma											Sagittaria latifolia												
Hymenocallis											Salvinia minima												
Lachnanthes caroliniana											Samolus parviflora												
Landoltia punctata											Saururus cernuus												
Lemna											Sparganium americanum												
Limnophila sessiflora											Typha												
Ludwigia leptocarpa											Vallisneria americana												
Ludwigia palustris											Zizania aquatica												
Ludwigia peruviana																							
Ludwigia repens																							
Luziola fluitans																							
If no Dominant or Co-Dominant were selected, indicate with "X"																							