



NELAP Certification #E84167

EnviroAnalytical, Inc.

ANALYTICAL TEST REPORT**THESE RESULTS MEET NELAP STANDARDS****Submission Number :** 22090535

F D E P / S W D
13051 N Telecom Pkwy.
Tampa, FL 33637

Project Name : RQ2022-08-22-03+ RQ2022-09-12-45**Date Received :** 09/12/2022**Time Received :** 13:55

Erica Peck

Submission Number: 22090535
Sample Number: 001
Sample Description: G1SW0130

Sample Date: 09/12/2022
Sample Time: 10:50
Sample Method: Grab

Parameter	Result	Units	MDL	PQL	Procedure	Preparation Date/Time	Analysis Date/Time	Analyst
E- COLI BY IDEXX QUANTITRAY	327	#/100 ML	10	10	SM9223B	09/12/2021 16:41	09/13/2021 18:21	CM

Submission Number: 22090535
Sample Number: 002
Sample Description: G1SW0129

Sample Date: 09/12/2022
Sample Time: 10:30
Sample Method: Grab

Parameter	Result	Units	MDL	PQL	Procedure	Preparation Date/Time	Analysis Date/Time	Analyst
E- COLI BY IDEXX QUANTITRAY	256	#/100 ML	10	10	SM9223B	09/12/2021 16:41	09/13/2021 18:21	CM

Submission Number: 22090535
Sample Number: 003
Sample Description: G2SW0112

Sample Date: 09/12/2022
Sample Time: 11:15
Sample Method: Grab


Parameter	Result	Units	MDL	PQL	Procedure	Preparation Date/Time	Analysis Date/Time	Analyst
ENTEROCOCCI	7701	#/100 ML	10	10	ENTEROLERT	09/12/2021 17:33	09/13/2021 18:30	CM

Submission Number: 22090535
Sample Number: 004
Sample Description: G2SW0139

Sample Date: 09/12/2022
Sample Time: 11:30
Sample Method: Grab

Parameter	Result	Units	MDL	PQL	Procedure	Preparation Date/Time	Analysis Date/Time	Analyst
ENTEROCOCCI	8664	#/100 ML	10	10	ENTEROLERT	09/12/2021 17:33	09/13/2021 18:30	CM

BENCHMARK



EnviroAnalytical, Inc.

NELAP Certification #E84167

Submission Number: 22090535
Sample Number: 005
Sample Description: G2SW0102

Sample Date: 09/12/2022
Sample Time: 11:40
Sample Method: Grab

Parameter	Result	Units	MDL	PQL	Procedure	Preparation Date/Time	Analysis Date/Time	Analyst
ENTEROCOCCI	6867	#/100 ML	10	10	ENTEROLERT	09/12/2022 17:33	09/13/2022 18:30	CM

Haley Richardson
Dale D. Dixon / Laboratory Director

09/30/2022

Date

Tulay Tanrisever / Haley Richardson - QC Officers

DATA QUALIFIERS THAT MAY APPLY:

A = Value reported is an average of two or more determinations.
B = Results based upon colony counts outside the ideal range.
H = Value based on field kit determination. Results may not be accurate.
I = Reported value is between the laboratory MDL and the PQL.
J1 = Estimated value. Surrogate recovery limits exceeded.
J2 = Estimated value. No quality control criteria exists for component.
J3 = Estimated value. Quality control criteria for precision or accuracy not met.
J4 = Estimated value. Sample matrix interference suspected.
J5 = Estimated value. Data questionable due to improper lab or field protocols.
K = Off-scale low. Value is known to be < the value reported.
L = Off-scale high. Value is known to be > the value reported.
N = Presumptive evidence of presence of material.
O = Sampled, but analysis lost or not performed.

NOTES:

MBAS calculated as LAS; molecular weight = 340.
PQL = 4xMDL.
ND = Not detected at or above the adjusted reporting limit.
X = Value exceeds MCL.
G1 = Accuracy standard does not meet method control limits, but does meet lab control limits that are in agreement with USEPA generated data, USEPA letter available upon request.

Q = Sample held beyond accepted hold time.
T = Value reported is < MDL. Reported for informational purposes only and shall not be used in statistical analysis.
U = Analyte analyzed but not detected at the value indicated.
V = Analyte detected in sample and method blank. Results for this analyte in associated samples may be biased high. Standard, Duplicate and Spike values are within control limits. Reported data are usable.
Y = Analysis performed on an improperly preserved sample. Data may be inaccurate.
Z = Too many colonies were present (TNTC). The numeric value represents the filtration volume.
! = Data deviate from historically established concentration ranges.
? = Data rejected and should not be used. Some or all of QC data were outside criteria, and the presence or absence of the analyte cannot be determined from the data.
* = Not reported due to interference.
Oil & Grease - If client does not send sufficient sample quantity for spike evaluation surface water samples are supplied by the laboratory.

COMMENTS:

1 (10 mL) dilution on each Enterococci and E. coli sample.

For questions or comments regarding these results, please contact us at (941) 723-9986.

Results relate only to the samples.

